

Table S1. Evolution of drug consumption corrected for multiple comparisons in the analyses.

Drug	Hospital				Intensive Care Unit (ICU)			
	β_t	P-value*	β_{change}	P-value*	β_t	P-value*	β_{change}	P-value*
<i>Ceftriaxone</i>	-0.5	0.705	54.32	0.073	-0.23	0.617	20.49	0.053
<i>Ceftaroline</i>	0.26	0.414	11.77	0.073	0.15	0.102	-1.55	0.461
<i>Carbapenems</i>	1.49	0.368	-12.7	0.705	-0.31	0.461	26.10	0.014
<i>Novel cephalosporins/β-lactamase inhibitors</i>	0.71	0.073	-4.06	0.675	0.18	0.024	-1.70	0.354
<i>Echinocandins</i>	1.24	0.113	-20.6	0.321	0.19	0.270	-1.52	0.725
<i>Vancomycin</i>	-2.8	0.061	-7.44	0.705	-0.24	0.000	1.82	0.162
<i>Daptomycin</i>	2.65	0.073	11.15	0.705	0.06	0.827	18.09	0.014
<i>Azithromycin</i>	-1.2	0.662	63.13	0.267	-0.15	0.744	19.42	0.094
<i>Linezolid</i>	0.19	0.705	13.73	0.421	-0.27	0.162	9.18	0.050
<i>Liposomal amphotericin B</i>	0.18	0.457	-2.69	0.675	0.08	0.382	-0.31	0.852
<i>Triazoles</i>	0.32	0.705	17.6	0.563	-0.34	0.162	7.94	0.162