

Supplementary material

Pre-Emptive Antimicrobial Locks Decrease Long-Term Catheter-Related Bloodstream Infections in Hemodialysis Patients

Andres Blanco-Di Matteo ¹, Nuria Garcia-Fernandez ², Aitziber Aguinaga Pérez ^{3,4}, Francisco Carmona-Torre ^{1,4}, Amaya C. Oteiza ⁵, Jose Leiva ^{4,5} and Jose Luis Del Pozo ^{1,4,5,*}

¹ Infectious Diseases Division, Clinica Universidad de Navarra, 31008 Pamplona, Spain

² Nephrology Department, Clinica Universidad de Navarra, 31008 Pamplona, Spain

³ Clinical Microbiology Department, Hospital Universitario de Navarra, 31008 Pamplona, Spain

⁴ Navarra Health Research Institute-IdiSNA, 31008 Pamplona, Spain

⁵ Clinical Microbiology Department, Clinica Universidad de Navarra, 31008 Pamplona, Spain

* Correspondence: jdelpozo@unav.es

Table S1. Detailed isolation of quantitative blood cultures.

Bacteria	N
<i>Staphylococcus epidermidis</i>	168
<i>Staphylococcus haemolyticus</i>	15
<i>Kocuria kristinae</i>	12
<i>Staphylococcus warneri</i>	11
<i>Staphylococcus hominis</i>	6
<i>Enterococcus faecalis</i>	6
<i>Enterococcus faecium</i>	6
<i>Staphylococcus aureus</i>	6
<i>Staphylococcus capitis</i>	6
<i>Corynebacterium afermentans</i>	4
<i>Klebsiella pneumoniae</i>	4
<i>Escherichia coli</i>	3
<i>Micrococcus luteus</i>	2
<i>Klebsiella oxytoca</i>	2
<i>Sphingomonas paucimobilis</i>	2
<i>Staphylococcus saprophyticus</i>	2
<i>Streptococcus bovis</i>	2
<i>Bacillus</i> spp	2
<i>Acinetobacter ursingii</i>	1
<i>Corynebacterium tuberculosis</i>	1
<i>Corynebacterium urealyticum</i>	1
<i>Cutibacterium acnes</i>	1
<i>Pseudomonas aeruginosa</i>	1
<i>Pseudomonas putida</i>	1
<i>Streptococcus gordoni</i>	1
<i>Streptococcus pyogenes</i>	1
Negative	2762
Total	3029