

Synthesis, Characterization, Cytotoxicity Analysis and Evaluation of Novel Heterocyclic Derivatives of Benзамidine against Periodontal Disease Triggering Bacteria

Ramasamy Kavitha ¹, Mohammad Auwal Sa'ad ^{1,2}, Shivkanya Fuloria ³, Neeraj Kumar Fuloria ^{3,4,*}, Manickam Ravichandran ^{1,2,5,*} and Pattabhiraman Lalitha ⁶

¹ Department of Biotechnology, Faculty of Applied Science, AIMST University, Bedong 08100, Kedah, Malaysia

² Centre of Excellence for Vaccine Development (CoEVD), Faculty of Applied Science, AIMST University, Bedong 08100, Kedah, Malaysia

³ Centre of Excellence for Biomaterials Engineering, Faculty of Pharmacy, AIMST University, Bedong 08100, Kedah, Malaysia

⁴ Center for Transdisciplinary Research, Department of Pharmacology, Saveetha Institute of Medical and Technical Sciences, Saveetha Dental College and Hospital, Saveetha University, Chennai 600077, Tamil Nadu, India

⁵ Mygenome, ALPS Global Holding, Kuala Lumpur 50400, Malaysia

⁶ Department of Biochemistry, Faculty of Medicine, AIMST University, Bedong 08100, Kedah, Malaysia

* Correspondence: neerajkumar@aimst.edu.my (N.K.F.); ravichandran@aimst.edu.my (M.R.)




Figure S1. FTIR spectrum of compound 5a




Figure S2. ^1H -NMR spectrum of compound 5a




Figure S3. ^{13}C -NMR spectrum of compound 5a




Figure S4. MASS spectrum of compound 5a




Figure S5. FTIR spectrum of compound 6a




Figure S6. ¹H-NMR spectrum of compound 6a




Figure S7a. 13C-NMR spectrum of compound 6a




Figure S7b. 13C-NMR spectrum of compound 6a




Figure S7c. 13C-NMR spectrum of compound 6a




Figure S8. MASS spectrum of compound 6a