



Supplementary Materials

Article

Mineralogical and geochemical characterization of asbestiform todorokite, birnessite and ranciéite and their host Mn-rich deposits from Serra D'Aiello (Southern Italy)

Andrea Bloise ¹, Domenico Miriello ¹, Rosanna De Rosa ^{1,*}, Giovanni Vespasiano ^{1,2,*}, Ilaria Fuoco ¹, Raffaella De Luca ¹, Eugenio Barrese ¹ and Carmine Apollaro ¹

- Department of Biology, Ecology and Earth Sciences, University of Calabria, Via Pietro Bucci, 87036 Rende, CS, Italy
- ² E3 (Environment, Earth, Engineering) soc.coop. (University of Calabria), 87036 Rende, CS, Italy
- * Correspondence: derosa@unical.it (R.D.R.); giovanni.vespasiano@unical.it (G.V.); Tel.: +39 0984 493690 (R.D.R.); +39 0984 493580 (G.V.)

Received: 8 December 2019; Accepted: 26 January 2020; Published: 28 January 2020

This file includes the supporting information of the paper entitled: "Mineralogical and geochemical characterization of asbestiform todorokite, birnessite and ranciéite and their host Mn-rich deposits from Serra D'Aiello (Southern Italy)".




Figure S1. XRPD pattern of the samples examined. Peaks were assigned according to literature (International Centre for Diffraction Data (2005). ICDD Products/PDF-2, http://www.icdd.com/products/pdf2.htm).

Table S1. Threshold values of potential hazardous elements in soils, groundwaters (Italian Legislative Decree N° .152 of 03/04/2006) and air (NIOSH, 2007).

	SOIL	WATER	AIR
Elements	Thresholds Italian Law D.Lgs. 152/2006 LIMIT A (mg/kg)	Thresholds Italian Law D.Lgs. 152/2006 (µg/L)	Thresholds NIOSH 2007 (TWA-mg/m³)
Cr	150	50	0.5
Cu	120	1000	1
Ni	120	20	0.015
Pb	100	10	0.05
\mathbf{V}	90	-	-
Co	20	50	0.05
Zn	150	3000	-