

Correction

# Correction: Marconi et al. Human Periodontal Ligament Stem Cells Response to Titanium Implant Surface: Extracellular Matrix Deposition. *Biology* 2021, 10, 931

Guya Diletta Marconi <sup>1</sup>, Luigia Fonticoli <sup>2</sup>, Ylenia Della Rocca <sup>2</sup>, Thangavelu Soundara Rajan <sup>3</sup>, Adriano Piattelli <sup>1</sup>, Oriana Trubiani <sup>2</sup>, Jacopo Pizzicannella <sup>4,\*</sup> and Francesca Diomede <sup>2</sup>

- <sup>1</sup> Department of Medical, Oral and Biotechnological Sciences, University “G. d’Annunzio” Chieti-Pescara, 66100 Chieti, Italy
- <sup>2</sup> Department of Innovative Technologies in Medicine & Dentistry, University “G. d’Annunzio” Chieti-Pescara, 66100 Chieti, Italy
- <sup>3</sup> Department of Biotechnology, Karpagam Academy of Higher Education, Coimbatore 641021, India
- <sup>4</sup> “Ss. Annunziata” Hospital, ASL 02 Lanciano-Vasto-Chieti, 66100 Chieti, Italy
- \* Correspondence: jacopo.pizzicannella@unich.it

## Figure/Table Legend

In the original publication [1], there was a mistake in the legend for “Figures 3C, 4D and 5A”. The figures were already published in our paper in *Frontiers and Cell Development*; due to our inattention, the citation [14] was not reported in the paper in *Biology* and should be added.

The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

## Reference

1. Marconi, D.G.; Fonticoli, L.; Rocca, D.Y.; Rajan, T.S.; Piattelli, A.; Trubiani, O.; Pizzicannella, J.; Diomede, D. Human Periodontal Ligament Stem Cells Response to Titanium Implant Surface: Extracellular Matrix Deposition. *Biology* **2022**, *10*, 931. [[CrossRef](#)] [[PubMed](#)]

**Disclaimer/Publisher’s Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.



**Citation:** Marconi, G.D.; Fonticoli, L.; Rocca, Y.D.; Rajan, T.S.; Piattelli, A.; Trubiani, O.; Pizzicannella, J.; Diomede, F. Correction: Marconi et al. Human Periodontal Ligament Stem Cells Response to Titanium Implant Surface: Extracellular Matrix Deposition. *Biology* 2021, 10, 931. *Biology* **2023**, *12*, 306. <https://doi.org/10.3390/biology12020306>

Received: 3 January 2023

Accepted: 4 January 2023

Published: 14 February 2023



**Copyright:** © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).