

Supplementary Table S2. List of genera with the conservation of rRNA operon disruption.

Genus	Unlinked genomes*	Genome size (average, bp)	rRNA copy number		Characteristics	Habitat (host)	Reference
			16S	23S			
<i>Anaplasma</i>	8	1349657.5	1	1	Pathogen (humans, mammals; anaplasmosis)	Ticks	[1-3]
<i>Borrelia</i>	20	1192776.1	1	1	Pathogen (humans, mammals; relapsing fever)	Ticks, lice	[4-6]
<i>Borrelia</i>	16	1265183.6	1	1~2	Pathogen (humans; lyme disease)	Ticks, lice	[4,5,7-9]
<i>Brachyspira</i>	9	2976921.6	1	1	Pathogen (humans, mammals)	Various animals	[10-14]
<i>Buchnera</i>	24	592061.1	1	1	Symbiont (aphids)	Aphids	[15]
<i>Dehalococcoides</i>	25	1403003.4	1	1	Organohalide respiration	Environmental sediments	[16]
<i>Ehrlichia</i>	15	1260075.1	1	1	Pathogen (humans, mammals; ehrlichiosis)	Ticks	[17-20]
<i>Eperythrozoon A</i>	6	687613.3	1	1	Pathogen (mammals)	Arthropods	[21]
<i>Gimesia</i>	6	7922255.7	2	1	Isolated from ocean (not characterized)	Ocean	[22]
<i>Helicobacter</i>	175	1638038.3	1~2	1~2	Pathogen (humans, mammals)	Humans, mammals	[23-25]
<i>Leptospira</i>	29	4452983.9	2	2	Pathogen (humans, mammals; leptospirosis)	Stagnant water, mammals	[26]
<i>Orientia</i>	8	2171624.8	1	1	Pathogen (humans; typhus, Tsutsugamushi disease)	Mites	[27,28]
<i>Rickettsia</i>	68	1270779.6	1	1	Pathogen (humans; typhus)	Arthropods, nematodes	[28]
<i>Thermus</i>	15	2253012.2	2	2	High temperature tolerance	Hot water	[29]
<i>TM7x</i>	4	770656.0	1	1	Pathogen (bacteria)	Bacteria	[30]
<i>Wolbachia</i>	23	1308337.4	1	1	Symbiont (insects)	Nematodes	[31,32]

* Genera with only unlinked rRNA operons and with four or more genomes were included.

References

1. Munderloh, U.G.; Blouin, E.F.; Kocan, K.M.; Ge, N.L.; Edwards, W.L.; Kurtti, T.J. Establishment of the tick (Acari: Ixodidae)-borne cattle pathogen *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) in tick cell culture. *Journal of medical entomology* **1996**, *33*, 656–664.
2. Stuen, S. *Anaplasma phagocytophilum*-the most widespread tick-borne infection in animals in Europe. *Veterinary research communications* **2007**, *31*, 79–84.
3. Ohashi, N.; Inayoshi, M.; Kitamura, K.; Kawamori, F.; Kawaguchi, D.; Nishimura, Y.; Naitou, H.; Hiroi, M.; Masuzawa, T. *Anaplasma phagocytophilum*-infected ticks, Japan. *Emerging infectious diseases* **2005**, *11*, 1780.
4. Barbour, A.G.; Hayes, S.F. Biology of *Borrelia* species. *Microbiological reviews* **1986**, *50*, 381.
5. Adeolu, M.; Gupta, R.S. A phylogenomic and molecular marker based proposal for the division of the genus *Borrelia* into two genera: The emended genus *Borrelia* containing only the members of the relapsing fever *Borrelia*, and the genus *Borreliella* gen. nov. containing the members of the Lyme disease *Borrelia* (*Borrelia burgdorferi* sensu lato complex). *Antonie Van Leeuwenhoek* **2014**, *105*, 1049–1072.
6. Krause, P.J.; Narasimhan, S.; Wormser, G.P.; Rollend, L.; Fikrig, E.; Lepore, T.; Barbour, A.; Fish, D. Human *Borrelia miyamotoi* infection in the United States. *The New England journal of medicine* **2013**, *368*, 291.
7. Baranton, G.; Postic, D.; Saint Girons, I.; Boerlin, P.; Piffaretti, J.-C.; Assous, M.; Grimont, P.A. Delineation of *Borrelia burgdorferi* sensu stricto, *Borrelia garinii* sp. nov., and group VS461 associated with Lyme borreliosis. *International Journal of Systematic and Evolutionary Microbiology* **1992**, *42*, 378–383.
8. Pritt, B.S.; Respicio-Kingry, L.B.; Sloan, L.M.; Schriefer, M.E.; Replogle, A.J.; Bjork, J.; Liu, G.; Kingry, L.C.; Mead, P.S.; Neitzel, D.F. *Borrelia mayonii* sp. nov., a member of the *Borrelia burgdorferi* sensu lato complex, detected in patients and ticks in the upper midwestern United States. *International journal of systematic and evolutionary microbiology* **2016**, *66*, 4878.
9. Schutzer, S.E.; Fraser-Liggett, C.M.; Qiu, W.-G.; Kraiczy, P.; Mongodin, E.F.; Dunn, J.J.; Luft, B.J.; Casjens, S.R. Whole-genome sequences of *Borrelia bissettii*, *Borrelia valaisiana*, and *Borrelia spielmanii*. Am Soc Microbiol: 2012.
10. Bellgard, M.I.; Wanchanthuek, P.; La, T.; Ryan, K.; Moolhuijzen, P.; Albertyn, Z.; Shaban, B.; Motro, Y.; Dunn, D.S.; Schibeci, D. Genome sequence of the pathogenic intestinal spirochete *Brachyspira hyoilecteriae* reveals adaptations to its lifestyle in the porcine large intestine. *PLoS ONE* **2009**, *4*.
11. Martínez-Lobo, F.J.; Hidalgo, Á.; García, M.; Argüello, H.; Naharro, G.; Carvajal, A.; Rubio, P. First identification of “*Brachyspira hampsonii*” in wild European waterfowl. *PLoS ONE* **2013**, *8*.
12. Pati, A.; Sikorski, J.; Gronow, S.; Munk, C.; Lapidus, A.; Copeland, A.; Del Tio, T.G.; Nolan, M.; Lucas, S.; Chen, F. Complete genome sequence of *Brachyspira murdochii* type strain (56-150 T). *Standards in genomic sciences* **2010**, *2*, 260–269.
13. Hampson, D.J. The spirochete *Brachyspira pilosicoli*, enteric pathogen of animals and humans. *Clinical microbiology reviews* **2018**, *31*, e00087–e00017.
14. Häfström, T.; Jansson, D.S.; Segerman, B. Complete genome sequence of *Brachyspira intermedia* reveals unique genomic features in *Brachyspira* species and phage-mediated horizontal gene transfer. *BMC genomics* **2011**, *12*, 395.
15. Moran, N.A.; Mira, A. The process of genome shrinkage in the obligate symbiont *Buchnera aphidicola*. *Genome biology* **2001**, *2*, research0054. 0051.
16. Löffler, F.E.; Yan, J.; Ritalahti, K.M.; Adrian, L.; Edwards, E.A.; Konstantinidis, K.T.; Müller, J.A.; Fullerton, H.; Zinder, S.H.; Spormann, A.M. *Dehalococcoides mccartyi* gen. nov., sp. nov., obligately organohalide-respiring anaerobic bacteria relevant to halogen cycling and bioremediation, belong to a novel bacterial class, *Dehalococcoidia* class nov., order *Dehalococcoidales* ord. nov. and family *Dehalococcoidaceae* fam. nov., within the phylum *Chloroflexi*. *International journal of systematic and evolutionary microbiology* **2013**, *63*, 625–635.
17. Anderson, B.; Dawson, J.; Jones, D.; Wilson, K. *Ehrlichia chaffeensis*, a new species associated with human ehrlichiosis. *Journal of clinical microbiology* **1991**, *29*, 2838–2842.

18. Aguiar, D.M.; Cavalcante, G.T.; Pinter, A.; Gennari, S.M.; Camargo, L.M.A.; Labruna, M.B. Prevalence of *Ehrlichia canis* (Rickettsiales: Anaplasmataceae) in dogs and *Rhipicephalus sanguineus* (Acar: Ixodidae) ticks from Brazil. *Journal of medical entomology* **2007**, *44*, 126–132.
19. Frutos, R.; Viari, A.; Ferraz, C.; Morgat, A.; Eychené, S.; Kandassamy, Y.; Chantal, I.; Bensaid, A.; Coissac, E.; Vachiery, N. Comparative genomic analysis of three strains of *Ehrlichia ruminantium* reveals an active process of genome size plasticity. *Journal of bacteriology* **2006**, *188*, 2533–2542.
20. Kawahara, M.; Ito, T.; Suto, C.; Shibata, S.; Rikihisa, Y.; Hata, K.; Hirai, K. Comparison of *Ehrlichia muris* strains isolated from wild mice and ticks and serologic survey of humans and animals with *E. muris* as antigen. *Journal of clinical microbiology* **1999**, *37*, 1123–1129.
21. Neimark, H.; Hoff, B.; Ganter, M. *Mycoplasma ovis* comb. nov.(formerly *Eperythrozoon ovis*), an epierythrocytic agent of haemolytic anaemia in sheep and goats. *International journal of systematic and evolutionary microbiology* **2004**, *54*, 365–371.
22. Scheuner, C.; Tindall, B.J.; Lu, M.; Nolan, M.; Lapidus, A.; Cheng, J.-F.; Goodwin, L.; Pitluck, S.; Huntemann, M.; Liolios, K. Complete genome sequence of *Planctomyces brasiliensis* type strain (DSM 5305 T), phylogenomic analysis and reclassification of Planctomycetes including the descriptions of *Gimesia* gen. nov., *Planctopirus* gen. nov. and *Rubinisphaera* gen. nov. and emended descriptions of the order Planctomycetales and the family Planctomycetaceae. *Standards in genomic sciences* **2014**, *9*, 10.
23. Suerbaum, S.; Michetti, P. *Helicobacter pylori* infection. *New England Journal of Medicine* **2002**, *347*, 1175–1186.
24. Harper, C.G.; Whary, M.T.; Feng, Y.; Rhinehart, H.L.; Wells, R.S.; Xu, S.; Taylor, N.S.; Fox, J.G. Comparison of diagnostic techniques for *Helicobacter cеторум* infection in wild Atlantic bottlenose dolphins (*Tursiops truncatus*). *Journal of clinical microbiology* **2003**, *41*, 2842–2848.
25. Dailidiene, D.; Dailide, G.; Ogura, K.; Zhang, M.; Mukhopadhyay, A.K.; Eaton, K.A.; Cattoli, G.; Kusters, J.G.; Berg, D.E. *Helicobacter acinonychis*: Genetic and rodent infection studies of a *Helicobacter pylori*-like gastric pathogen of cheetahs and other big cats. *Journal of bacteriology* **2004**, *186*, 356–365.
26. Adler, B.; de la Peña Moctezuma, A. Leptospira and leptospirosis. *Veterinary microbiology* **2010**, *140*, 287–296.
27. Seong, S.-Y.; Choi, M.-S.; Kim, I.-S. *Orientia tsutsugamushi* infection: Overview and immune responses. *Microbes and Infection* **2001**, *3*, 11–21.
28. Georgiades, K.; Merhej, V.; El Karkouri, K.; Raoult, D.; Pontarotti, P. Gene gain and loss events in Rickettsia and Orientia species. *Biology direct* **2011**, *6*, 6.
29. Omelchenko, M.V.; Wolf, Y.I.; Gaidamakova, E.K.; Matrosova, V.Y.; Vasilenko, A.; Zhai, M.; Daly, M.J.; Koonin, E.V.; Makarova, K.S. Comparative genomics of *Thermus thermophilus* and *Deinococcus radiodurans*: Divergent routes of adaptation to thermophily and radiation resistance. *BMC evolutionary biology* **2005**, *5*, 57.
30. Bor, B.; McLean, J.S.; Foster, K.R.; Cen, L.; To, T.T.; Serrato-Guillen, A.; Dewhurst, F.E.; Shi, W.; He, X. Rapid evolution of decreased host susceptibility drives a stable relationship between ultrasmall parasite TM7x and its bacterial host. *Proceedings of the National Academy of Sciences* **2018**, *115*, 12277–12282.
31. Parvizi, P.; Benlarbi, M.; Ready, P. Mitochondrial and Wolbachia markers for the sandfly *Phlebotomus papatasi*: Little population differentiation between peridomestic sites and gerbil burrows in Isfahan province, Iran. *Medical and veterinary entomology* **2003**, *17*, 351–362.
32. Hedges, L.M.; Brownlie, J.C.; O'Neill, S.L.; Johnson, K.N. Wolbachia and virus protection in insects. *Science* **2008**, *322*, 702–702.