

Biomolecules

Supporting Information for

Preparative Production of Functionalized (*N*- and *O*-Heterocyclic) Polycyclic Aromatic Hydrocarbons by Human Cytochrome P450 Enzyme 3A4 in a Bioreactor

Matic Srdič ^{1,2}, Nico D. Fessner ³, Deniz Yildiz ^{4,5}, Anton Glieder ⁶,
Markus Spiertz ^{1*}, Ulrich Schwaneberg ^{2,4,*}

¹ SeSaM-Biotech GmbH, Aachen, Germany; srdic@sesam-biotech.com (M.Sr.), spiertz@sesam-biotech.com (M.Sp.)

² Institute of Biotechnology, RWTH Aachen University, Aachen, Germany; u.schwaneberg@biotec.rwth-aachen.de (U.S.)

³ Institute of Molecular Biotechnology, Graz University of Technology, NAWI Graz, Graz, Austria; nico.fessner11@alumni.imperial.ac.uk (N.D.F), a.glieder@tugraz.at (A.G.)

⁴ DWI—Leibniz Institute for Interactive Materials, Aachen, Germany; yildiz@dwi.rwth-aachen.de (D.Y.)

⁵ Institute for Technical and Macromolecular Chemistry, RWTH Aachen University, Aachen, Germany.

⁶ Bisy GmbH, Hofstaetten/Raab, Austria; anton.glieder@bisy.at (A.G.)

* Correspondence: spiertz@sesam-biotech.com; u.schwaneberg@biotec.rwth-aachen.de




Figure S1: HPLC profile of fluorene conversion catalysed by CYP3A4.




Figure S2: HPLC profile of acenaphthene conversion catalysed by CYP3A4.




Figure S3: HPLC profile of 9-methylnanthracene conversion catalysed by CYP3A4.




Figure S4: HPLC profile of azulene conversion catalysed by CYP3A4.




Figure S5: HPLC profile of pyrene conversion catalysed by CYP3A4.





Figure S6: HPLC profile of phenanthridine conversion catalysed by CYP3A4.






Figure S9: ¹H NMR Spectrum of 9-hydroxyfluorene.




Figure S10: ¹³C NMR Spectrum of 9-hydroxyfluorene.




Figure S11: ^1H NMR Spectrum of 9-Fluorenone.




Figure S12: ^{13}C NMR Spectrum of 9-Fluorenone.