

Supporting information

Anti-microbial Activity of Aliphatic Alcohols from Chinese Black Cardamom (*Amomum tsao-ko*) against *Mycobacterium tuberculosis* H37Rv

So Young Lee ^{1,†}, Gauri S. Shetye ^{2,†}, So-Ri Son ¹, Larry L. Klein ², Jeffrey K. Yoshihara ², Scott G. Franzblau ², Sanghyun Cho ^{b,*}, Dae Sik Jang ^{1,3,*}

Contents of supporting information

Figure S1. DART-MS spectrum of compound **1**.

Figure S2. The IR spectrum of compound **1**.

Figure S3. The ^1H -NMR (500 MHz, CDCl_3) spectrum of compound **1**.

Figure S4. The ^{13}C -NMR (125 MHz, CDCl_3) spectrum of compound **1**.

Figure S5. The HSQC spectrum of compound **1** in CDCl_3 .

Figure S6. The COSY spectrum of compound **1** in CDCl_3 .

Figure S7. The HMBC spectrum of compound **1** in CDCl_3 .

Figure S8. DART-MS spectrum of compound **6**.

Figure S9. The IR spectrum of compound **6**.

Figure S10. The ^1H -NMR (500 MHz, CDCl_3) spectrum of compound **6**.

Figure S11. The ^{13}C -NMR (125 MHz, CDCl_3) spectrum of compound **6**.

Figure S1. DART-MS spectrum of compound 1




Figure S2. The IR spectrum of compound 1.




Figure S3. The ^1H -NMR (500 MHz, CDCl_3) spectrum of compound 1




Figure S4 The ^{13}C -NMR (125 MHz, CDCl_3) spectrum of compound **1**.




Figure S5. The HSQC spectrum of compound **1** in CDCl₃.




Figure S6. The COSY spectrum of compound 1 in CDCl₃.




Figure S7. The HMBC spectrum of compound **1** in CDCl₃.




Figure S8. DART-MS spectrum of compound 6.




Figure S9. The IR spectrum of compound 6.




Figure S10. The ^1H -NMR (500 MHz, CDCl_3) spectrum of compound **6**.




Figure S11. The ^{13}C -NMR (125 MHz, CDCl_3) spectrum of compound **6**.

