

Supplementary Materials

Table S1. Unadjusted generalized linear model results for the univariate relationship between patient characteristics, problem list, and distress.

	Distress	
	Coefficient	Std. Err.
Demographic		
Age [mean (SD)]	0.00	0.00
Female	0.12***	0.03
Disease phase		
Treatment	Ref.	
Survival	-0.01	0.03
Palliative	0.07	0.04
Diagnosis	0.05	0.04
Relapse	0.12***	0.05
Practical		
Housing	0.11***	0.03
Security	0.13***	0.03
Work/school	0.09***	0.02
Transportation	0.07	0.04
Childcare	0.06	0.05
Family		
Dealing with partner	0.08***	0.02
Dealing with children	0.10***	0.02
Emotional		
Worry	0.26***	0.07
Fear	0.18***	0.03
Sadness	0.37***	0.04
Depression	0.27***	0.02
Nervousness	0.18***	0.03
Spiritual		
Relating to God	0.10***	0.03
Loss of Faith	0.15***	0.03
Physical		
Pain	0.12***	0.02
Nausea	0.09***	0.02
Fatigue	0.12***	0.03
Sleep	0.14***	0.02
Getting around	0.09***	0.02
Bathing/dressing	0.13***	0.03
Breathing	0.15***	0.02
Mouth sores	0.02	0.03
Eating	0.14***	0.02
Indigestion	0.09***	0.03
Constipation	0.10***	0.02
Diarrhoea	0.04	0.03

	Distress	
	Coefficient	Std. Err.
Changes in urination	0.07**	0.03
Fevers	-0.06	0.08
Dry/itchy skin	0.04	0.02
Dry/congested nose	0.03	0.03
Tingling in hands/feet	0.05**	0.02
Feeling swollen	0.08***	0.02
Sexual	0.03	0.02
Other		
Economic difficulties	0.11***	0.02
Legal problems	0.12***	0.03
Communication with health professionals	0.10***	0.03
Body image concerns	0.11***	0.02
Difficulties in obtaining information about the disease	0.09***	0.03

Note: **p<0.05; ***p<0.01

Table S2. Generalized linear model results for the relationship between patient characteristics and problem list, and distress.

	Distress	
	Coefficient	Std. Err.
Demographics		
Female	0.09***	0.03
Disease phase		
Treatment	Ref.	
Survival	0.00	0.03
Diagnosis	0.08	0.04
Relapse	0.06	0.04
Palliative	0.18***	0.06
Practical		
Housing	0.03	0.03
Security	0.01	0.03
Work/school	0.03	0.02
Family		
Dealing with partner	0.03	0.02
Dealing with children	0.05	0.02
Emotional		
Worry	0.11	0.07
Fears	0.02	0.04
Sadness	0.22***	0.05
Depression	0.16***	0.02
Nervousness	0.04	0.03
Spiritual		
Relating to God	0.01	0.03
Loss of Faith	0.04	0.03
Physical		
Pain	0.01	0.03
Nausea	0.02	0.02
Fatigue	-0.02	0.03
Sleep	0.08***	0.02
Getting around	-0.02	0.03
Bathing/dressing	0.05	0.03
Breathing	0.09***	0.03
Eating	0.05	0.03
Indigestion	-0.03	0.03
Constipation	0.01	0.02
Changes in urination	0.03	0.03
Tingling in hands/feet	-0.05	0.03
Feeling swollen	-0.04	0.02
Economic difficulties	0.01	0.03
Legal problems	0.05	0.04
Communication with health professionals	0.03	0.03
Body image concerns	0.01	0.02

	Distress	
	Coefficient	Std. Err.
Difficulties in obtaining information about the disease	0.00	0.03

Note: ***p<0.01

Table S3. Generalized linear model results for the relationship between patient characteristics and problem list (excluding emotional problems), and distress.

	Distress	
	Coefficient	Std. Err.
Demographics		
Female	0.10***	0.03
Disease phase		
Treatment	Ref.	
Survival	-0.01	0.03
Diagnosis	0.09**	0.04
Relapse	0.06	0.04
Palliative	0.14***	0.05
Practical		
Housing	0.02	0.03
Security	0.05	0.03
Work/school	0.05**	0.02
Family		
Dealing with partner	0.03	0.02
Dealing with children	0.06**	0.03
Spiritual		
Relating to God	0.01	0.04
Loss of Faith	0.07**	0.03
Physical		
Pain	0.03	0.03
Nausea	0.03	0.02
Fatigue	0.03	0.03
Sleep	0.10***	0.03
Getting around	-0.01	0.03
Bathing/dressing	0.06	0.03
Breathing	0.08***	0.03
Eating	0.07**	0.03
Indigestion	-0.02	0.03
Constipation	0.03	0.02
Changes in urination	0.03	0.03
Tingling in hands/feet	-0.05	0.03
Feeling swollen	-0.02	0.03
Economic difficulties		
Legal problems	0.03	0.03
Communication with health professionals	0.03	0.04
Body image concerns	0.04**	0.03
Difficulties in obtaining information about the disease	0.05	0.02

Note: ** $p < 0.05$; *** $p < 0.01$