

Support Information:

Photoluminescence Sensing of Chloride Ions in Sea Sand Using Alcohol-Dispersed $\text{CsPbBr}_3@\text{SiO}_2$ Perovskite Nanocrystal Composites

Henggan Li ^{1,†}, Feiming Li ^{2,3,†}, Yipeng Huang ², Linchun Zhang ², Min Ye ², Jingwen Jin ² and Xi Chen ^{2,*}

¹ Department of Civil Engineering and Architecture, Wuyi University, Wuyishan 354300, China; lhg@wuyiu.edu.cn

² Department of Chemistry and the MOE Key Laboratory of Spectrochemical Analysis & Instrumentation, College of Chemistry and Chemical Engineering, Xiamen University, Xiamen 361000, China; lfm1914@mnnu.edu.cn (F.L.); huangyp@glut.edu.cn (Y.H.); 20520191151446@stu.xmu.edu.cn (L.Z.); 20520201151887@stu.xmu.edu.cn (M.Y.); 20520191151435@stu.xmu.edu.cn (J.J.)

³ College of Chemistry, Chemical Engineering and Environment, Minnan Normal University, Zhangzhou 363000, China

* Correspondence: xichen@xmu.edu.cn; Tel.: +86-592-2184530

† These authors contributed equally to this work.




Figure S1. Excitation spectrum of $\text{CsPbBr}_3@\text{SiO}_2$ PNCCs in the solution of 1.92% (330 mmol/L) Cl^- excitation slit width, 1.5 nm; emission slit width, 5.5 nm, scan rate: $1200 \text{ nm}\cdot\text{min}^{-1}$




Figure S2. The selectivity investigation on Cl⁻ determination in sea water based on CsPbBr₃@SiO₂ PNCCs halide exchanges with Cl⁻ (330 mmol/L). The potential coexistent ions in sea water from left to right were 20 μmol/L F⁻, 0.7mmol/L Br⁻, 5 μmol/L I⁻, 300 mmol/L Na⁺, 10 mmol/L K⁺, 20 mmol/L Mg²⁺, 10 mmol/L Ca²⁺, 50 μmol/L Sr²⁺, 5 mmol/L CO₃²⁻, 20 mmol/L SO₄²⁻, 5 mmol/L HCO₃⁻.

Table S1. The determination of Cl⁻ in sea water.

Sample	Concentration of NaCl (%)	RSD (% , n=3)	Added amount (%) *	Obtained (%)	Recovery (%)
1	2,14	3.5	1.00	2.93	93.3
2	2.15	2.8	1,00	3.04	96.6
3	2.12	0.8	1.00	2.91	93.3
4	2.13	11.0	1,00	2.82	90.0
5	2.15	5.3	1.00	2.88	91.6

*1.000 g NaCl was added to each 100 mL seawater sample