

Table S1. Nucleotide sequences of primers.

Gene	Forward Primer (5' to 3')	Reverse Primer (5' to 3')	Amplicon Size (pb)
<i>Gdi</i>	CCGCACAAGGCAAATACATC	GACTCTCTGAACCGTCATCAA	210
<i>Insig1</i>	ATCACCATCGCCTTCTAGC	TGTTCCCCTGTGACACCT	142
<i>Pten</i>	CAGAAAAAGTGAAAATGGAAG	TGGAGAGAAGTATCGGTTGG	158
<i>Rb1</i>	CTCACGCTGCCAGGAGACC	GTAGGAGGCCTGGTGGAGGCA	139
<i>Elovl6</i>	AGAACACTGCTGCTGAGGGA	GTCCACTAATCTCCTTGCCTA	95
<i>Stat3</i>	GCTGACCAATAACCCCAAGA	ACACCCCTGAGTAGTTCACACCA	181
<i>Cdkn1b</i>	CAGAACATATAAGCCCCCTGGA	GACGAGTCAGGCATTGGTC	221
<i>Cxcr4</i>	GCCATGGCTGACTGGTACTT	CACCCACATAGACGGCCTT	187
<i>Vegfa</i>	TCGGAGAGCAACGTCACTATGCA	GGCTCACAGTGAACGCTCCAGG	215

Table S2. List of putative target genes of miR-26a, miR-222 and miR-484 searched with TargetScan.

Gene Symbol	Gene Name	Target miRNA
<i>A1CF</i>	APOBEC1 complementation factor	miR-26a
<i>AAK1</i>	AP2 associated kinase 1	miR-222
<i>AAR2</i>	AAR2 splicing factor homolog (<i>S. cerevisiae</i>)	mir-484
<i>ABCA1</i>	ATP-binding cassette, sub-family A (ABC1), member 1	miR-26a
<i>ABCC4</i>	ATP-binding cassette, sub-family C (CFTR/MRP), member 4	miR-26a
<i>ABHD12</i>	abhydrolase domain containing 12	mir-484
<i>ABHD2</i>	abhydrolase domain containing 2	miR-26a; mir-484
<i>ABHD5</i>	abhydrolase domain containing 5	miR-26a
<i>ABI2</i>	abl-interactor 2	miR-26a
<i>ABL2</i>	c-abl oncogene 2, non-receptor tyrosine kinase	miR-26a
<i>ACADS</i> B	acyl-CoA dehydrogenase, short/branched chain	miR-26a
<i>ACBD5</i>	acyl-CoA binding domain containing 5	miR-26a
<i>ACSL3</i>	acyl-CoA synthetase long-chain family member 3	miR-26a
<i>ACTR3</i>	ARP3 actin-related protein 3 homolog (yeast)	mir-484
<i>ACVR1B</i>	activin A receptor, type IB	mir-484
<i>ACVR1C</i>	activin A receptor, type IC	miR-26a; mir-484
<i>ACVR2B</i>	activin A receptor, type IIB	miR-26a; miR-222
<i>ADAM10</i>	ADAM metallopeptidase domain 10	miR-26a
<i>ADAM11</i>	ADAM metallopeptidase domain 11	miR-222
<i>ADAM12</i>	ADAM metallopeptidase domain 12	miR-26a
<i>ADAM17</i>	ADAM metallopeptidase domain 17	miR-26a
<i>ADAM19</i>	ADAM metallopeptidase domain 19	miR-26a
<i>ADAM22</i>	ADAM metallopeptidase domain 22	mir-484
<i>ADAM23</i>	ADAM metallopeptidase domain 23	miR-26a
<i>ADAMTS19</i>	ADAM metallopeptidase with thrombospondin type 1 motif, 19	miR-26a
<i>ADAMTS5</i>	ADAM metallopeptidase with thrombospondin type 1 motif, 5	miR-26a

<i>ADARB1</i>	adenosine deaminase, RNA-specific, B1	mir-484
<i>ADD2</i>	adducin 2 (beta)	mir-484
<i>ADM</i>	adrenomedullin	miR-26a
<i>ADNP</i>	activity-dependent neuroprotector homeobox	mir-484
<i>ADO</i>	2-aminoethanethiol (cysteamine) dioxygenase	mir-484
<i>ADORA1</i>	adenosine A1 receptor	mir-484
<i>AGAP2</i>	ArfGAP with GTPase domain, ankyrin repeat and PH domain 2	mir-484
<i>AGFG1</i>	ArfGAP with FG repeats 1	miR-222
<i>AGFG2</i>	ArfGAP with FG repeats 2	miR-222
<i>AGL</i>	amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase	mir-484
<i>AGPAT2</i>	1-acylglycerol-3-phosphate O-acyltransferase 2	mir-484
<i>AGPAT3</i>	1-acylglycerol-3-phosphate O-acyltransferase 3	miR-26a
<i>AGPS</i>	alkylglycerone phosphate synthase	miR-222
<i>AJAP1</i>	adherens junctions associated protein 1	miR-222
<i>AK4</i>	adenylate kinase 4	mir-484
<i>AKIRIN1</i>	akirin 1	miR-26a
<i>ALDH5A1</i>	aldehyde dehydrogenase 5 family, member A1	miR-26a
<i>ALKBH5</i>	alkB, alkylation repair homolog 5 (E. coli)	mir-484
<i>ALKBH6</i>	alkB, alkylation repair homolog 6 (E. coli)	mir-484
<i>AMIGO1</i>	adhesion molecule with Ig-like domain 1	miR-222
<i>AMMECR1</i>	Alport syndrome, mental retardation, midface hypoplasia and elliptocytosis chromosomal region gene 1	miR-26a; miR-222
<i>AMOT</i>	angiomotin	miR-26a
<i>ANAPC16</i>	anaphase promoting complex subunit 16	miR-222
<i>ANGPTL2</i>	angiopoietin-like 2	miR-222
<i>ANK2</i>	ankyrin 2, neuronal	miR-26a
<i>ANKHD1</i>	ankyrin repeat and KH domain containing 1	miR-222
<i>ANKIB1</i>	ankyrin repeat and IBR domain containing 1	miR-26a; miR-222
<i>ANKRD10</i>	ankyrin repeat domain 10	mir-484
<i>ANKRD11</i>	ankyrin repeat domain 11	miR-26a
<i>ANKRD13A</i>	ankyrin repeat domain 13A	mir-484
<i>ANKRD27</i>	ankyrin repeat domain 27 (VPS9 domain)	mir-484
<i>ANKRD52</i>	ankyrin repeat domain 52	miR-26a; miR-222
<i>ANKRD63</i>	ankyrin repeat domain 63	miR-26a
<i>ANKRD9</i>	ankyrin repeat domain 9	mir-484
<i>ANKS1A</i>	ankyrin repeat and sterile alpha motif domain containing 1A	miR-26a
<i>ANKS1B</i>	ankyrin repeat and sterile alpha motif domain containing 1B	miR-26a
<i>ANKS4B</i>	ankyrin repeat and sterile alpha motif domain containing 4B	mir-484
<i>AP3M1</i>	adaptor-related protein complex 3, mu 1 subunit	miR-222
<i>AP4E1</i>	adaptor-related protein complex 4, epsilon 1 subunit	mir-484
<i>AP5M1</i>	adaptor-related protein complex 5, mu 1 subunit	miR-26a

<i>APC</i>	adenomatous polyposis coli	miR-26a
<i>APEH</i>	acylaminocarbonyl-peptide hydrolase	mir-484
<i>APLNR</i>	apelin receptor	mir-484
<i>APOOL</i>	apolipoprotein O-like	miR-26a
<i>APP</i>	amyloid beta (A4) precursor protein	miR-26a
<i>AR</i>	androgen receptor	mir-484
<i>ARF4</i>	ADP-ribosylation factor 4	miR-222
<i>ARF6</i>	ADP-ribosylation factor 6	miR-26a
<i>ARFGEF1</i>	ADP-ribosylation factor guanine nucleotide-exchange factor 1 (brefeldin A-inhibited)	miR-26a
<i>ARHGAP19</i>	Rho GTPase activating protein 19	mir-484
<i>ARHGAP21</i>	Rho GTPase activating protein 21	miR-26a
<i>ARHGAP26</i>	Rho GTPase activating protein 26	miR-26a
<i>ARHGAP42</i>	Rho GTPase activating protein 42	miR-222
<i>ARHGDIA</i>	Rho GDP dissociation inhibitor (GDI) alpha	mir-484
<i>ARHGEF10</i>	Rho guanine nucleotide exchange factor (GEF) 10	miR-26a
<i>ARHGEF12</i>	Rho guanine nucleotide exchange factor (GEF) 12	miR-26a
<i>ARHGEF25</i>	Rho guanine nucleotide exchange factor (GEF) 25	mir-484
<i>ARHGEF26</i>	Rho guanine nucleotide exchange factor (GEF) 26	miR-26a
<i>ARHGEF6</i>	Rac/Cdc42 guanine nucleotide exchange factor (GEF) 6	mir-484
<i>ARID1A</i>	AT rich interactive domain 1A (SWI-like)	miR-222
<i>ARID2</i>	AT rich interactive domain 2 (ARID, RFX-like)	miR-26a
<i>ARID3A</i>	AT rich interactive domain 3A (BRIGHT-like)	miR-26a
<i>ARID3B</i>	AT rich interactive domain 3B (BRIGHT-like)	miR-222
<i>ARL4C</i>	ADP-ribosylation factor-like 4C	miR-26a
<i>ARL6IP6</i>	ADP-ribosylation-like factor 6 interacting protein 6	miR-26a
<i>ARMCX2</i>	armadillo repeat containing, X-linked 2	miR-26a
<i>ARNT</i>	aryl hydrocarbon receptor nuclear translocator	miR-222
<i>ARNTL2</i>	aryl hydrocarbon receptor nuclear translocator-like 2	mir-484
<i>ARPC3</i>	actin related protein 2/3 complex, subunit 3, 21kDa	mir-484
<i>ARRB1</i>	arrestin, beta 1	mir-484
<i>ARSI</i>	arylsulfatase family, member I	mir-484
<i>ARTN</i>	artemin	mir-484
<i>ASB1</i>	ankyrin repeat and SOCS box containing 1	mir-484
<i>ASCL2</i>	achaete-scute complex homolog 2 (Drosophila)	miR-26a
<i>ASPN</i>	asporin	miR-26a
<i>ATAD2B</i>	ATPase family, AAA domain containing 2B	miR-26a; miR-222
<i>ATF2</i>	activating transcription factor 2	miR-26a; miR-484
<i>ATF5</i>	activating transcription factor 5	mir-484
<i>ATL3</i>	atlakin GTPase 3	miR-26a
<i>ATP11C</i>	ATPase, class VI, type 11C	miR-26a
<i>ATP1A2</i>	ATPase, Na ⁺ /K ⁺ transporting, alpha 2 polypeptide	miR-26a
<i>ATP1B1</i>	ATPase, Na ⁺ /K ⁺ transporting, beta 1 polypeptide	miR-222
<i>ATP1B4</i>	ATPase, Na ⁺ /K ⁺ transporting, beta 4 polypeptide	miR-26a

<i>ATP2A3</i>	ATPase, Ca++ transporting, ubiquitous	mir-484
<i>ATP6V1D</i>	ATPase, H+ transporting, lysosomal 34kDa, V1 subunit D	mir-484
<i>ATP7A</i>	ATPase, Cu++ transporting, alpha polypeptide	mir-484
<i>ATP8A2</i>	ATPase, aminophospholipid transporter, class I, type 8A, member 2	miR-222
<i>ATPAF1</i>	ATP synthase mitochondrial F1 complex assembly factor 1	miR-26a
<i>ATXN1</i>	ataxin 1	miR-222
<i>ATXN7</i>	ataxin 7	miR-26a; miR-222
<i>ATXN7L1</i>	ataxin 7-like 1	mir-484
<i>AXIN2</i>	axin 2	miR-222
<i>AZI2</i>	5-azacytidine induced 2	miR-26a
<i>B4GALT1</i>	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1	miR-26a
<i>BABAM1</i>	BRISC and BRCA1 A complex member 1	mir-484
<i>BAHD1</i>	bromo adjacent homology domain containing 1	mir-484
<i>BAK1</i>	BCL2-antagonist/killer 1	miR-26a
<i>BARX2</i>	BARX homeobox 2	mir-484
<i>BAZ2A</i>	bromodomain adjacent to zinc finger domain, 2A	mir-484
<i>BAZ2B</i>	bromodomain adjacent to zinc finger domain, 2B	miR-26a; miR-222
<i>BBC3</i>	BCL2 binding component 3	miR-222
<i>BBX</i>	bobby sox homolog (<i>Drosophila</i>)	miR-26a
<i>BCKDHB</i>	branched chain keto acid dehydrogenase E1, beta polypeptide	mir-484
<i>BCL2</i>	B-cell CLL/lymphoma 2	mir-484
<i>BCL2L1</i>	BCL2-like 1	mir-484
<i>BCL2L11</i>	BCL2-like 11 (apoptosis facilitator)	miR-222
<i>BCL2L13</i>	BCL2-like 13 (apoptosis facilitator)	mir-484
<i>BCL2L2</i>	BCL2-like 2	mir-484
<i>BCR</i>	breakpoint cluster region	miR-26a
<i>BEND4</i>	BEN domain containing 4	miR-222; miR-484
<i>BFAR</i>	bifunctional apoptosis regulator	miR-26a
<i>BHLHE22</i>	basic helix-loop-helix family, member e22	miR-26a
<i>BHLHE40</i>	basic helix-loop-helix family, member e40	miR-26a
<i>BHLHE41</i>	basic helix-loop-helix family, member e41	miR-26a
<i>BICD2</i>	bicaudal D homolog 2 (<i>Drosophila</i>)	miR-26a
<i>BLOC1S2</i>	biogenesis of lysosomal organelles complex-1, subunit 2	miR-26a
<i>BMF</i>	Bcl2 modifying factor	miR-222
<i>BMP2K</i>	BMP2 inducible kinase	miR-26a
<i>BMP8A</i>	bone morphogenetic protein 8a	mir-484
<i>BOD1</i>	biorientation of chromosomes in cell division 1	miR-26a
<i>BRAP</i>	BRCA1 associated protein	miR-26a
<i>BRD4</i>	bromodomain containing 4	mir-484

<i>BRWD1</i>	bromodomain and WD repeat domain containing 1	miR-26a; miR-222
<i>BRWD3</i>	bromodomain and WD repeat domain containing 3	miR-26a; miR-222
<i>BTBD3</i>	BTB (POZ) domain containing 3	mir-484
<i>BTBD7</i>	BTB (POZ) domain containing 7	miR-26a
<i>BTG1</i>	B-cell translocation gene 1, anti-proliferative	miR-26a
<i>BTG2</i>	BTG family, member 2	miR-222
<i>BTG4</i>	B-cell translocation gene 4	mir-484
<i>BYSL</i>	bystin-like	miR-222
<i>BZRAP1</i>	benzodiazapine receptor (peripheral) associated protein 1	mir-484
<i>BZW1</i>	basic leucine zipper and W2 domains 1	miR-222
<i>C10orf12</i>	chromosome 10 open reading frame 12	miR-26a
<i>C10orf137</i>	chromosome 10 open reading frame 137	miR-26a
<i>C11orf30</i>	chromosome 11 open reading frame 30	mir-484
<i>C11orf87</i>	chromosome 11 open reading frame 87	miR-222
<i>C14orf105</i>	chromosome 14 open reading frame 105	mir-484
<i>C15orf27</i>	chromosome 15 open reading frame 27	mir-484
<i>C15orf32</i>	chromosome 15 open reading frame 32	mir-484
<i>C15orf61</i>	chromosome 15 open reading frame 61	miR-26a
<i>C15orf62</i>	chromosome 15 open reading frame 62	mir-484
<i>C16orf52</i>	chromosome 16 open reading frame 52	miR-222
<i>C16orf58</i>	chromosome 16 open reading frame 58	mir-484
<i>C16orf70</i>	chromosome 16 open reading frame 70	miR-26a
<i>C16orf92</i>	chromosome 16 open reading frame 92	miR-222
<i>C17orf59</i>	chromosome 17 open reading frame 59	mir-484
<i>C17orf78</i>	chromosome 17 open reading frame 78	mir-484
<i>C17orf80</i>	chromosome 17 open reading frame 80	mir-484
<i>C18orf25</i>	chromosome 18 open reading frame 25	miR-26a; miR-222
<i>C19orf26</i>	chromosome 19 open reading frame 26	mir-484
<i>C1GALT1</i>	core 1 synthase, glycoprotein-N-acetylgalactosamine 3-beta-galactosyltransferase, 1	miR-26a
<i>C1orf116</i>	chromosome 1 open reading frame 116	mir-484
<i>C1orf220</i>	chromosome 1 open reading frame 220	mir-484
<i>C1orf95</i>	chromosome 1 open reading frame 95	mir-484
<i>C1RL</i>	complement component 1, r subcomponent-like	mir-484
<i>C20orf196</i>	chromosome 20 open reading frame 196	mir-484
<i>C20orf24</i>	chromosome 20 open reading frame 24	miR-26a
<i>C2CD2L</i>	C2CD2-like	miR-26a
<i>C2CD5</i>	C2 calcium-dependent domain containing 5	miR-26a
<i>C2orf88</i>	chromosome 2 open reading frame 88	mir-484
<i>C3orf62</i>	chromosome 3 open reading frame 62	mir-484
<i>C3orf70</i>	chromosome 3 open reading frame 70	miR-222
<i>C5orf63</i>	chromosome 5 open reading frame 63	mir-484
<i>C7orf41</i>	chromosome 7 open reading frame 41	mir-484

<i>C8orf46</i>	chromosome 8 open reading frame 46	mir-484
<i>C9orf129</i>	chromosome 9 open reading frame 129	mir-484
<i>C9orf139</i>	chromosome 9 open reading frame 139	mir-484
<i>C9orf47</i>	chromosome 9 open reading frame 47	mir-484
<i>C9orf64</i>	chromosome 9 open reading frame 64	mir-484
		miR-222; miR-484
<i>CABP7</i>	calcium binding protein 7	mir-484
<i>CACFD1</i>	calcium channel flower domain containing 1	mir-484
<i>CACNA1C</i>	calcium channel, voltage-dependent, L type, alpha 1C subunit	miR-26a
<i>CACNA1E</i>	calcium channel, voltage-dependent, R type, alpha 1E subunit	mir-484
<i>CACNA1H</i>	calcium channel, voltage-dependent, T type, alpha 1H subunit	mir-484
<i>CACNA1I</i>	calcium channel, voltage-dependent, T type, alpha 1I subunit	mir-484
<i>CACNB4</i>	calcium channel, voltage-dependent, beta 4 subunit	miR-26a; miR-222
<i>CAMK2A</i>	calcium/calmodulin-dependent protein kinase II alpha	miR-26a
<i>CAMKK1</i>	calcium/calmodulin-dependent protein kinase kinase 1, alpha	miR-222
<i>CAMKK2</i>	calcium/calmodulin-dependent protein kinase kinase 2, beta	miR-26a
<i>CAMSAP1</i>	calmodulin regulated spectrin-associated protein 1	miR-26a
<i>CANX</i>	calnexin	miR-222
<i>CAPN7</i>	calpain 7	mir-484
<i>CAPRIN2</i>	caprin family member 2	miR-222
<i>CAPZA1</i>	capping protein (actin filament) muscle Z-line, alpha 1	miR-26a
<i>CAPZB</i>	capping protein (actin filament) muscle Z-line, beta	miR-26a
<i>CARM1</i>	coactivator-associated arginine methyltransferase 1	miR-26a
		miR-26a; miR-222
<i>CASZ1</i>	castor zinc finger 1	mir-484
<i>CATSPER2</i>	cation channel, sperm associated 2	mir-484
<i>CBFB</i>	core-binding factor, beta subunit	miR-222
<i>CBL</i>	Cbl proto-oncogene, E3 ubiquitin protein ligase	miR-222
<i>CBS</i>	cystathionine-beta-synthase	mir-484
<i>CBX5</i>	chromobox homolog 5	mir-484
<i>CBX8</i>	chromobox homolog 8	mir-484
<i>CC2D1B</i>	coiled-coil and C2 domain containing 1B	miR-222
<i>CCAR2</i>	cell cycle and apoptosis regulator 2	miR-26a
<i>CCDC102A</i>	coiled-coil domain containing 102A	mir-484
<i>CCDC103</i>	coiled-coil domain containing 103	mir-484
<i>CCDC117</i>	coiled-coil domain containing 117	mir-484
		miR-26a; miR-222
<i>CCDC171</i>	coiled-coil domain containing 171	miR-26a
<i>CCDC28A</i>	coiled-coil domain containing 28A	mir-484
<i>CCDC36</i>	coiled-coil domain containing 36	mir-484
<i>CCDC37</i>	coiled-coil domain containing 37	mir-484

<i>CCDC42</i>	coiled-coil domain containing 42	mir-484
<i>CCDC50</i>	coiled-coil domain containing 50	miR-222
<i>CCDC6</i>	coiled-coil domain containing 6	miR-26a
<i>CCDC64</i>	coiled-coil domain containing 64	miR-222
<i>CCND2</i>	cyclin D2	miR-26a
<i>CCNJ</i>	cyclin J	miR-26a
<i>CCN JL</i>	cyclin J-like	miR-26a
<i>CCPG1</i>	cell cycle progression 1	mir-484
<i>CCSER2</i>	coiled-coil serine-rich protein 2	miR-26a
<i>CD200</i>	CD200 molecule	miR-26a
<i>CD2AP</i>	CD2-associated protein	miR-222
		miR-222; miR-484
<i>CD4</i>	CD4 molecule	miR-484
<i>CD72</i>	CD72 molecule	mir-484
<i>CD93</i>	CD93 molecule	mir-484
<i>CDC37L1</i>	cell division cycle 37-like 1	mir-484
<i>CDC42BPB</i>	CDC42 binding protein kinase beta (DMPK-like)	mir-484
<i>CDC42BPG</i>	CDC42 binding protein kinase gamma (DMPK-like)	mir-484
<i>CDC7</i>	cell division cycle 7	mir-484
<i>CDC73</i>	cell division cycle 73	miR-26a
<i>CDCP1</i>	CUB domain containing protein 1	mir-484
<i>CDH11</i>	cadherin 11, type 2, OB-cadherin (osteoblast)	miR-26a
<i>CDH19</i>	cadherin 19, type 2	mir-484
		miR-26a; miR-222
<i>CDH2</i>	cadherin 2, type 1, N-cadherin (neuronal)	miR-222
<i>CDH20</i>	cadherin 20, type 2	miR-26a
		miR-26a; miR-222
<i>CDH4</i>	cadherin 4, type 1, R-cadherin (retinal)	miR-222
<i>CDH6</i>	cadherin 6, type 2, K-cadherin (fetal kidney)	mir-484
<i>CDHR3</i>	cadherin-related family member 3	mir-484
<i>CDIP1</i>	cell death-inducing p53 target 1	mir-484
<i>CDK12</i>	cyclin-dependent kinase 12	mir-484
<i>CDK13</i>	cyclin-dependent kinase 13	miR-26a
<i>CDK2AP1</i>	cyclin-dependent kinase 2 associated protein 1	miR-26a
<i>CDK6</i>	cyclin-dependent kinase 6	miR-26a
		miR-26a; miR-222
<i>CDK8</i>	cyclin-dependent kinase 8	miR-222
<i>CDKL2</i>	cyclin-dependent kinase-like 2 (CDC2-related kinase)	mir-484
<i>CDKN1B</i>	cyclin-dependent kinase inhibitor 1B (p27, Kip1)	miR-222
<i>CDKN1C</i>	cyclin-dependent kinase inhibitor 1C (p57, Kip2)	miR-222
<i>CDR1</i>	cerebellar degeneration-related protein 1, 34kDa	mir-484
<i>CDR2L</i>	cerebellar degeneration-related protein 2-like	miR-26a
<i>CEBPG</i>	CCAAT/enhancer binding protein (C/EBP), gamma	miR-26a
<i>CELF1</i>	CUGBP, Elav-like family member 1	miR-26a
<i>CELF2</i>	CUGBP, Elav-like family member 2	miR-26a
<i>CELSR1</i>	cadherin, EGF LAG seven-pass G-type receptor 1	miR-26a
<i>CEND1</i>	cell cycle exit and neuronal differentiation 1	mir-484

<i>CENPB</i>	centromere protein B, 80kDa	mir-484
<i>CEP350</i>	centrosomal protein 350kDa	miR-26a
<i>CEP85</i>	centrosomal protein 85kDa	mir-484
<i>CFL1</i>	cofilin 1 (non-muscle)	mir-484
<i>CHAC1</i>	ChaC, cation transport regulator homolog 1 (E. coli)	miR-26a
<i>CHD1</i>	chromodomain helicase DNA binding protein 1	miR-26a
		miR-222;
<i>CHD2</i>	chromodomain helicase DNA binding protein 2	miR-484
<i>CHD3</i>	chromodomain helicase DNA binding protein 3	mir-484
<i>CHD7</i>	chromodomain helicase DNA binding protein 7	miR-222
<i>CHD8</i>	chromodomain helicase DNA binding protein 8	miR-222
	checkpoint with forkhead and ring finger domains, E3	
<i>CHFR</i>	ubiquitin protein ligase	miR-26a
<i>CHIC1</i>	cysteine-rich hydrophobic domain 1	miR-26a
	cysteine and histidine-rich domain (CHORD) containing 1	
<i>CHORDC1</i>		miR-26a
<i>CHRND</i>	cholinergic receptor, nicotinic, delta (muscle)	mir-484
	carbohydrate (N-acetylglucosamine-6-O) sulfotrans-	
<i>CHST2</i>	ferase 2	miR-26a
		miR-26a;
<i>CHSY1</i>	chondroitin sulfate synthase 1	miR-222
<i>CIB2</i>	calcium and integrin binding family member 2	mir-484
<i>CISD3</i>	CDGSH iron sulfur domain 3	miR-26a
<i>CKS2</i>	CDC28 protein kinase regulatory subunit 2	miR-26a
<i>CLASP2</i>	cytoplasmic linker associated protein 2	miR-26a
<i>CLCN5</i>	chloride channel, voltage-sensitive 5	mir-484
<i>CLDN20</i>	claudin 20	mir-484
<i>CLEC4F</i>	C-type lectin domain family 4, member F	mir-484
<i>CLOCK</i>	clock circadian regulator	mir-484
<i>CLRN1</i>	clarin 1	mir-484
		miR-222;
<i>CLVS2</i>	clavesin 2	miR-484
<i>CLYBL</i>	citrate lyase beta like	mir-484
	cytidine monophosphate (UMP-CMP) kinase 2, mito-	
<i>CMPK2</i>	chondrial	mir-484
	CKLF-like MARVEL transmembrane domain contain-	
<i>CMTM4</i>	ing 4	miR-26a;
	CKLF-like MARVEL transmembrane domain contain-	miR-222
<i>CMTM6</i>	ing 6	
<i>CMTR2</i>	cap methyltransferase 2	mir-484
<i>CNIH1</i>	cornichon family AMPA receptor auxiliary protein 1	miR-26a
<i>CNKS2</i>	connector enhancer of kinase suppressor of Ras 2	mir-484
<i>CNNM2</i>	cyclin M2	miR-26a
<i>CNOT2</i>	CCR4-NOT transcription complex, subunit 2	miR-222
<i>CNPY1</i>	canopy FGF signaling regulator 1	mir-484
<i>CNR1</i>	cannabinoid receptor 1 (brain)	mir-484
<i>CNTFR</i>	ciliary neurotrophic factor receptor	mir-484
<i>COL10A1</i>	collagen, type X, alpha 1	miR-26a

<i>COL11A1</i>	collagen, type XI, alpha 1	miR-26a
<i>COL19A1</i>	collagen, type XIX, alpha 1	miR-26a
<i>COL1A2</i>	collagen, type I, alpha 2	miR-26a
<i>COL22A1</i>	collagen, type XXII, alpha 1	miR-26a
<i>COL5A1</i>	collagen, type V, alpha 1	miR-26a
<i>COPS2</i>	COP9 signalosome subunit 2	miR-26a
<i>COPS7B</i>	COP9 signalosome subunit 7B	miR-26a
<i>COX5A</i>	cytochrome c oxidase subunit Va	miR-26a
<i>CPEB2</i>	cytoplasmic polyadenylation element binding protein 2	miR-26a
<i>CPEB3</i>	cytoplasmic polyadenylation element binding protein 3	miR-26a; miR-222
<i>CPEB4</i>	cytoplasmic polyadenylation element binding protein 4	miR-26a
<i>CPED1</i>	cadherin-like and PC-esterase domain containing 1	miR-26a
<i>CPNE8</i>	copine VIII	miR-222
<i>CPPED1</i>	calcineurin-like phosphoesterase domain containing 1	miR-222
<i>CPSF2</i>	cleavage and polyadenylation specific factor 2, 100kDa	miR-26a
<i>CREB1</i>	cAMP responsive element binding protein 1	miR-26a
<i>CREBBP</i>	CREB binding protein	miR-26a
<i>CREBRF</i>	CREB3 regulatory factor	miR-26a
<i>CREBZF</i>	CREB/ATF bZIP transcription factor	miR-26a; miR-222
<i>CRK</i>	v-crk avian sarcoma virus CT10 oncogene homolog	miR-222
<i>CRLF3</i>	cytokine receptor-like factor 3	miR-26a
<i>CRTC2</i>	CREB regulated transcription coactivator 2	mir-484
<i>CRTC3</i>	CREB regulated transcription coactivator 3	mir-484
<i>CSF1R</i>	colony stimulating factor 1 receptor	mir-484
<i>CSNK1G1</i>	casein kinase 1, gamma 1	miR-26a
<i>CSRNP3</i>	cysteine-serine-rich nuclear protein 3	mir-484
<i>CT62</i>	cancer/testis antigen 62	mir-484
<i>CTCF</i>	CCCTC-binding factor (zinc finger protein)	miR-222
<i>CTDSP2</i>	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase 2	miR-26a
<i>CTDSPL</i>	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase-like	mir-484
<i>CTGF</i>	connective tissue growth factor	miR-26a
<i>CTIF</i>	CBP80/20-dependent translation initiation factor	miR-222
<i>CTNNBIP1</i>	catenin, beta interacting protein 1	miR-26a
<i>CTNND2</i>	catenin (cadherin-associated protein), delta 2	miR-26a
<i>CTTN</i>	cortactin	miR-222
<i>CTTNBP2NL</i>	CTTNBP2 N-terminal like	miR-26a
<i>CXCR3</i>	chemokine (C-X-C motif) receptor 3	mir-484
<i>CXCR5</i>	chemokine (C-X-C motif) receptor 5	miR-222
<i>CXorf23</i>	chromosome X open reading frame 23	miR-26a
<i>CYB5RL</i>	cytochrome b5 reductase-like	mir-484

<i>CYP2A6</i>	cytochrome P450, family 2, subfamily A, polypeptide 6	mir-484
<i>CYP2A7</i>	cytochrome P450, family 2, subfamily A, polypeptide 7	mir-484
<i>CYP2W1</i>	cytochrome P450, family 2, subfamily W, polypeptide 1	mir-484
<i>CYR61</i>	cysteine-rich, angiogenic inducer, 61	miR-222
<i>DAB2</i>	Dab, mitogen-responsive phosphoprotein, homolog 2 (Drosophila)	miR-26a
<i>DAPK1</i>	death-associated protein kinase 1	miR-26a
<i>DBNDD2</i>	dysbindin (dystrobrevin binding protein 1) domain containing 2	mir-484
<i>DBNL</i>	drebrin-like	miR-222
<i>DCAF11</i>	DDB1 and CUL4 associated factor 11	mir-484
<i>DCAF7</i>	DDB1 and CUL4 associated factor 7	miR-26a; miR-222
<i>DCBLD1</i>	discoidin, CUB and LCCL domain containing 1	miR-26a
<i>DCBLD2</i>	discoidin, CUB and LCCL domain containing 2	miR-26a
<i>DCDC2</i>	doublecortin domain containing 2	miR-26a
<i>DCP1A</i>	decapping mRNA 1A	mir-484
<i>DCUN1D1</i>	DCN1, defective in cullin neddylation 1, domain containing 1	miR-222
<i>DCUN1D4</i>	DCN1, defective in cullin neddylation 1, domain containing 4	miR-222
<i>DCUN1D5</i>	DCN1, defective in cullin neddylation 1, domain containing 5	miR-26a
<i>DDIT4</i>	DNA-damage-inducible transcript 4	miR-222
<i>DDR1</i>	discoidin domain receptor tyrosine kinase 1	mir-484
<i>DDR2</i>	discoidin domain receptor tyrosine kinase 2	miR-26a
<i>DDT</i>	D-dopachrome tautomerase	mir-484
<i>DDX17</i>	DEAD (Asp-Glu-Ala-Asp) box helicase 17	miR-26a
<i>DDX3X</i>	DEAD (Asp-Glu-Ala-Asp) box helicase 3, X-linked	miR-26a
<i>DDX3Y</i>	DEAD (Asp-Glu-Ala-Asp) box helicase 3, Y-linked	miR-26a
<i>DDX54</i>	DEAD (Asp-Glu-Ala-Asp) box polypeptide 54	mir-484
<i>DENND2C</i>	DENN/MADD domain containing 2C	mir-484
<i>DENND5A</i>	DENN/MADD domain containing 5A	mir-484
<i>DEPDC1B</i>	DEP domain containing 1B	miR-26a
<i>DERL2</i>	derlin 2	miR-26a
<i>DGCR14</i>	DiGeorge syndrome critical region gene 14	miR-26a; miR-484
<i>DGCR2</i>	DiGeorge syndrome critical region gene 2	mir-484
<i>DGCR8</i>	DGCR8 microprocessor complex subunit	mir-484
<i>DGKD</i>	diacylglycerol kinase, delta 130kDa	mir-484
<i>DGKG</i>	diacylglycerol kinase, gamma 90kDa	mir-484
<i>DGKH</i>	diacylglycerol kinase, eta	miR-26a; miR-222
<i>DGKZ</i>	diacylglycerol kinase, zeta	mir-484
<i>DHX36</i>	DEAH (Asp-Glu-Ala-His) box polypeptide 36	miR-222

<i>DHX57</i>	DEAH (Asp-Glu-Ala-Asp/His) box polypeptide 57	mir-484
<i>DIDO1</i>	death inducer-obliterator 1	miR-26a
<i>DIEXF</i>	digestive organ expansion factor homolog (zebrafish)	mir-484
<i>DIO3</i>	deiodinase, iodothyronine, type III	mir-484
<i>DIRAS1</i>	DIRAS family, GTP-binding RAS-like 1	mir-484
<i>DKK2</i>	dickkopf WNT signaling pathway inhibitor 2	miR-222
<i>DLEC1</i>	deleted in lung and esophageal cancer 1	mir-484
<i>DLG2</i>	discs, large homolog 2 (Drosophila)	miR-222
<i>DLG4</i>	discs, large homolog 4 (Drosophila)	miR-26a
<i>DLG5</i>	discs, large homolog 5 (Drosophila)	miR-26a
<i>DMD</i>	dystrophin	miR-26a
		miR-26a;
<i>DMRT3</i>	doublesex and mab-3 related transcription factor 3	miR-222
<i>DMXL1</i>	Dmx-like 1	miR-26a
<i>DNAH10OS</i>	dynein, axonemal, heavy chain 10 opposite strand	miR-26a
<i>DNAJA2</i>	DnaJ (Hsp40) homolog, subfamily A, member 2	miR-26a
<i>DNAJC14</i>	DnaJ (Hsp40) homolog, subfamily C, member 14	miR-222
<i>DNAJC21</i>	DnaJ (Hsp40) homolog, subfamily C, member 21	miR-26a
<i>DNAJC24</i>	DnaJ (Hsp40) homolog, subfamily C, member 24	mir-484
<i>DNAL1</i>	dynein, axonemal, light chain 1	miR-222
<i>DND1</i>	DND microRNA-mediated repression inhibitor 1	mir-484
		miR-26a;
<i>DNM1L</i>	dynamin 1-like	miR-484
<i>DNMT3A</i>	DNA (cytosine-5-)methyltransferase 3 alpha	miR-26a
<i>DNPEP</i>	aspartyl aminopeptidase	mir-484
<i>DOCK4</i>	dedicator of cytokinesis 4	miR-26a
<i>DOCK9</i>	dedicator of cytokinesis 9	mir-484
<i>DPH3</i>	diphthamide biosynthesis 3	mir-484
<i>DRAM1</i>	DNA-damage regulated autophagy modulator 1	miR-26a
<i>DRD5</i>	dopamine receptor D5	mir-484
<i>DST</i>	dystonin	miR-26a
<i>DTNA</i>	dystrobrevin, alpha	mir-484
<i>DUSP5</i>	dual specificity phosphatase 5	miR-26a
	dual-specificity tyrosine-(Y)-phosphorylation regu-	miR-26a;
<i>DYRK1A</i>	lated kinase 1A	miR-222
<i>E2F2</i>	E2F transcription factor 2	miR-222
<i>E2F7</i>	E2F transcription factor 7	miR-26a
<i>EAF1</i>	ELL associated factor 1	miR-26a
<i>ECHDC3</i>	enoyl CoA hydratase domain containing 3	mir-484
<i>EDN2</i>	endothelin 2	mir-484
<i>EEF2K</i>	eukaryotic elongation factor-2 kinase	mir-484
<i>EFCAB11</i>	EF-hand calcium binding domain 11	mir-484
<i>EFNB1</i>	ephrin-B1	mir-484
<i>EFNB2</i>	ephrin-B2	mir-484
<i>EFS</i>	embryonal Fyn-associated substrate	mir-484
<i>EHD1</i>	EH-domain containing 1	miR-26a

<i>EIF2S1</i>	eukaryotic translation initiation factor 2, subunit 1 alpha, 35kDa	miR-26a
<i>EIF3A</i>	eukaryotic translation initiation factor 3, subunit A	miR-26a
<i>EIF3J</i>	eukaryotic translation initiation factor 3, subunit J	miR-222
<i>EIF4E3</i>	eukaryotic translation initiation factor 4E family member 3	miR-222
<i>EIF4G2</i>	eukaryotic translation initiation factor 4 gamma, 2	miR-26a
<i>EIF5</i>	eukaryotic translation initiation factor 5	miR-26a
<i>EIF5A2</i>	eukaryotic translation initiation factor 5A2	miR-222
<i>ELAVL2</i>	ELAV like neuron-specific RNA binding protein 2	miR-26a; miR-222
<i>ELAVL3</i>	ELAV like neuron-specific RNA binding protein 3	miR-26a
<i>ELFN2</i>	extracellular leucine-rich repeat and fibronectin type III domain containing 2	mir-484
<i>ELK1</i>	ELK1, member of ETS oncogene family	mir-484
<i>ELP4</i>	elongator acetyltransferase complex subunit 4	miR-222
<i>EMP2</i>	epithelial membrane protein 2	mir-484
<i>EMX1</i>	empty spiracles homeobox 1	mir-484
<i>ENC1</i>	ectodermal-neural cortex 1 (with BTB domain)	miR-26a
<i>ENOX1</i>	ecto-NOX disulfide-thiol exchanger 1	miR-26a
<i>ENPP5</i>	ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative)	mir-484
<i>ENTPD7</i>	ectonucleoside triphosphate diphosphohydrolase 7	miR-26a
<i>EOMES</i>	eomesodermin	mir-484
<i>EP300</i>	E1A binding protein p300	miR-26a
<i>EP400</i>	E1A binding protein p400	miR-26a
<i>EPAS1</i>	endothelial PAS domain protein 1	miR-26a
<i>EPB41L3</i>	erythrocyte membrane protein band 4.1-like 3	miR-26a
<i>EPC1</i>	enhancer of polycomb homolog 1 (Drosophila)	miR-26a
<i>EPC2</i>	enhancer of polycomb homolog 2 (Drosophila)	miR-26a
<i>EPG5</i>	ectopic P-granules autophagy protein 5 homolog (C. elegans)	miR-26a
<i>EPGN</i>	epithelial mitogen	mir-484
<i>EPHA2</i>	EPH receptor A2	miR-26a
<i>EPHA5</i>	EPH receptor A5	miR-26a
<i>EPHA7</i>	EPH receptor A7	miR-26a
<i>EPS15</i>	epidermal growth factor receptor pathway substrate 15	miR-26a; miR-484
<i>ERBB3</i>	v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3	mir-484
<i>ERBB4</i>	v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 4	miR-26a; miR-222
<i>ERC2</i>	ELKS/RAB6-interacting/CAST family member 2	miR-26a
<i>ERLIN1</i>	ER lipid raft associated 1	miR-26a
<i>ERN2</i>	endoplasmic reticulum to nucleus signaling 2	mir-484
<i>ERO1LB</i>	ERO1-like beta (<i>S. cerevisiae</i>)	miR-26a; miR-484

<i>ESCO1</i>	establishment of sister chromatid cohesion N-acetyl-transferase 1	miR-26a
<i>ESR1</i>	estrogen receptor 1	miR-26a; miR-222
<i>ESRRG</i>	estrogen-related receptor gamma	miR-26a
<i>ESYT1</i>	extended synaptotagmin-like protein 1	mir-484
<i>ETF1</i>	eukaryotic translation termination factor 1	miR-26a
<i>ETNK1</i>	ethanolamine kinase 1	miR-26a
<i>ETS1</i>	v-ets avian erythroblastosis virus E26 oncogene homolog 1	miR-222
<i>ETS2</i>	v-ets avian erythroblastosis virus E26 oncogene homolog 2	miR-222
<i>ETV3</i>	ets variant 3	miR-26a; miR-222
<i>ETV6</i>	ets variant 6	mir-484
<i>EVI2B</i>	ecotropic viral integration site 2B	mir-484
<i>EVX2</i>	even-skipped homeobox 2	miR-26a
<i>EXOC5</i>	exocyst complex component 5	mir-484
<i>EXOC8</i>	exocyst complex component 8	miR-26a
<i>EXT1</i>	exostosin glycosyltransferase 1	miR-26a
<i>EXT2</i>	exostosin glycosyltransferase 2	mir-484
<i>EYA3</i>	eyes absent homolog 3 (<i>Drosophila</i>)	miR-26a
<i>EZH1</i>	enhancer of zeste homolog 1 (<i>Drosophila</i>)	mir-484
<i>EZH2</i>	enhancer of zeste homolog 2 (<i>Drosophila</i>)	miR-26a
<i>FA2H</i>	fatty acid 2-hydroxylase	miR-26a
<i>FAF1</i>	Fas (TNFRSF6) associated factor 1	miR-26a
<i>FAIM3</i>	Fas apoptotic inhibitory molecule 3	mir-484
<i>FAM104A</i>	family with sequence similarity 104, member A	mir-484
<i>FAM110A</i>	family with sequence similarity 110, member A	mir-484
<i>FAM118A</i>	family with sequence similarity 118, member A	miR-26a
<i>FAM120A</i>	family with sequence similarity 120A	miR-222; miR-484
<i>FAM120C</i>	family with sequence similarity 120C	mir-484
<i>FAM131B</i>	family with sequence similarity 131, member B	mir-484
<i>FAM136A</i>	family with sequence similarity 136, member A	miR-26a
<i>FAM160B2</i>	family with sequence similarity 160, member B2	mir-484
<i>FAM167A</i>	family with sequence similarity 167, member A	miR-222
<i>FAM168B</i>	family with sequence similarity 168, member B	mir-484
<i>FAM169A</i>	family with sequence similarity 169, member A	miR-26a
<i>FAM178A</i>	family with sequence similarity 178, member A	miR-26a
<i>FAM187A</i>	family with sequence similarity 187, member A	mir-484
<i>FAM189B</i>	family with sequence similarity 189, member B	mir-484
<i>FAM196B</i>	family with sequence similarity 196, member B	miR-26a; miR-222
<i>FAM208A</i>	family with sequence similarity 208, member A	miR-222
<i>FAM214A</i>	family with sequence similarity 214, member A	miR-222
<i>FAM214B</i>	family with sequence similarity 214, member B	miR-26a

<i>FAM46B</i>	family with sequence similarity 46, member B	mir-484
<i>FAM46C</i>	family with sequence similarity 46, member C	miR-26a
<i>FAM49B</i>	family with sequence similarity 49, member B	miR-26a
<i>FAM53A</i>	family with sequence similarity 53, member A	mir-484
<i>FAM53B</i>	family with sequence similarity 53, member B	miR-222
<i>FAM58A</i>	family with sequence similarity 58, member A	mir-484
<i>FAM69C</i>	family with sequence similarity 69, member C	mir-484
<i>FAM83D</i>	family with sequence similarity 83, member D	mir-484
<i>FAM84A</i>	family with sequence similarity 84, member A	mir-484
<i>FAM98A</i>	family with sequence similarity 98, member A	miR-26a
<i>FAM98B</i>	family with sequence similarity 98, member B	miR-26a
<i>FANCA</i>	Fanconi anemia, complementation group A	miR-26a
<i>FAT2</i>	FAT atypical cadherin 2	miR-222
<i>FBN2</i>	fibrillin 2	miR-222
<i>FBRS</i>	fibrosin	mir-484
<i>FBXL19</i>	F-box and leucine-rich repeat protein 19	miR-26a
<i>FBXO11</i>	F-box protein 11	miR-26a; miR-484
<i>FBXO28</i>	F-box protein 28	miR-26a; miR-222
<i>FBXO3</i>	F-box protein 3	miR-222
<i>FBXO42</i>	F-box protein 42	miR-26a
<i>FBXO48</i>	F-box protein 48	miR-26a
<i>FGD1</i>	FYVE, RhoGEF and PH domain containing 1	miR-26a
<i>FGF14</i>	fibroblast growth factor 14	miR-222
<i>FIGN</i>	fidgetin	miR-26a; miR-222
<i>FITM2</i>	fat storage-inducing transmembrane protein 2	mir-484
<i>FKBP3</i>	FK506 binding protein 3, 25kDa	miR-26a
<i>FLT3</i>	fms-related tyrosine kinase 3	mir-484
<i>FMR1</i>	fragile X mental retardation 1	miR-222
<i>FNDC3A</i>	fibronectin type III domain containing 3A	miR-222
<i>FNIP1</i>	folliculin interacting protein 1	miR-26a
<i>FNIP2</i>	folliculin interacting protein 2	miR-222
<i>FOLR2</i>	folate receptor 2 (fetal)	mir-484
<i>FOS</i>	FBJ murine osteosarcoma viral oncogene homolog	miR-222
<i>FOSL2</i>	FOS-like antigen 2	miR-26a
<i>FOXJ1</i>	forkhead box J1	mir-484
<i>FOXK1</i>	forkhead box K1	mir-484
<i>FOXN1</i>	forkhead box N1	miR-26a
<i>FOXN2</i>	forkhead box N2	miR-222
<i>FOXP1</i>	forkhead box P1	miR-222
<i>FOXP2</i>	forkhead box P2	miR-26a; miR-222
<i>FPGT</i>	fucose-1-phosphate guanylyltransferase	mir-484
<i>FRA10AC1</i>	fragile site, folic acid type, rare, fra(10)(q23.3) or fra(10)(q24.2) candidate 1	miR-26a

<i>FRAT2</i>	frequently rearranged in advanced T-cell lymphomas 2	miR-26a
<i>FRK</i>	fyn-related kinase	miR-26a
<i>FRMD4B</i>	FERM domain containing 4B	miR-26a
<i>FRMPD3</i>	FERM and PDZ domain containing 3	mir-484
<i>FRRS1L</i>	ferric-chelate reductase 1-like	miR-222
<i>FRS2</i>	fibroblast growth factor receptor substrate 2	miR-222
<i>FST</i>	follistatin	mir-484
<i>FUBP1</i>	far upstream element (FUSE) binding protein 1	miR-26a
<i>FUT10</i>	fucosyltransferase 10 (alpha (1,3) fucosyltransferase)	mir-484
<i>FUT4</i>	fucosyltransferase 4 (alpha (1,3) fucosyltransferase, myeloid-specific)	mir-484
<i>FUT9</i>	fucosyltransferase 9 (alpha (1,3) fucosyltransferase)	miR-26a; mir-484
<i>G2E3</i>	G2/M-phase specific E3 ubiquitin protein ligase	miR-26a
<i>G3BP2</i>	GTPase activating protein (SH3 domain) binding protein 2	miR-26a
<i>GAB1</i>	GRB2-associated binding protein 1	miR-222
<i>GABRA1</i>	gamma-aminobutyric acid (GABA) A receptor, alpha 1	miR-222
<i>GABRA4</i>	gamma-aminobutyric acid (GABA) A receptor, alpha 4	miR-26a
<i>GAD2</i>	glutamate decarboxylase 2 (pancreatic islets and brain, 65kDa)	miR-26a
<i>GALNT10</i>	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 10 (GalNAc-T10)	miR-26a; mir-484
<i>GALNT16</i>	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 16	mir-484
<i>GALNT18</i>	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 18	miR-222
<i>GALNT7</i>	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 7 (GalNAc-T7)	miR-26a
<i>GAN</i>	gigaxonin	miR-26a
<i>GAREM</i>	GRB2 associated, regulator of MAPK1	mir-484
<i>GATA4</i>	GATA binding protein 4	miR-26a
<i>GCDH</i>	glutaryl-CoA dehydrogenase	mir-484
<i>GDF11</i>	growth differentiation factor 11	miR-26a; mir-484
<i>GEMIN8</i>	gem (nuclear organelle) associated protein 8	mir-484
<i>GIGYF1</i>	GRB10 interacting GYF protein 1	mir-484
<i>GINS2</i>	GINS complex subunit 2 (Psf2 homolog)	mir-484
<i>GIPC2</i>	GIPC PDZ domain containing family, member 2	mir-484
<i>GIPC3</i>	GIPC PDZ domain containing family, member 3	mir-484
<i>GJA3</i>	gap junction protein, alpha 3, 46kDa	miR-26a
<i>GJA9</i>	gap junction protein, alpha 9, 59kDa	miR-26a
<i>GLCE</i>	glucuronic acid epimerase	mir-484
<i>GLTSCR1L</i>	GLTSCR1-like	miR-26a
<i>GMDS</i>	GDP-mannose 4,6-dehydratase	miR-26a
<i>GMEB1</i>	glucocorticoid modulatory element binding protein 1	miR-26a
<i>GMEB2</i>	glucocorticoid modulatory element binding protein 2	mir-484

<i>GMFB</i>	glia maturation factor, beta	miR-26a
<i>GNA13</i>	guanine nucleotide binding protein (G protein), alpha 13	miR-26a
<i>GNAI2</i>	guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2	miR-222
<i>GNB2L1</i>	guanine nucleotide binding protein (G protein), beta polypeptide 2-like 1	mir-484
<i>GNE</i>	glucosamine (UDP-N-acetyl)-2-epimerase/N-acetylmannosamine kinase	mir-484
<i>GPNAT1</i>	glucosamine-phosphate N-acetyltransferase 1	miR-26a
<i>GOSR2</i>	golgi SNAP receptor complex member 2	mir-484
<i>GPBP1</i>	GC-rich promoter binding protein 1	miR-222
<i>GPC1</i>	glypican 1	mir-484
<i>GPC4</i>	glypican 4	miR-26a
<i>GPCPD1</i>	glycerophosphocholine phosphodiesterase GDE1 homolog (<i>S. cerevisiae</i>)	mir-484
<i>GPM6A</i>	glycoprotein M6A	miR-222
<i>GPR133</i>	G protein-coupled receptor 133	mir-484
<i>GPR146</i>	G protein-coupled receptor 146	miR-26a
<i>GPR157</i>	G protein-coupled receptor 157	mir-484
<i>GPR161</i>	G protein-coupled receptor 161	miR-26a
<i>GPSM1</i>	G-protein signaling modulator 1	miR-26a
<i>GRB10</i>	growth factor receptor-bound protein 10	miR-26a; miR-484
<i>GRB2</i>	growth factor receptor-bound protein 2	mir-484
<i>GREB1L</i>	growth regulation by estrogen in breast cancer-like	miR-26a; miR-484
<i>GRHL3</i>	grainyhead-like 3 (<i>Drosophila</i>)	miR-26a
<i>GRID2IP</i>	glutamate receptor, ionotropic, delta 2 (Grid2) interacting protein	mir-484
<i>GRIN2A</i>	glutamate receptor, ionotropic, N-methyl D-aspartate 2A	miR-26a
<i>GRIN2B</i>	glutamate receptor, ionotropic, N-methyl D-aspartate 2B	miR-26a
<i>GRK7</i>	G protein-coupled receptor kinase 7	mir-484
<i>GRM1</i>	glutamate receptor, metabotropic 1	miR-222
<i>GRSF1</i>	G-rich RNA sequence binding factor 1	miR-26a
<i>GRWD1</i>	glutamate-rich WD repeat containing 1	mir-484
<i>GSK3B</i>	glycogen synthase kinase 3 beta	miR-26a
<i>GSPT1</i>	G1 to S phase transition 1	mir-484
<i>GSTCD</i>	glutathione S-transferase, C-terminal domain containing	mir-484
<i>GTDC1</i>	glycosyltransferase-like domain containing 1	mir-484
<i>GTF3C2</i>	general transcription factor IIIC, polypeptide 2, beta 110kDa	miR-26a
<i>GTF3C5</i>	general transcription factor IIIC, polypeptide 5, 63kDa	mir-484
<i>GTPBP10</i>	GTP-binding protein 10 (putative)	mir-484
<i>GXYLT1</i>	glucoside xylosyltransferase 1	mir-484

<i>GZF1</i>	GDNF-inducible zinc finger protein 1	mir-484
<i>H3F3A</i>	H3 histone, family 3A	miR-222
<i>HAO1</i>	hydroxyacid oxidase (glycolate oxidase) 1	miR-26a
<i>HAPLN1</i>	hyaluronan and proteoglycan link protein 1	miR-26a
<i>HAS2</i>	hyaluronan synthase 2	miR-26a
<i>HAS3</i>	hyaluronan synthase 3	miR-26a
<i>HCN4</i>	hyperpolarization activated cyclic nucleotide-gated potassium channel 4	mir-484
<i>HECTD2</i>	HECT domain containing E3 ubiquitin protein ligase 2	miR-222
<i>HECTD3</i>	HECT domain containing E3 ubiquitin protein ligase 3	miR-26a; miR-484
<i>HECTD4</i>	HECT domain containing E3 ubiquitin protein ligase 4	miR-26a
<i>HEG1</i>	heart development protein with EGF-like domains 1	miR-222
<i>HELZ</i>	helicase with zinc finger	miR-26a
<i>HEPHL1</i>	hephaestin-like 1	miR-26a
<i>HGF</i>	hepatocyte growth factor (heparoietin A; scatter factor)	miR-26a
<i>HIAT1</i>	hippocampus abundant transcript 1	miR-26a
<i>HIC1</i>	hypermethylated in cancer 1	mir-484
<i>HIC2</i>	hypermethylated in cancer 2	mir-484
<i>HIF1A</i>	hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor)	mir-484
<i>HIF1AN</i>	hypoxia inducible factor 1, alpha subunit inhibitor	mir-484
<i>HIPK1</i>	homeodomain interacting protein kinase 1	miR-26a; miR-222
<i>HIPK2</i>	homeodomain interacting protein kinase 2	miR-26a; miR-222
<i>HIPK3</i>	homeodomain interacting protein kinase 3	miR-222
<i>HIRA</i>	histone cell cycle regulator	mir-484
<i>HM13</i>	histocompatibility (minor) 13	mir-484
<i>HMBOX1</i>	homeobox containing 1	miR-26a; miR-222
<i>HMGA1</i>	high mobility group AT-hook 1	miR-26a
<i>HMGA2</i>	high mobility group AT-hook 2	miR-26a
<i>HMGCR</i>	3-hydroxy-3-methylglutaryl-CoA reductase	mir-484
<i>HNF1A</i>	HNF1 homeobox A	mir-484
<i>HNRNPA0</i>	heterogeneous nuclear ribonucleoprotein A0	miR-222
<i>HNRNPA3</i>	heterogeneous nuclear ribonucleoprotein A3	miR-222
<i>HNRNPUL1</i>	heterogeneous nuclear ribonucleoprotein U-like 1	miR-26a
<i>HOMER1</i>	homer homolog 1 (<i>Drosophila</i>)	miR-26a; miR-484
<i>HOOK1</i>	hook microtubule-tethering protein 1	miR-26a
<i>HOXA5</i>	homeobox A5	miR-26a
<i>HOXA7</i>	homeobox A7	miR-222
<i>HOXA9</i>	homeobox A9	miR-26a
<i>HOXD12</i>	homeobox D12	mir-484
<i>HOXD13</i>	homeobox D13	miR-26a
<i>HOXD4</i>	homeobox D4	miR-26a;

		miR-484
<i>HPGD</i>	hydroxyprostaglandin dehydrogenase 15-(NAD)	miR-26a
<i>HRH1</i>	histamine receptor H1	mir-484
<i>HS2ST1</i>	heparan sulfate 2-O-sulfotransferase 1	miR-26a; mir-484
<i>HS6ST1</i>	heparan sulfate 6-O-sulfotransferase 1	miR-26a
<i>HSDL1</i>	hydroxysteroid dehydrogenase like 1	mir-484
<i>HSDL2</i>	hydroxysteroid dehydrogenase like 2	miR-26a
<i>HSH2D</i>	hematopoietic SH2 domain containing	mir-484
<i>HSPA12B</i>	heat shock 70kD protein 12B	mir-484
<i>HSPA13</i>	heat shock protein 70kDa family, member 13	miR-26a
<i>HTR2A</i>	5-hydroxytryptamine (serotonin) receptor 2A, G protein-coupled	miR-26a
<i>HVCN1</i>	hydrogen voltage-gated channel 1	mir-484
<i>HYAL2</i>	hyaluronoglucosaminidase 2	mir-484
<i>ICOS</i>	inducible T-cell co-stimulator	miR-26a; miR-484
<i>IGDCC4</i>	immunoglobulin superfamily, DCC subclass, member 4	mir-484
<i>IGF1</i>	insulin-like growth factor 1 (somatomedin C)	miR-26a
<i>IGF2BP1</i>	insulin-like growth factor 2 mRNA binding protein 1	mir-484
<i>IGF2BP2</i>	insulin-like growth factor 2 mRNA binding protein 2	miR-222
<i>IGFBP3</i>	insulin-like growth factor binding protein 3	mir-484
<i>IGFBP5</i>	insulin-like growth factor binding protein 5	mir-484
<i>IGFBPL1</i>	insulin-like growth factor binding protein-like 1	mir-484
<i>IGLON5</i>	IgLON family member 5	mir-484
<i>IGSF10</i>	immunoglobulin superfamily, member 10	miR-26a
<i>IGSF3</i>	immunoglobulin superfamily, member 3	miR-26a; miR-222; miR-484
<i>IHH</i>	indian hedgehog	mir-484
<i>IKZF2</i>	IKAROS family zinc finger 2 (Helios)	mir-484
<i>IKZF4</i>	IKAROS family zinc finger 4 (Eos)	miR-222
<i>IL10RA</i>	interleukin 10 receptor, alpha	mir-484
<i>IL1RAPL1</i>	interleukin 1 receptor accessory protein-like 1	miR-222
<i>IL20</i>	interleukin 20	miR-26a
<i>IL20RB</i>	interleukin 20 receptor beta	mir-484
<i>IL31</i>	interleukin 31	mir-484
<i>IL6R</i>	interleukin 6 receptor	mir-484
<i>ILF2</i>	interleukin enhancer binding factor 2	mir-484
<i>INHBA</i>	inhibin, beta A	miR-26a
<i>INHBB</i>	inhibin, beta B	miR-26a
<i>INSIG1</i>	insulin induced gene 1	miR-222
<i>INTS2</i>	integrator complex subunit 2	miR-26a
<i>INTU</i>	inturned planar cell polarity protein	miR-26a
<i>IPMK</i>	inositol polyphosphate multikinase	miR-26a
<i>IPO7</i>	importin 7	miR-26a;

		miR-222
<i>IPPK</i>	inositol 1,3,4,5,6-pentakisphosphate 2-kinase	miR-26a
<i>IQCH</i>	IQ motif containing H	mir-484
<i>IQCJ</i>	IQ motif containing J	mir-484
<i>IRF2</i>	interferon regulatory factor 2	miR-222
<i>IRGQ</i>	immunity-related GTPase family, Q	mir-484
<i>IRX5</i>	iroquois homeobox 5	miR-222
<i>ISY1-RAB43</i>	ISY1-RAB43 readthrough	mir-484
<i>ITGA5</i>	integrin, alpha 5 (fibronectin receptor, alpha polypeptide)	miR-26a
<i>ITGB8</i>	integrin, beta 8	miR-26a; mir-222
<i>ITPKB</i>	inositol-trisphosphate 3-kinase B	mir-484
<i>ITPR1</i>	inositol 1,4,5-trisphosphate receptor, type 1	miR-26a
<i>ITPRIPL1</i>	inositol 1,4,5-trisphosphate receptor interacting protein-like 1	miR-26a
<i>JAG1</i>	jagged 1	miR-26a
<i>JAKMIP2</i>	janus kinase and microtubule interacting protein 2	miR-26a
<i>JAM3</i>	junctional adhesion molecule 3	miR-26a
<i>JARID2</i>	jumonji, AT rich interactive domain 2	miR-26a
<i>JPH4</i>	junctophilin 4	mir-484
<i>KALRN</i>	kalirin, RhoGEF kinase	mir-484
<i>KANSL1</i>	KAT8 regulatory NSL complex subunit 1	miR-222
<i>KAZN</i>	kazrin, periplakin interacting protein	miR-26a; mir-484
<i>KBTBD13</i>	kelch repeat and BTB (POZ) domain containing 13	mir-484
<i>KBTBD8</i>	kelch repeat and BTB (POZ) domain containing 8	miR-26a; mir-484
<i>KCMF1</i>	potassium channel modulatory factor 1	miR-26a
<i>KCNA5</i>	potassium voltage-gated channel, shaker-related subfamily, member 5	mir-484
<i>KCNC3</i>	potassium voltage-gated channel, Shaw-related subfamily, member 3	mir-484
<i>KCNE4</i>	potassium voltage-gated channel, Isk-related family, member 4	miR-26a
<i>KCNH7</i>	potassium voltage-gated channel, subfamily H (eag-related), member 7	miR-26a
<i>KCNJ2</i>	potassium inwardly-rectifying channel, subfamily J, member 2	miR-26a
<i>KCNK1</i>	potassium channel, subfamily K, member 1	miR-26a
<i>KCNK13</i>	potassium channel, subfamily K, member 13	mir-484
<i>KCNN3</i>	potassium intermediate/small conductance calcium-activated channel, subfamily N, member 3	miR-26a
<i>KCNQ3</i>	potassium voltage-gated channel, KQT-like subfamily, member 3	miR-222
<i>KCNQ4</i>	potassium voltage-gated channel, KQT-like subfamily, member 4	miR-26a
<i>KCTD10</i>	potassium channel tetramerization domain containing 10	mir-484

<i>KCTD18</i>	potassium channel tetramerization domain containing 18	miR-26a
<i>KCTD3</i>	potassium channel tetramerization domain containing 3	mir-484
<i>KDM4A</i>	lysine (K)-specific demethylase 4A	mir-484
<i>KDM5B</i>	lysine (K)-specific demethylase 5B	mir-484
<i>KDM6A</i>	lysine (K)-specific demethylase 6A	miR-26a
<i>KDR</i>	kinase insert domain receptor (a type III receptor tyrosine kinase)	miR-222
<i>KHDRBS2</i>	KH domain containing, RNA binding, signal transduction associated 2	miR-222
<i>KIF16B</i>	kinesin family member 16B	miR-222
<i>KIF21B</i>	kinesin family member 21B	miR-26a
<i>KIF2A</i>	kinesin heavy chain member 2A	mir-484
<i>KIF6</i>	kinesin family member 6	mir-484
<i>KIT</i>	v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog	miR-222
<i>KLF10</i>	Kruppel-like factor 10	miR-26a
<i>KLF4</i>	Kruppel-like factor 4 (gut)	miR-26a
<i>KLF7</i>	Kruppel-like factor 7 (ubiquitous)	miR-26a; miR-222
<i>KLHL15</i>	kelch-like family member 15	miR-26a
<i>KLHL18</i>	kelch-like family member 18	miR-26a
<i>KLHL2</i>	kelch-like family member 2	mir-484
<i>KLHL22</i>	kelch-like family member 22	mir-484
<i>KLHL42</i>	kelch-like family member 42	miR-26a
<i>KMT2A</i>	lysine (K)-specific methyltransferase 2A	miR-222; miR-484
<i>KMT2C</i>	lysine (K)-specific methyltransferase 2C	miR-26a; miR-222
<i>KNDC1</i>	kinase non-catalytic C-lobe domain (KIND) containing 1	mir-484
<i>KPNA2</i>	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	miR-222
<i>KPNA3</i>	karyopherin alpha 3 (importin alpha 4)	miR-26a
<i>KPNA5</i>	karyopherin alpha 5 (importin alpha 6)	miR-26a
<i>KPNA6</i>	karyopherin alpha 6 (importin alpha 7)	miR-26a
<i>KRBA1</i>	KRAB-A domain containing 1	mir-484
<i>KRT1</i>	keratin 1	mir-484
<i>KRT222</i>	keratin 222	miR-26a
<i>KRTCAP3</i>	keratinocyte associated protein 3	mir-484
<i>KSR1</i>	kinase suppressor of ras 1	miR-222
<i>LAMC3</i>	laminin, gamma 3	mir-484
<i>LARP1</i>	La ribonucleoprotein domain family, member 1	miR-26a
<i>LARP4</i>	La ribonucleoprotein domain family, member 4	miR-26a
<i>LARP4B</i>	La ribonucleoprotein domain family, member 4B	miR-26a
<i>LCN6</i>	lipocalin 6	mir-484
<i>LDLR</i>	low density lipoprotein receptor	mir-484

<i>LEF1</i>	lymphoid enhancer-binding factor 1	miR-26a
<i>LETM1</i>	leucine zipper-EF-hand containing transmembrane protein 1	mir-484
<i>LGI2</i>	leucine-rich repeat LGI family, member 2	mir-484
<i>LHFP</i>	lipoma HMGIC fusion partner	mir-484
<i>LHFPL2</i>	lipoma HMGIC fusion partner-like 2	miR-222
<i>LHFPL4</i>	lipoma HMGIC fusion partner-like 4	miR-26a
<i>LHX1</i>	LIM homeobox 1	miR-26a
<i>LHX8</i>	LIM homeobox 8	miR-222
<i>LIF</i>	leukemia inhibitory factor	mir-484
<i>LIFR</i>	leukemia inhibitory factor receptor alpha	miR-222
<i>LIG3</i>	ligase III, DNA, ATP-dependent	mir-484
<i>LIMK2</i>	LIM domain kinase 2	mir-484
<i>LIN52</i>	lin-52 homolog (C. elegans)	miR-26a
<i>LIN54</i>	lin-54 homolog (C. elegans)	mir-484
<i>LINGO1</i>	leucine rich repeat and Ig domain containing 1	miR-26a
<i>LMAN1</i>	lectin, mannose-binding, 1	miR-26a
<i>LMLN</i>	leishmanolysin-like (metallopeptidase M8 family)	miR-26a
<i>LMX1A</i>	LIM homeobox transcription factor 1, alpha	miR-222
<i>LNPEP</i>	leucyl/cysteinyl aminopeptidase	miR-26a
<i>LNX2</i>	ligand of numb-protein X 2	miR-26a
<i>LONRF3</i>	LON peptidase N-terminal domain and ring finger 3	mir-484
<i>LOX</i>	lysyl oxidase	miR-26a
<i>LOXL2</i>	lysyl oxidase-like 2	miR-26a
<i>LPHN1</i>	latrophilin 1	miR-26a
<i>LPP</i>	LIM domain containing preferred translocation partner in lipoma	miR-26a
<i>LPPR1</i>	Lipid phosphate phosphatase-related protein type 1	miR-222
<i>LRCH1</i>	leucine-rich repeats and calponin homology (CH) domain containing 1	miR-26a
<i>LRFN2</i>	leucine rich repeat and fibronectin type III domain containing 2	miR-222
<i>LRRC14</i>	leucine rich repeat containing 14	miR-222
<i>LRRC15</i>	leucine rich repeat containing 15	mir-484
<i>LRRC16A</i>	leucine rich repeat containing 16A	miR-26a
<i>LRRC3</i>	leucine rich repeat containing 3	mir-484
<i>LRRC41</i>	leucine rich repeat containing 41	mir-484
<i>LRRC56</i>	leucine rich repeat containing 56	mir-484
<i>LRRC59</i>	leucine rich repeat containing 59	miR-26a
<i>LRRFIP1</i>	leucine rich repeat (in FLII) interacting protein 1	mir-484
<i>LSM11</i>	LSM11, U7 small nuclear RNA associated	miR-26a
<i>LSM12</i>	LSM12 homolog (S. cerevisiae)	miR-26a
<i>LTBP1</i>	latent transforming growth factor beta binding protein 1	miR-26a
<i>LUC7L3</i>	LUC7-like 3 (S. cerevisiae)	miR-222
<i>LUZP1</i>	leucine zipper protein 1	mir-484
<i>LUZP6</i>	leucine zipper protein 6	miR-26a

<i>LY6D</i>	lymphocyte antigen 6 complex, locus D	mir-484
<i>LYPLA2</i>	lysophospholipase II	mir-484
<i>LYRM9</i>	LYR motif containing 9	mir-484
<i>LYSMD3</i>	LysM, putative peptidoglycan-binding domain containing 3	mir-484
<i>LZIC</i>	leucine zipper and CTNNBIP1 domain containing	mir-484
<i>MAB21L1</i>	mab-21-like 1 (<i>C. elegans</i>)	miR-26a
<i>MAFK</i>	v-maf avian musculoaponeurotic fibrosarcoma oncogene homolog K	mir-484
<i>MAGI1</i>	membrane associated guanylate kinase, WW and PDZ domain containing 1	miR-222
<i>MAGI2</i>	membrane associated guanylate kinase, WW and PDZ domain containing 2	miR-222
<i>MAGI3</i>	membrane associated guanylate kinase, WW and PDZ domain containing 3	miR-26a
<i>MAL2</i>	mal, T-cell differentiation protein 2 (gene/pseudogene)	miR-26a
<i>MAML1</i>	mastermind-like 1 (<i>Drosophila</i>)	mir-484
<i>MAN1A2</i>	mannosidase, alpha, class 1A, member 2	miR-26a
<i>MAN2A1</i>	mannosidase, alpha, class 2A, member 1	miR-26a
<i>MANBA</i>	mannosidase, beta A, lysosomal	mir-484
<i>MANEAL</i>	mannosidase, endo-alpha-like	mir-484
<i>MANF</i>	mesencephalic astrocyte-derived neurotrophic factor	mir-484
<i>MAP1A</i>	microtubule-associated protein 1A	miR-26a
<i>MAP1B</i>	microtubule-associated protein 1B	miR-26a
<i>MAP2</i>	microtubule-associated protein 2	miR-26a
<i>MAP3K1</i>	mitogen-activated protein kinase kinase kinase 1, E3 ubiquitin protein ligase	miR-26a
<i>MAP3K11</i>	mitogen-activated protein kinase kinase kinase 11	mir-484
<i>MAP3K2</i>	mitogen-activated protein kinase kinase kinase 2	miR-26a
<i>MAP3K9</i>	mitogen-activated protein kinase kinase kinase 9	miR-26a
<i>MAP7</i>	microtubule-associated protein 7	miR-26a
<i>MAP9</i>	microtubule-associated protein 9	miR-26a
<i>MAPK10</i>	mitogen-activated protein kinase 10	miR-222
<i>MAPK6</i>	mitogen-activated protein kinase 6	miR-26a; miR-222
<i>MAPK9</i>	mitogen-activated protein kinase 9	mir-484
<i>MAPKAPK2</i>	mitogen-activated protein kinase-activated protein kinase 2	mir-484
<i>MARCH5</i>	membrane-associated ring finger (C3HC4) 5	mir-484
<i>MARK1</i>	MAP/microtubule affinity-regulating kinase 1	miR-26a; miR-222
<i>MAT2A</i>	methionine adenosyltransferase II, alpha	miR-26a
<i>MATR3</i>	matrin 3	miR-26a
<i>MB</i>	myoglobin	mir-484
<i>MBD2</i>	methyl-CpG binding domain protein 2	miR-222
<i>MBTD1</i>	mbt domain containing 1	mir-484
<i>MCC</i>	mutated in colorectal cancers	miR-26a
<i>MCL1</i>	myeloid cell leukemia sequence 1 (BCL2-related)	miR-26a

<i>MCM2</i>	minichromosome maintenance complex component 2	mir-484
<i>MDN1</i>	MDN1, midasin homolog (yeast)	miR-26a
<i>MED13L</i>	mediator complex subunit 13-like	miR-26a
<i>MED6</i>	mediator complex subunit 6	mir-484
<i>MEF2C</i>	myocyte enhancer factor 2C	miR-26a
<i>MEGF9</i>	multiple EGF-like-domains 9	miR-26a; miR-222
<i>MEIS1</i>	Meis homeobox 1	miR-222
<i>MESDC1</i>	mesoderm development candidate 1	miR-222
<i>METTL2A</i>	methyltransferase like 2A	mir-484
<i>MEX3A</i>	mex-3 RNA binding family member A	miR-222
<i>MEX3B</i>	mex-3 RNA binding family member B	miR-26a; miR-484
<i>MFAP2</i>	microfibrillar-associated protein 2	mir-484
<i>MFAP3</i>	microfibrillar-associated protein 3	mir-484
<i>MFAP3L</i>	microfibrillar-associated protein 3-like	miR-26a
<i>MFHAS1</i>	malignant fibrous histiocytoma amplified sequence 1	miR-26a
<i>MFN1</i>	mitofusin 1	miR-26a; miR-222
<i>MFN2</i>	mitofusin 2	mir-484
<i>MFSD10</i>	major facilitator superfamily domain containing 10	mir-484
<i>MFSD6</i>	major facilitator superfamily domain containing 6	miR-26a
<i>MGAT4A</i>	mannosyl (alpha-1,3)-glycoprotein beta-1,4-N-acetyl-glucosaminyltransferase, isozyme A	miR-26a
<i>MGAT5</i>	mannosyl (alpha-1,6)-glycoprotein beta-1,6-N-acetyl-glucosaminyltransferase	mir-484
<i>MGRN1</i>	mahogunin ring finger 1, E3 ubiquitin protein ligase	mir-484
<i>MGST2</i>	microsomal glutathione S-transferase 2	mir-484
<i>MIA3</i>	melanoma inhibitory activity family, member 3	miR-222
<i>MIB1</i>	mindbomb E3 ubiquitin protein ligase 1	miR-26a
<i>MICAL3</i>	microtubule associated monooxygenase, calponin and LIM domain containing 3	miR-26a
<i>MICU3</i>	mitochondrial calcium uptake family, member 3	mir-484
<i>MID1</i>	midline 1 (Opitz/BBB syndrome)	miR-222
<i>MIDN</i>	midnolin	miR-222
<i>MIER3</i>	mesoderm induction early response 1, family member 3	miR-26a; miR-222
<i>MINK1</i>	misshapen-like kinase 1	mir-484
<i>MITF</i>	microphthalmia-associated transcription factor	miR-26a
<i>MKNK2</i>	MAP kinase interacting serine/threonine kinase 2	miR-26a
<i>MLEC</i>	malectin	miR-26a
<i>MLLT3</i>	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 3	miR-26a
<i>MLLT6</i>	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 6	miR-222; miR-484
<i>MLXIP</i>	MLX interacting protein	mir-484
<i>MMP14</i>	matrix metallopeptidase 14 (membrane-inserted)	miR-26a
<i>MMP16</i>	matrix metallopeptidase 16 (membrane-inserted)	miR-26a

<i>MN1</i>	meningioma (disrupted in balanced translocation) 1	mir-484
<i>MNX1</i>	motor neuron and pancreas homeobox 1	miR-26a
<i>MOB1A</i>	MOB kinase activator 1A	miR-26a
<i>MOB3C</i>	MOB kinase activator 3C	mir-484
<i>MOGAT2</i>	monoacylglycerol O-acyltransferase 2	mir-484
<i>MON2</i>	MON2 homolog (<i>S. cerevisiae</i>)	miR-222
<i>MPP6</i>	membrane protein, palmitoylated 6 (MAGUK p55 subfamily member 6)	miR-26a
<i>MP RIP</i>	myosin phosphatase Rho interacting protein	miR-26a
<i>MRAS</i>	muscle RAS oncogene homolog	miR-26a
<i>MREG</i>	melanoregulin	miR-26a
<i>MRPL27</i>	mitochondrial ribosomal protein L27	mir-484
<i>MS4A6A</i>	membrane-spanning 4-domains, subfamily A, member 6A	mir-484
<i>MSANTD1</i>	Myb/SANT-like DNA-binding domain containing 1	miR-26a
<i>MSANTD3</i>	Myb/SANT-like DNA-binding domain containing 3	mir-484
<i>MSI2</i>	musashi RNA-binding protein 2	mir-484
<i>MSL1</i>	male-specific lethal 1 homolog (<i>Drosophila</i>)	miR-222
<i>MSL2</i>	male-specific lethal 2 homolog (<i>Drosophila</i>)	miR-222
<i>MST4</i>	Serine/threonine-protein kinase MST4	miR-222
<i>MTCH1</i>	mitochondrial carrier 1	mir-484
<i>MTDH</i>	metadherin	miR-26a
<i>MTG1</i>	mitochondrial ribosome-associated GTPase 1	mir-484
<i>MTMR11</i>	myotubularin related protein 11	mir-484
<i>MTPN</i>	myotrophin	miR-26a
<i>MTSS1L</i>	metastasis suppressor 1-like	mir-484
<i>MTX2</i>	metaxin 2	miR-26a
<i>MXI1</i>	MAX interactor 1, dimerization protein	miR-26a
<i>MYCBP</i>	MYC binding protein	miR-26a
<i>MYLIP</i>	myosin regulatory light chain interacting protein	miR-222
<i>MYO10</i>	myosin X	miR-222
<i>MYO1A</i>	myosin IA	mir-484
<i>MYO1D</i>	myosin ID	mir-484
<i>MYO9A</i>	myosin IXA	miR-26a
<i>MYOM3</i>	myomesin 3	mir-484
<i>MYOZ3</i>	myozinin 3	mir-484
<i>MYPOP</i>	Myb-related transcription factor, partner of profilin	miR-26a
<i>MYT1L</i>	myelin transcription factor 1-like	miR-222
<i>MZB1</i>	marginal zone B and B1 cell-specific protein	mir-484
<i>NAA15</i>	N(alpha)-acetyltransferase 15, NatA auxiliary subunit	miR-26a
<i>NAA25</i>	N(alpha)-acetyltransferase 25, NatB auxiliary subunit	miR-222
<i>NAA40</i>	N(alpha)-acetyltransferase 40, NatD catalytic subunit	mir-484
<i>NAB1</i>	NGFI-A binding protein 1 (EGR1 binding protein 1)	miR-26a
<i>NABP1</i>	nucleic acid binding protein 1	miR-26a
<i>NACC1</i>	nucleus accumbens associated 1, BEN and BTB (POZ) domain containing	mir-484

<i>NACC2</i>	NACC family member 2, BEN and BTB (POZ) domain containing	miR-26a
<i>NAGPA</i>	N-acetylglucosamine-1-phosphodiester alpha-N-acetylglucosaminidase	miR-26a
<i>NAMPT</i>	nicotinamide phosphoribosyltransferase	miR-26a
<i>NANOS1</i>	nanos homolog 1 (<i>Drosophila</i>)	miR-222
<i>NAP1L1</i>	nucleosome assembly protein 1-like 1	miR-222
<i>NAP1L5</i>	nucleosome assembly protein 1-like 5	miR-26a; miR-222
<i>NAT9</i>	N-acetyltransferase 9 (GCN5-related, putative)	mir-484
<i>NCAM2</i>	neural cell adhesion molecule 2	miR-26a
<i>NCEH1</i>	neutral cholesterol ester hydrolase 1	miR-26a
<i>NCS1</i>	neuronal calcium sensor 1	mir-484
<i>NDFIP1</i>	Nedd4 family interacting protein 1	miR-222
<i>NDFIP2</i>	Nedd4 family interacting protein 2	miR-26a
<i>NEBL</i>	nebulette	miR-26a
<i>NEDD4L</i>	neural precursor cell expressed, developmentally down-regulated 4-like, E3 ubiquitin protein ligase	mir-484
<i>NEK10</i>	NIMA-related kinase 10	miR-26a
<i>NEK6</i>	NIMA-related kinase 6	miR-26a
<i>NETO1</i>	neuropilin (NRP) and tolloid (TLL)-like 1	miR-26a
<i>NFAT5</i>	nuclear factor of activated T-cells 5, tonicity-responsive	miR-222
<i>NFATC2IP</i>	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2 interacting protein	mir-484
<i>NFATC3</i>	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 3	miR-222
<i>NFATC4</i>	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 4	mir-484
<i>NFE2L3</i>	nuclear factor, erythroid 2-like 3	miR-26a
<i>NFIB</i>	nuclear factor I/B	mir-484
<i>NHS</i>	Nance-Horan syndrome (congenital cataracts and dental anomalies)	miR-26a
<i>NHSL1</i>	NHS-like 1	miR-26a
<i>NIPAL4</i>	NIPA-like domain containing 4	miR-222
<i>NIPBL</i>	Nipped-B homolog (<i>Drosophila</i>)	miR-26a; miR-222
<i>NKRF</i>	NFKB repressing factor	miR-26a
<i>NKX2-5</i>	NK2 homeobox 5	miR-26a
<i>NLK</i>	nemo-like kinase	miR-26a; miR-222
<i>NMRK1</i>	nicotinamide riboside kinase 1	mir-484
<i>NOL8</i>	nucleolar protein 8	mir-484
<i>NOS1AP</i>	nitric oxide synthase 1 (neuronal) adaptor protein	mir-484
<i>NOTCH2NL</i>	notch 2 N-terminal like	mir-484
<i>NOVA1</i>	neuro-oncological ventral antigen 1	miR-26a; miR-222
<i>NR0B2</i>	nuclear receptor subfamily 0, group B, member 2	mir-484

<i>NR4A1</i>	nuclear receptor subfamily 4, group A, member 1	miR-222
<i>NR4A3</i>	nuclear receptor subfamily 4, group A, member 3	mir-484
<i>NRAS</i>	neuroblastoma RAS viral (v-ras) oncogene homolog	miR-26a
<i>NRG1</i>	neuregulin 1	miR-222
<i>NRG2</i>	neuregulin 2	miR-26a
<i>NRIP1</i>	nuclear receptor interacting protein 1	miR-26a
<i>NRK</i>	Nik related kinase	miR-222
<i>NSG1</i>	Neuron-specific protein family member 1	mir-484
<i>NSMCE4A</i>	non-SMC element 4 homolog A (<i>S. cerevisiae</i>)	miR-222
<i>NSUN3</i>	NOP2/Sun domain family, member 3	miR-26a
<i>NSUN4</i>	NOP2/Sun domain family, member 4	mir-484
<i>NTF3</i>	neurotrophin 3	miR-222
<i>NTPCR</i>	nucleoside-triphosphatase, cancer-related	mir-484
<i>NTRK3</i>	neurotrophic tyrosine kinase, receptor, type 3	mir-484
<i>NUDT3</i>	nudix (nucleoside diphosphate linked moiety X)-type motif 3	mir-484
<i>NUFIP2</i>	nuclear fragile X mental retardation protein interacting protein 2	miR-222
<i>NUP153</i>	nucleoporin 153kDa	miR-26a
<i>NUP50</i>	nucleoporin 50kDa	miR-26a
<i>NUP98</i>	nucleoporin 98kDa	mir-484
<i>NUS1</i>	nuclear undecaprenyl pyrophosphate synthase 1 homolog (<i>S. cerevisiae</i>)	miR-26a
<i>NXN</i>	nucleoredoxin	mir-484
<i>NXPH1</i>	neurexophilin 1	miR-222
<i>OAF</i>	OAF homolog (<i>Drosophila</i>)	miR-26a; miR-484
<i>OARD1</i>	O-acyl-ADP-ribose deacylase 1	mir-484
<i>OBFC1</i>	oligonucleotide/oligosaccharide-binding fold containing 1	miR-26a
<i>OCLN</i>	occludin	miR-26a
<i>OGG1</i>	8-oxoguanine DNA glycosylase	mir-484
<i>ONECUT3</i>	one cut homeobox 3	miR-26a
<i>OPA3</i>	optic atrophy 3 (autosomal recessive, with chorea and spastic paraplegia)	mir-484
<i>OS9</i>	osteosarcoma amplified 9, endoplasmic reticulum lectin	mir-484
<i>OSBPL11</i>	oxysterol binding protein-like 11	miR-26a
<i>OSBPL2</i>	oxysterol binding protein-like 2	miR-26a
<i>OSR1</i>	odd-skipped related 1 (<i>Drosophila</i>)	mir-484
<i>OTUD1</i>	OTU domain containing 1	miR-26a
<i>OTUD4</i>	OTU domain containing 4	miR-26a
<i>OXTR</i>	oxytocin receptor	mir-484
<i>P2RX6</i>	purinergic receptor P2X, ligand-gated ion channel, 6	mir-484
<i>P2RY2</i>	purinergic receptor P2Y, G-protein coupled, 2	mir-484
<i>PAFAH1B1</i>	platelet-activating factor acetylhydrolase 1b, regulatory subunit 1 (45kDa)	miR-222

<i>PAFAH1B2</i>	platelet-activating factor acetylhydrolase 1b, catalytic subunit 2 (30kDa)	mir-484
<i>PAIP1</i>	poly(A) binding protein interacting protein 1	miR-222
<i>PAIP2</i>	poly(A) binding protein interacting protein 2	miR-222
<i>PAK1</i>	p21 protein (Cdc42/Rac)-activated kinase 1	miR-222
<i>PAK2</i>	p21 protein (Cdc42/Rac)-activated kinase 2	miR-26a
<i>PALM</i>	paralemmin	mir-484
<i>PALM2</i>	paralemmin 2	mir-484
<i>PALM3</i>	paralemmin 3	miR-26a
<i>PAN3</i>	PAN3 poly(A) specific ribonuclease subunit homolog (S. cerevisiae)	miR-26a
<i>PAPD4</i>	PAP associated domain containing 4	miR-26a
<i>PARP1</i>	poly (ADP-ribose) polymerase 1	mir-484
<i>PARP11</i>	poly (ADP-ribose) polymerase family, member 11	mir-484
<i>PATL1</i>	protein associated with topoisomerase II homolog 1 (yeast)	miR-26a
<i>PATZ1</i>	POZ (BTB) and AT hook containing zinc finger 1	miR-26a
<i>PAWR</i>	PRKC, apoptosis, WT1, regulator	miR-26a
<i>PAX5</i>	paired box 5	miR-26a
<i>PAX9</i>	paired box 9	mir-484
<i>PBX3</i>	pre-B-cell leukemia homeobox 3	miR-222
<i>PCDH18</i>	protocadherin 18	miR-26a
<i>PCDH19</i>	protocadherin 19	mir-484
<i>PCDHA1</i>	protocadherin alpha 1	miR-222
<i>PCDHA10</i>	protocadherin alpha 10	miR-222
<i>PCDHA11</i>	protocadherin alpha 11	miR-222
<i>PCDHA12</i>	protocadherin alpha 12	miR-222
<i>PCDHA13</i>	protocadherin alpha 13	miR-222
<i>PCDHA2</i>	protocadherin alpha 2	miR-222
<i>PCDHA3</i>	protocadherin alpha 3	miR-222
<i>PCDHA4</i>	protocadherin alpha 4	miR-222
<i>PCDHA5</i>	protocadherin alpha 5	miR-222
<i>PCDHA6</i>	protocadherin alpha 6	miR-222
<i>PCDHA7</i>	protocadherin alpha 7	miR-222
<i>PCDHA8</i>	protocadherin alpha 8	miR-222
<i>PCDHA9</i>	protocadherin alpha 9	miR-222
<i>PCDHAC1</i>	protocadherin alpha subfamily C, 1	miR-222
<i>PCDHAC2</i>	protocadherin alpha subfamily C, 2	miR-222
<i>PCNX</i>	pecanex homolog (Drosophila)	miR-26a
<i>PDAP1</i>	PDGFA associated protein 1	mir-484
<i>PDCD10</i>	programmed cell death 10	miR-26a; miR-222
<i>PDCD6IP</i>	programmed cell death 6 interacting protein	mir-484
<i>PDE3A</i>	phosphodiesterase 3A, cGMP-inhibited	miR-222
<i>PDE4B</i>	phosphodiesterase 4B, cAMP-specific	miR-26a
<i>PDE4D</i>	phosphodiesterase 4D, cAMP-specific	miR-26a
<i>PDE7A</i>	phosphodiesterase 7A	miR-26a

<i>PDGFA</i>	platelet-derived growth factor alpha polypeptide	miR-222
<i>PDHX</i>	pyruvate dehydrogenase complex, component X	miR-26a
<i>PDK2</i>	pyruvate dehydrogenase kinase, isozyme 2	mir-484
<i>PDK3</i>	pyruvate dehydrogenase kinase, isozyme 3	mir-484
<i>PDS5A</i>	PDS5, regulator of cohesion maintenance, homolog A (<i>S. cerevisiae</i>)	mir-484
<i>PDX1</i>	pancreatic and duodenal homeobox 1	mir-484
<i>PDXK</i>	pyridoxal (pyridoxine, vitamin B6) kinase	mir-484
<i>PDZRN4</i>	PDZ domain containing ring finger 4	miR-222
<i>PELI2</i>	pellino E3 ubiquitin protein ligase family member 2	miR-26a
<i>PEX11B</i>	peroxisomal biogenesis factor 11 beta	mir-484
<i>PEX6</i>	peroxisomal biogenesis factor 6	mir-484
<i>PEX7</i>	peroxisomal biogenesis factor 7	mir-484
<i>PFDN4</i>	prefoldin subunit 4	miR-26a
<i>PFKFB2</i>	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 2	miR-26a; mir-484
<i>PFKFB3</i>	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3	miR-26a
<i>PFKL</i>	phosphofructokinase, liver	mir-484
<i>PGAP1</i>	post-GPI attachment to proteins 1	miR-222
<i>PGBD5</i>	piggyBac transposable element derived 5	miR-222
<i>PGD</i>	phosphogluconate dehydrogenase	mir-484
<i>PGF</i>	placental growth factor	mir-484
<i>PGM2L1</i>	phosphoglucomutase 2-like 1	miR-26a
<i>PGR</i>	progesterone receptor	miR-26a
<i>PGRMC2</i>	progesterone receptor membrane component 2	miR-26a
<i>PHACTR1</i>	phosphatase and actin regulator 1	mir-484
<i>PHACTR4</i>	phosphatase and actin regulator 4	miR-222
<i>PHF12</i>	PHD finger protein 12	mir-484
<i>PHF2</i>	PHD finger protein 2	miR-222
<i>PHF20L1</i>	PHD finger protein 20-like 1	miR-26a
<i>PHF21A</i>	PHD finger protein 21A	miR-26a
<i>PHF3</i>	PHD finger protein 3	miR-26a
<i>PHF6</i>	PHD finger protein 6	miR-26a
<i>PHLDB2</i>	pleckstrin homology-like domain, family B, member 2	miR-26a
<i>PHOX2B</i>	paired-like homeobox 2b	mir-484
<i>PHRF1</i>	PHD and ring finger domains 1	mir-484
<i>PIANP</i>	PILR alpha associated neural protein	mir-484
<i>PIAS1</i>	protein inhibitor of activated STAT, 1	miR-26a
<i>PIEZO2</i>	piezo-type mechanosensitive ion channel component 2	miR-222
<i>PIGG</i>	phosphatidylinositol glycan anchor biosynthesis, class G	miR-26a; mir-484
<i>PIGO</i>	phosphatidylinositol glycan anchor biosynthesis, class O	mir-484
<i>PIGU</i>	phosphatidylinositol glycan anchor biosynthesis, class U	miR-26a

<i>PIK3C2A</i>	phosphatidylinositol-4-phosphate 3-kinase, catalytic subunit type 2 alpha	miR-26a
<i>PIK3CB</i>	phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit beta	miR-26a
<i>PIK3CD</i>	phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit delta	mir-484
<i>PIK3R1</i>	phosphoinositide-3-kinase, regulatory subunit 1 (alpha)	miR-222; miR-484
<i>PIK3R3</i>	phosphoinositide-3-kinase, regulatory subunit 3 (gamma)	miR-26a
<i>PIKFYVE</i>	phosphoinositide kinase, FYVE finger containing	mir-484
<i>PIM3</i>	pim-3 oncogene	miR-26a
<i>PIP5K1B</i>	phosphatidylinositol-4-phosphate 5-kinase, type I, beta	mir-484
<i>PITPNC1</i>	phosphatidylinositol transfer protein, cytoplasmic 1	miR-26a
<i>PITPNM2</i>	phosphatidylinositol transfer protein, membrane-associated 2	miR-222
<i>PKDCC</i>	protein kinase domain containing, cytoplasmic	miR-222
<i>PKIA</i>	protein kinase (cAMP-dependent, catalytic) inhibitor alpha	miR-222; miR-484
<i>PLA2G4E</i>	phospholipase A2, group IVE	mir-484
<i>PLCB1</i>	phospholipase C, beta 1 (phosphoinositide-specific)	miR-26a
<i>PLCB2</i>	phospholipase C, beta 2	mir-484
<i>PLCB3</i>	phospholipase C, beta 3 (phosphatidylinositol-specific)	mir-484
<i>PLCD3</i>	phospholipase C, delta 3	mir-484
<i>PLEKHA2</i>	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 2	miR-222
<i>PLEKHB2</i>	pleckstrin homology domain containing, family B (evectins) member 2	mir-484
<i>PLEKHH1</i>	pleckstrin homology domain containing, family H (with MyTH4 domain) member 1	miR-26a
<i>PLOD2</i>	procollagen-lysine, 2-oxoglutarate 5-dioxygenase 2	miR-26a
<i>PLXNA2</i>	plexin A2	miR-26a
<i>PLXNC1</i>	plexin C1	miR-222
<i>PMEPA1</i>	prostate transmembrane protein, androgen induced 1	miR-26a
<i>PNO1</i>	partner of NOB1 homolog (S. cerevisiae)	mir-484
<i>PNPLA3</i>	patatin-like phospholipase domain containing 3	mir-484
<i>PNRC1</i>	proline-rich nuclear receptor coactivator 1	miR-26a
<i>PODNL1</i>	podocan-like 1	mir-484
<i>POGZ</i>	pogo transposable element with ZNF domain	miR-222
<i>POM121C</i>	POM121 transmembrane nucleoporin C	miR-26a
<i>POMGNT1</i>	protein O-linked mannose N-acetylglucosaminyltransferase 1 (beta 1,2-)	mir-484
<i>POP4</i>	processing of precursor 4, ribonuclease P/MRP subunit (S. cerevisiae)	mir-484
<i>POU4F1</i>	POU class 4 homeobox 1	miR-26a
<i>POU6F2</i>	POU class 6 homeobox 2	mir-484

<i>PPARGC1B</i>	peroxisome proliferator-activated receptor gamma, co-activator 1 beta	miR-26a
<i>PPEF1</i>	protein phosphatase, EF-hand calcium binding domain 1	mir-484
<i>PPIG</i>	peptidylprolyl isomerase G (cyclophilin G)	miR-26a
<i>PPP1R15B</i>	protein phosphatase 1, regulatory subunit 15B	miR-26a; miR-222
<i>PPP2R2A</i>	protein phosphatase 2, regulatory subunit B, alpha	miR-222
<i>PPP3CB</i>	protein phosphatase 3, catalytic subunit, beta isoform	miR-26a
<i>PPP3R1</i>	protein phosphatase 3, regulatory subunit B, alpha	miR-26a; miR-222
<i>PPP4R1</i>	protein phosphatase 4, regulatory subunit 1	miR-26a
<i>PPP6C</i>	protein phosphatase 6, catalytic subunit	miR-26a; miR-222
<i>PRDM11</i>	PR domain containing 11	mir-484
<i>PRDM2</i>	PR domain containing 2, with ZNF domain	mir-484
<i>PRELP</i>	proline/arginine-rich end leucine-rich repeat protein	miR-26a
<i>PRKAA2</i>	protein kinase, AMP-activated, alpha 2 catalytic subunit	miR-26a
<i>PRKACB</i>	protein kinase, cAMP-dependent, catalytic, beta	miR-222
<i>PRKAG2</i>	protein kinase, AMP-activated, gamma 2 non-catalytic subunit	miR-26a
<i>PRKAG3</i>	protein kinase, AMP-activated, gamma 3 non-catalytic subunit	mir-484
<i>PRKCD</i>	protein kinase C, delta	miR-26a
<i>PRKCQ</i>	protein kinase C, theta	miR-26a
<i>PRKG1</i>	protein kinase, cGMP-dependent, type I	miR-26a
<i>PRM1</i>	protamine 1	mir-484
<i>PROM2</i>	prominin 2	mir-484
<i>PRR14L</i>	proline rich 14-like	miR-222
<i>PRR5L</i>	proline rich 5 like	miR-26a
<i>PRRC2B</i>	proline-rich coiled-coil 2B	mir-484
<i>PRRG3</i>	proline rich Gla (G-carboxyglutamic acid) 3 (trans-membrane)	miR-222
<i>PRUNE</i>	prune exopolyphosphatase	miR-222
<i>PSD3</i>	pleckstrin and Sec7 domain containing 3	miR-26a
<i>PSMB5</i>	proteasome (prosome, macropain) subunit, beta type, 5	miR-222
<i>PSMC6</i>	proteasome (prosome, macropain) 26S subunit, ATPase, 6	mir-484
<i>PSMF1</i>	proteasome (prosome, macropain) inhibitor subunit 1 (PI31)	mir-484
<i>PTBP2</i>	polypyrimidine tract binding protein 2	miR-222
<i>PTBP3</i>	polypyrimidine tract binding protein 3	miR-222
<i>PTCHD1</i>	patched domain containing 1	miR-26a; miR-222
<i>PTEN</i>	phosphatase and tensin homolog	miR-26a
<i>PTGIS</i>	prostaglandin I2 (prostacyclin) synthase	mir-484

<i>PTGS2</i>	prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase)	miR-26a
<i>PTK7</i>	protein tyrosine kinase 7	mir-484
<i>PTP4A1</i>	protein tyrosine phosphatase type IVA, member 1	miR-26a
<i>PTPLA</i>	protein tyrosine phosphatase-like (proline instead of catalytic arginine), member A	miR-26a
<i>PTPN13</i>	protein tyrosine phosphatase, non-receptor type 13 (APO-1/CD95 (Fas)-associated phosphatase)	miR-26a
<i>PTPN3</i>	protein tyrosine phosphatase, non-receptor type 3	miR-26a
<i>PTPRD</i>	protein tyrosine phosphatase, receptor type, D	miR-26a
<i>PTS</i>	6-pyruvoyltetrahydropterin synthase	miR-222
<i>PURA</i>	purine-rich element binding protein A	miR-26a; miR-222
<i>PVRL1</i>	poliovirus receptor-related 1 (herpesvirus entry mediator C)	miR-222
<i>PWWP2A</i>	PWWP domain containing 2A	miR-26a
<i>PYGO2</i>	pygopus homolog 2 (<i>Drosophila</i>)	mir-484
<i>QKI</i>	QKI, KH domain containing, RNA binding	miR-222
<i>R3HCC1L</i>	R3H domain and coiled-coil containing 1-like	mir-484
<i>RAB11A</i>	RAB11A, member RAS oncogene family	miR-26a
<i>RAB11FIP1</i>	RAB11 family interacting protein 1 (class I)	miR-26a; miR-484
<i>RAB11FIP4</i>	RAB11 family interacting protein 4 (class II)	mir-484
<i>RAB11FIP5</i>	RAB11 family interacting protein 5 (class I)	mir-484
<i>RAB1A</i>	RAB1A, member RAS oncogene family	miR-222
<i>RAB31</i>	RAB31, member RAS oncogene family	mir-484
<i>RAB37</i>	RAB37, member RAS oncogene family	mir-484
<i>RAB3B</i>	RAB3B, member RAS oncogene family	miR-222
<i>RAB3GAP2</i>	RAB3 GTPase activating protein subunit 2 (non-catalytic)	miR-222
<i>RAB43</i>	RAB43, member RAS oncogene family	mir-484
<i>RABIF</i>	RAB interacting factor	mir-484
<i>RALGAPA1</i>	Ral GTPase activating protein, alpha subunit 1 (catalytic)	miR-222
<i>RANBP10</i>	RAN binding protein 10	miR-26a
<i>RANBP2</i>	RAN binding protein 2	miR-222
<i>RANBP9</i>	RAN binding protein 9	miR-26a
<i>RAP1A</i>	RAP1A, member of RAS oncogene family	miR-26a; miR-484
<i>RAP1B</i>	RAP1B, member of RAS oncogene family	miR-26a
<i>RAP2C</i>	RAP2C, member of RAS oncogene family	miR-26a
<i>RASA4</i>	RAS p21 protein activator 4	mir-484
<i>RASAL2</i>	RAS protein activator like 2	miR-26a
<i>RASSF3</i>	Ras association (RalGDS/AF-6) domain family member 3	miR-26a
<i>RASSF5</i>	Ras association (RalGDS/AF-6) domain family member 5	mir-484
<i>RB1</i>	retinoblastoma 1	miR-26a

<i>RB1CC1</i>	RB1-inducible coiled-coil 1	mir-484
<i>RBM17</i>	RNA binding motif protein 17	mir-484
<i>RBM24</i>	RNA binding motif protein 24	miR-26a; miR-222
<i>RBM47</i>	RNA binding motif protein 47	miR-26a
<i>RBMS1</i>	RNA binding motif, single stranded interacting protein 1	miR-26a
<i>RBP4</i>	retinol binding protein 4, plasma	mir-484
<i>RCBTB1</i>	regulator of chromosome condensation (RCC1) and BTB (POZ) domain containing protein 1	miR-26a
<i>RCN1</i>	reticulocalbin 1, EF-hand calcium binding domain	miR-26a
<i>RCN2</i>	reticulocalbin 2, EF-hand calcium binding domain	miR-26a
<i>RCOR1</i>	REST corepressor 1	miR-26a
<i>RDH14</i>	retinol dehydrogenase 14 (all-trans/9-cis/11-cis)	miR-26a
<i>REEP3</i>	receptor accessory protein 3	miR-26a
<i>REEP4</i>	receptor accessory protein 4	miR-26a
<i>RERE</i>	arginine-glutamic acid dipeptide (RE) repeats	miR-26a
<i>REST</i>	RE1-silencing transcription factor	miR-26a
<i>REV1</i>	REV1, polymerase (DNA directed)	miR-222
<i>REV3L</i>	REV3-like, polymerase (DNA directed), zeta, catalytic subunit	miR-222
<i>RFX3</i>	regulatory factor X, 3 (influences HLA class II expression)	miR-26a; miR-222; miR-484
<i>RFX7</i>	regulatory factor X, 7	miR-26a; miR-222
<i>RGS17</i>	regulator of G-protein signaling 17	miR-26a; miR-222; miR-484
<i>RGS4</i>	regulator of G-protein signaling 4	miR-26a
<i>RGS9BP</i>	regulator of G protein signaling 9 binding protein	mir-484
<i>RHOQ</i>	ras homolog family member Q	miR-26a; miR-484
<i>RHPN2</i>	rhophilin, Rho GTPase binding protein 2	mir-484
<i>RIMKLA</i>	ribosomal modification protein rimK-like family member A	miR-26a
<i>RIMS3</i>	regulating synaptic membrane exocytosis 3	miR-222; miR-484
<i>RIOK3</i>	RIO kinase 3	mir-484
<i>RLF</i>	rearranged L-myc fusion	miR-26a
<i>RLIM</i>	ring finger protein, LIM domain interacting	mir-484
<i>RNF150</i>	ring finger protein 150	miR-26a
<i>RNF213</i>	ring finger protein 213	miR-26a
<i>RNF214</i>	ring finger protein 214	mir-484
<i>RNF215</i>	ring finger protein 215	miR-26a
<i>RNF24</i>	ring finger protein 24	mir-484
<i>RNF4</i>	ring finger protein 4	miR-222
<i>RNF44</i>	ring finger protein 44	miR-222

<i>RNF6</i>	ring finger protein (C3H2C3 type) 6	miR-26a
<i>RNFT2</i>	ring finger protein, transmembrane 2	mir-484
<i>RNPS1</i>	RNA binding protein S1, serine-rich domain	miR-222
<i>ROCK1</i>	Rho-associated, coiled-coil containing protein kinase 1	miR-26a
<i>RPGR</i>	retinitis pigmentosa GTPase regulator	miR-26a
<i>RPRD2</i>	regulation of nuclear pre-mRNA domain containing 2	miR-26a
<i>RPRM</i>	reproto, TP53 dependent G2 arrest mediator candidate	mir-484
<i>RPS6KA1</i>	ribosomal protein S6 kinase, 90kDa, polypeptide 1	mir-484
<i>RPS6KA2</i>	ribosomal protein S6 kinase, 90kDa, polypeptide 2	miR-26a
<i>RPS6KA6</i>	ribosomal protein S6 kinase, 90kDa, polypeptide 6	miR-26a
<i>RRAGD</i>	Ras-related GTP binding D	mir-484
<i>RREB1</i>	ras responsive element binding protein 1	miR-222
<i>RSBN1L</i>	round spermatid basic protein 1-like	miR-222
<i>RSPH9</i>	radial spoke head 9 homolog (Chlamydomonas)	mir-484
<i>RSPRY1</i>	ring finger and SPRY domain containing 1	miR-26a
<i>RTF1</i>	Rtf1, Paf1/RNA polymerase II complex component, homolog (<i>S. cerevisiae</i>)	miR-26a
<i>RTN1</i>	reticulon 1	miR-26a
<i>RUFY4</i>	RUN and FYVE domain containing 4	mir-484
<i>RUNX1T1</i>	runt-related transcription factor 1; translocated to, 1 (cyclin D-related)	miR-222
<i>RUNX2</i>	runt-related transcription factor 2	miR-222
<i>RWDD4</i>	RWD domain containing 4	miR-26a
<i>RYK</i>	receptor-like tyrosine kinase	miR-26a
<i>SACS</i>	spastic ataxia of Charlevoix-Saguenay (sacsin)	miR-26a
<i>SALL1</i>	sal-like 1 (<i>Drosophila</i>)	miR-26a
<i>SAMD12</i>	sterile alpha motif domain containing 12	miR-26a
<i>SAMD8</i>	sterile alpha motif domain containing 8	miR-26a
<i>SAP30L</i>	SAP30-like	mir-484
<i>SAR1B</i>	SAR1 homolog B (<i>S. cerevisiae</i>)	miR-26a
<i>SBK1</i>	SH3 domain binding kinase 1	miR-222, miR-484
<i>SBNO1</i>	strawberry notch homolog 1 (<i>Drosophila</i>)	miR-26a
<i>SCAI</i>	suppressor of cancer cell invasion	miR-26a
<i>SCARA3</i>	scavenger receptor class A, member 3	mir-484
<i>SCARB2</i>	scavenger receptor class B, member 2	mir-484
<i>SCD5</i>	stearoyl-CoA desaturase 5	miR-222
<i>SCML4</i>	sex comb on midleg-like 4 (<i>Drosophila</i>)	miR-26a
<i>SCN2B</i>	sodium channel, voltage-gated, type II, beta subunit	mir-484
<i>SCN5A</i>	sodium channel, voltage-gated, type V, alpha subunit	miR-26a
<i>SCOC</i>	short coiled-coil protein	miR-26a
<i>SCRIB</i>	scribbled planar cell polarity protein	mir-484
<i>SCRT2</i>	scratch homolog 2, zinc finger protein (<i>Drosophila</i>)	mir-484
<i>SCT</i>	secretin	mir-484
<i>SCUBE3</i>	signal peptide, CUB domain, EGF-like 3	mir-484
<i>SDC1</i>	syndecan 1	mir-484

<i>SEC16B</i>	SEC16 homolog B (<i>S. cerevisiae</i>)	mir-484
<i>SEC24A</i>	SEC24 family, member A (<i>S. cerevisiae</i>)	miR-26a
<i>SEC61A1</i>	Sec61 alpha 1 subunit (<i>S. cerevisiae</i>)	mir-484
<i>SEC62</i>	SEC62 homolog (<i>S. cerevisiae</i>)	miR-222
<i>SEMA4D</i>	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 4D	mir-484
<i>SEMA6D</i>	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6D	miR-26a; miR-222
<i>SENP5</i>	SUMO1/sentrin specific peptidase 5	miR-26a
<i>SENP6</i>	SUMO1/sentrin specific peptidase 6	mir-484
<i>SERBP1</i>	SERPINE1 mRNA binding protein 1	miR-26a
<i>SERP1</i>	stress-associated endoplasmic reticulum protein 1	miR-26a
<i>SERPINA3</i>	serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 3	mir-484
<i>SESN3</i>	sestrin 3	miR-26a; miR-222
<i>SESTD1</i>	SEC14 and spectrin domains 1	miR-26a; miR-484
<i>SETD8</i>	SET domain containing (lysine methyltransferase) 8	miR-26a
<i>SFMBT2</i>	Scm-like with four mbt domains 2	miR-26a
<i>SFRP5</i>	secreted frizzled-related protein 5	mir-484
<i>SFT2D2</i>	SFT2 domain containing 2	mir-484
<i>SFXN1</i>	sideroflexin 1	mir-484
<i>SH3BP4</i>	SH3-domain binding protein 4	miR-222
<i>SH3D19</i>	SH3 domain containing 19	miR-26a
<i>SH3PXD2A</i>	SH3 and PX domains 2A	miR-26a
<i>SH3RF1</i>	SH3 domain containing ring finger 1	miR-26a
<i>SH3RF3</i>	SH3 domain containing ring finger 3	mir-484
<i>SHANK2</i>	SH3 and multiple ankyrin repeat domains 2	miR-222
<i>SHC1</i>	SHC (Src homology 2 domain containing) transforming protein 1	mir-484
<i>SHC4</i>	SHC (Src homology 2 domain containing) family, member 4	miR-26a
<i>SHH</i>	sonic hedgehog	mir-484
<i>SHISA4</i>	shisa family member 4	mir-484
<i>SHISA5</i>	shisa family member 5	mir-484
<i>SHPK</i>	transient receptor potential cation channel subfamily V member 1	mir-484
<i>SIAH3</i>	siah E3 ubiquitin protein ligase family member 3	mir-484
<i>SIGMAR1</i>	sigma non-opioid intracellular receptor 1	mir-484
<i>SKAP2</i>	src kinase associated phosphoprotein 2	mir-484
<i>SKP2</i>	S-phase kinase-associated protein 2, E3 ubiquitin protein ligase	miR-26a
<i>SLC10A4</i>	solute carrier family 10, member 4	miR-26a
<i>SLC11A1</i>	solute carrier family 11 (proton-coupled divalent metal ion transporter), member 1	mir-484

<i>SLC12A2</i>	solute carrier family 12 (sodium/potassium/chloride transporter), member 2	miR-26a
<i>SLC16A6</i>	solute carrier family 16, member 6	miR-26a
<i>SLC17A9</i>	solute carrier family 17 (vesicular nucleotide transporter), member 9	mir-484
<i>SLC19A1</i>	solute carrier family 19 (folate transporter), member 1	mir-484
<i>SLC19A2</i>	solute carrier family 19 (thiamine transporter), member 2	miR-26a
<i>SLC1A1</i>	solute carrier family 1 (neuronal/epithelial high affinity glutamate transporter, system Xag), member 1	miR-26a
<i>SLC22A23</i>	solute carrier family 22, member 23	miR-26a
<i>SLC24A4</i>	solute carrier family 24 (sodium/potassium/calcium exchanger), member 4	miR-26a
<i>SLC25A16</i>	solute carrier family 25 (mitochondrial carrier; Graves disease autoantigen), member 16	miR-26a
<i>SLC25A19</i>	solute carrier family 25 (mitochondrial thiamine pyrophosphate carrier), member 19	mir-484
<i>SLC25A20</i>	solute carrier family 25 (carnitine/acylcarnitine translocase), member 20	miR-26a
<i>SLC25A37</i>	solute carrier family 25 (mitochondrial iron transporter), member 37	miR-26a; miR-222
<i>SLC26A4</i>	solute carrier family 26 (anion exchanger), member 4	miR-26a
<i>SLC2A13</i>	solute carrier family 2 (facilitated glucose transporter), member 13	miR-26a
<i>SLC2A5</i>	solute carrier family 2 (facilitated glucose/fructose transporter), member 5	mir-484
<i>SLC30A6</i>	solute carrier family 30 (zinc transporter), member 6	mir-484
<i>SLC34A2</i>	solute carrier family 34 (type II sodium/phosphate cotransporter), member 2	mir-484
<i>SLC35B3</i>	solute carrier family 35 (adenosine 3'-phospho 5'-phosphosulfate transporter), member B3	mir-484
<i>SLC35C2</i>	solute carrier family 35 (GDP-fucose transporter), member C2	mir-484
<i>SLC35E2</i>	solute carrier family 35, member E2	miR-26a
<i>SLC35E2B</i>	solute carrier family 35, member E2B	miR-26a
<i>SLC35F2</i>	solute carrier family 35, member F2	mir-484
<i>SLC35G1</i>	solute carrier family 35, member G1	miR-26a
<i>SLC38A1</i>	solute carrier family 38, member 1	miR-26a; miR-222; miR-484
<i>SLC38A2</i>	solute carrier family 38, member 2	miR-26a
<i>SLC41A3</i>	solute carrier family 41, member 3	mir-484
<i>SLC45A4</i>	solute carrier family 45, member 4	miR-26a; miR-484
<i>SLC46A1</i>	solute carrier family 46 (folate transporter), member 1	mir-484
<i>SLC4A4</i>	solute carrier family 4 (sodium bicarbonate cotransporter), member 4	miR-26a; miR-222
<i>SLC5A10</i>	solute carrier family 5 (sodium/sugar cotransporter), member 10	mir-484

<i>SLC6A1</i>	solute carrier family 6 (neurotransmitter transporter), member 1	miR-222
<i>SLC6A15</i>	solute carrier family 6 (neutral amino acid transporter), member 15	miR-26a
<i>SLC6A6</i>	solute carrier family 6 (neurotransmitter transporter), member 6	miR-26a
<i>SLC7A11</i>	solute carrier family 7 (anionic amino acid transporter light chain, xc- system), member 11	miR-26a
<i>SLC9A2</i>	solute carrier family 9, subfamily A (NHE2, cation proton antiporter 2), member 2	miR-26a
<i>SLCO1A2</i>	solute carrier organic anion transporter family, member 1A2	miR-222
<i>SLCO5A1</i>	solute carrier organic anion transporter family, member 5A1	miR-26a
<i>SLFN12</i>	schlafen family member 12	mir-484
<i>SLTRK5</i>	SLIT and NTRK-like family, member 5	miR-222
<i>SLK</i>	STE20-like kinase	mir-484
<i>SMAD1</i>	SMAD family member 1	miR-26a
<i>SMARCA5</i>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 5	miR-222
<i>SMARCE1</i>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member 1	mir-484
<i>SMG6</i>	SMG6 nonsense mediated mRNA decay factor	mir-484
<i>SMIM12</i>	small integral membrane protein 12	mir-484
<i>SMNDC1</i>	survival motor neuron domain containing 1	miR-26a; miR-222
<i>SNAP29</i>	synaptosomal-associated protein, 29kDa	miR-222
<i>SNCB</i>	synuclein, beta	miR-222
<i>SNN</i>	stannin	miR-26a
<i>SNX2</i>	sorting nexin 2	mir-484
<i>SNX21</i>	sorting nexin family member 21	mir-484
<i>SNX30</i>	sorting nexin family member 30	miR-26a
<i>SNX33</i>	sorting nexin 33	mir-484
<i>SOCS1</i>	suppressor of cytokine signaling 1	miR-222
<i>SOCS5</i>	suppressor of cytokine signaling 5	miR-26a
<i>SOCS6</i>	suppressor of cytokine signaling 6	miR-26a
<i>SOCS7</i>	suppressor of cytokine signaling 7	miR-26a; miR-222
<i>SOGA3</i>	SOGA family member 3	miR-26a
<i>SOSTDC1</i>	sclerostin domain containing 1	miR-26a
<i>SOX1</i>	SRY (sex determining region Y)-box 1	miR-222
<i>SOX17</i>	SRY (sex determining region Y)-box 17	miR-26a
<i>SOX5</i>	SRY (sex determining region Y)-box 5	miR-26a
<i>SPATS2</i>	spermatogenesis associated, serine-rich 2	mir-484
<i>SPATS2L</i>	spermatogenesis associated, serine-rich 2-like	miR-222
<i>SPIN1</i>	spindlin 1	mir-484
<i>SPOCD1</i>	SPOC domain containing 1	mir-484

<i>SPOCK2</i>	sparc/osteonectin, cwcv and kazal-like domains proteoglycan (testican) 2	miR-26a
<i>SPPL3</i>	signal peptide peptidase like 3	miR-222
<i>SPRED1</i>	sprouty-related, EVH1 domain containing 1	miR-222
<i>SPRED2</i>	sprouty-related, EVH1 domain containing 2	miR-222
<i>SPTSSA</i>	serine palmitoyltransferase, small subunit A	miR-222
<i>SRCAP</i>	Snf2-related CREBBP activator protein	miR-26a
		miR-26a; miR-484
<i>SRGAP1</i>	SLIT-ROBO Rho GTPase activating protein 1	miR-484
<i>SRGAP2</i>	SLIT-ROBO Rho GTPase activating protein 2	mir-484
<i>SRP19</i>	signal recognition particle 19kDa	miR-26a
<i>SRSF10</i>	serine/arginine-rich splicing factor 10	miR-26a
<i>SRSF2</i>	serine/arginine-rich splicing factor 2	miR-222
<i>SRSF4</i>	serine/arginine-rich splicing factor 4	mir-484
<i>SRSF7</i>	serine/arginine-rich splicing factor 7	miR-222
<i>SSFA2</i>	sperm specific antigen 2	miR-26a
<i>SSX2IP</i>	synovial sarcoma, X breakpoint 2 interacting protein	miR-26a
<i>ST3GAL6</i>	ST3 beta-galactoside alpha-2,3-sialyltransferase 6	miR-26a
<i>ST6GAL2</i>	ST6 beta-galactosamide alpha-2,6-sialyltranferase 2	miR-26a
<i>ST8SIA1</i>	ST8 alpha-N-acetyl-neuraminate alpha-2,8-sialyltransferase 1	miR-222; miR-484
<i>ST8SIA4</i>	ST8 alpha-N-acetyl-neuraminate alpha-2,8-sialyltransferase 4	miR-26a
<i>STAC2</i>	SH3 and cysteine rich domain 2	miR-26a
<i>STARD13</i>	StAR-related lipid transfer (START) domain containing 13	mir-484
<i>STEAP2</i>	STEAP family member 2, metalloreductase	mir-484
<i>STEAP3</i>	STEAP family member 3, metalloreductase	mir-484
<i>STK11</i>	serine/threonine kinase 11	miR-26a
<i>STK39</i>	serine threonine kinase 39	miR-26a
<i>STMN1</i>	stathmin 1	miR-26a
<i>STOML1</i>	stomatin (EPB72)-like 1	mir-484
<i>STOX2</i>	storkhead box 2	miR-26a
<i>STRA6</i>	stimulated by retinoic acid 6	mir-484
<i>STRADB</i>	STE20-related kinase adaptor beta	miR-26a
<i>STRBP</i>	spermatid perinuclear RNA binding protein	miR-26a
<i>STT3B</i>	STT3B, subunit of the oligosaccharyltransferase complex (catalytic)	miR-26a
<i>STX17</i>	syntaxin 17	mir-484
<i>STX1B</i>	syntaxin 1B	miR-222
<i>STX7</i>	syntaxin 7	miR-26a
		miR-26a; miR-222; miR-484
<i>STYX</i>	serine/threonine/tyrosine interacting protein	miR-484
<i>SULF1</i>	sulfatase 1	miR-26a
<i>SULT4A1</i>	sulfotransferase family 4A, member 1	mir-484
<i>SUN2</i>	Sad1 and UNC84 domain containing 2	miR-222

<i>SUSD1</i>	sushi domain containing 1	mir-484
<i>SUV420H2</i>	suppressor of variegation 4-20 homolog 2 (Drosophila)	miR-26a
<i>SYNCRIP</i>	synaptotagmin binding, cytoplasmic RNA interacting protein	miR-26a
<i>SYNPO</i>	synaptopodin	mir-484
<i>SYT1</i>	synaptotagmin I	mir-484
<i>SYT10</i>	synaptotagmin X	miR-26a
<i>SYT15</i>	synaptotagmin XV	mir-484
<i>TAB2</i>	TGF-beta activated kinase 1/MAP3K7 binding protein 2	miR-26a
<i>TAB3</i>	TGF-beta activated kinase 1/MAP3K7 binding protein 3	miR-26a
<i>TAF9B</i>	TAF9B RNA polymerase II, TATA box binding protein (TBP)-associated factor, 31kDa	miR-26a
<i>TANCA2</i>	tetratricopeptide repeat, ankyrin repeat and coiled-coil containing 2	miR-26a
<i>TAOK1</i>	TAO kinase 1	miR-26a; miR-222
<i>TARBP2</i>	TAR (HIV-1) RNA binding protein 2	mir-484
<i>TBC1D25</i>	TBC1 domain family, member 25	mir-484
<i>TBC1D30</i>	TBC1 domain family, member 30	miR-26a
<i>TBC1D4</i>	TBC1 domain family, member 4	miR-26a
<i>TBX15</i>	T-box 15	miR-222
<i>TCEA1</i>	transcription elongation factor A (SII), 1	mir-484
<i>TCEANC2</i>	transcription elongation factor A (SII) N-terminal and central domain containing 2	mir-484
<i>TCF12</i>	transcription factor 12	miR-26a; miR-222
<i>TCF21</i>	transcription factor 21	mir-484
<i>TCF4</i>	transcription factor 4	miR-26a; miR-222
<i>TCF7</i>	transcription factor 7 (T-cell specific, HMG-box)	mir-484
<i>TCF7L2</i>	transcription factor 7-like 2 (T-cell specific, HMG-box)	miR-26a; miR-222
<i>TCIRG1</i>	T-cell, immune regulator 1, ATPase, H ⁺ transporting, lysosomal V0 subunit A3	mir-484
<i>TDRD10</i>	tudor domain containing 10	mir-484
<i>TECPR1</i>	tectonin beta-propeller repeat containing 1	mir-484
<i>TERF2</i>	telomeric repeat binding factor 2	miR-222
<i>TESK2</i>	testis-specific kinase 2	miR-26a
<i>TET1</i>	tet methylcytosine dioxygenase 1	miR-26a
<i>TET2</i>	tet methylcytosine dioxygenase 2	miR-26a
<i>TET3</i>	tet methylcytosine dioxygenase 3	miR-26a
<i>TEX261</i>	testis expressed 261	mir-484
<i>TFAP2A</i>	transcription factor AP-2 alpha (activating enhancer binding protein 2 alpha)	miR-26a
<i>TFAP2C</i>	transcription factor AP-2 gamma (activating enhancer binding protein 2 gamma)	miR-26a

<i>TFAP2E</i>	transcription factor AP-2 epsilon (activating enhancer binding protein 2 epsilon)	miR-26a
<i>TGFA</i>	transforming growth factor, alpha	mir-484
<i>TGFB1</i>	transforming growth factor, beta 1	mir-484
<i>TGFB2</i>	transforming growth factor, beta 2	mir-484
<i>TGIF2-C20orf24</i>	TGIF2-C20orf24 readthrough	miR-26a
<i>THAP2</i>	THAP domain containing, apoptosis associated protein 2	miR-26a
<i>THAP4</i>	THAP domain containing 4	mir-484
<i>THBD</i>	thrombomodulin	mir-484
<i>THRAP3</i>	thyroid hormone receptor associated protein 3	miR-26a
<i>TIFAB</i>	TRAF-interacting protein with forkhead-associated domain, family member B	mir-484
<i>TIMP2</i>	TIMP metallopeptidase inhibitor 2	mir-484
<i>TIMP3</i>	TIMP metallopeptidase inhibitor 3	miR-222
<i>TIPARP</i>	TCDD-inducible poly(ADP-ribose) polymerase	miR-222
<i>TIRAP</i>	toll-interleukin 1 receptor (TIR) domain containing adaptor protein	mir-484
<i>TLE3</i>	transducin-like enhancer of split 3 (E(sp1) homolog, Drosophila)	miR-222
<i>TLK1</i>	tousled-like kinase 1	miR-222
<i>TLR3</i>	toll-like receptor 3	miR-26a
<i>TLX1</i>	T-cell leukemia homeobox 1	mir-484
<i>TM7SF2</i>	transmembrane 7 superfamily member 2	mir-484
<i>TMC7</i>	transmembrane channel-like 7	miR-26a
<i>TMCC1</i>	transmembrane and coiled-coil domain family 1	miR-26a; miR-222
<i>TMCO4</i>	transmembrane and coiled-coil domains 4	mir-484
<i>TMED10</i>	transmembrane emp24-like trafficking protein 10 (yeast)	miR-26a
<i>TMEM117</i>	transmembrane protein 117	mir-484
<i>TMEM135</i>	transmembrane protein 135	miR-26a
<i>TMEM178B</i>	transmembrane protein 178B	miR-26a
<i>TMEM180</i>	transmembrane protein 180	mir-484
<i>TMEM184B</i>	transmembrane protein 184B	miR-26a
<i>TMEM189</i>	transmembrane protein 189	mir-484
<i>TMEM2</i>	transmembrane protein 2	miR-26a
<i>TMEM200B</i>	transmembrane protein 200B	miR-26a
<i>TMEM208</i>	transmembrane protein 208	mir-484
<i>TMEM239</i>	transmembrane protein 239	mir-484
<i>TMEM242</i>	transmembrane protein 242	mir-484
<i>TMEM251</i>	transmembrane protein 251	miR-26a
<i>TMEM260</i>	transmembrane protein 260	miR-26a
<i>TMEM33</i>	transmembrane protein 33	miR-26a
<i>TMEM43</i>	transmembrane protein 43	mir-484
<i>TMEM52</i>	transmembrane protein 52	mir-484
<i>TMEM56</i>	transmembrane protein 56	miR-26a

<i>TMEM63C</i>	transmembrane protein 63C	mir-484
<i>TMEM64</i>	transmembrane protein 64	miR-26a
<i>TMEM68</i>	transmembrane protein 68	miR-26a
<i>TMOD3</i>	tropomodulin 3 (ubiquitous)	mir-484
<i>TMOD4</i>	tropomodulin 4 (muscle)	mir-484
<i>TMTC1</i>	transmembrane and tetratricopeptide repeat containing 1	mir-484
<i>TMTC3</i>	transmembrane and tetratricopeptide repeat containing 3	miR-26a
<i>TNFAIP8</i>	tumor necrosis factor, alpha-induced protein 8	mir-484
<i>TNKS2</i>	tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase 2	miR-26a
<i>TNPO1</i>	transportin 1	miR-26a
<i>TNRC6A</i>	trinucleotide repeat containing 6A	miR-26a
<i>TNRC6B</i>	trinucleotide repeat containing 6B	miR-26a
<i>TNRC6C</i>	trinucleotide repeat containing 6C	miR-26a; miR-222
<i>TOB1</i>	transducer of ERBB2, 1	miR-26a
<i>TOR1AIP1</i>	torsin A interacting protein 1	miR-222
<i>TOX</i>	thymocyte selection-associated high mobility group box	miR-222
<i>TP53AIP1</i>	tumor protein p53 regulated apoptosis inducing protein 1	mir-484
<i>TP53BP2</i>	tumor protein p53 binding protein, 2	miR-222
<i>TP53INP1</i>	tumor protein p53 inducible nuclear protein 1	miR-26a
<i>TP53INP2</i>	tumor protein p53 inducible nuclear protein 2	miR-26a; miR-222; miR-484
<i>TPD52</i>	tumor protein D52	miR-26a
<i>TPP2</i>	tripeptidyl peptidase II	mir-484
<i>TPPP</i>	tubulin polymerization promoting protein	miR-26a
<i>TRABD2B</i>	TraB domain containing 2B	miR-222
<i>TRAPPC2L</i>	trafficking protein particle complex 2-like	mir-484
<i>TRAPPC3</i>	trafficking protein particle complex 3	mir-484
<i>TRERF1</i>	transcriptional regulating factor 1	miR-26a
<i>TRIB1</i>	tribbles pseudokinase 1	mir-484
<i>TRIB2</i>	tribbles pseudokinase 2	miR-26a; miR-222
<i>TRIM46</i>	tripartite motif containing 46	mir-484
<i>TRIM71</i>	tripartite motif containing 71, E3 ubiquitin protein ligase	miR-26a
<i>TRPC3</i>	transient receptor potential cation channel, subfamily C, member 3	miR-26a; miR-222
<i>TRPC4AP</i>	transient receptor potential cation channel, subfamily C, member 4 associated protein	mir-484
<i>TRPC6</i>	transient receptor potential cation channel, subfamily C, member 6	miR-26a
<i>TRPM3</i>	transient receptor potential cation channel, subfamily M, member 3	miR-222

<i>TRPM6</i>	transient receptor potential cation channel, subfamily M, member 6	miR-26a
<i>TRPS1</i>	trichorhinophalangeal syndrome I	miR-26a; miR-222
<i>TRPV1</i>	transient receptor potential cation channel, subfamily V, member 1	mir-484
<i>TSC22D2</i>	TSC22 domain family, member 2	miR-26a
<i>TSC22D3</i>	TSC22 domain family, member 3	miR-222
<i>TSC22D4</i>	TSC22 domain family, member 4	miR-26a
<i>TSNARE1</i>	t-SNARE domain containing 1	mir-484
<i>TSPAN14</i>	tetraspanin 14	miR-26a
<i>TSPAN3</i>	tetraspanin 3	mir-484
<i>TSPYL4</i>	TSPY-like 4	miR-26a; miR-484
<i>TTC13</i>	tetratricopeptide repeat domain 13	miR-26a
<i>TTC28</i>	tetratricopeptide repeat domain 28	miR-26a
<i>TTC9C</i>	tetratricopeptide repeat domain 9C	miR-26a
<i>TPAL</i>	tocopherol (alpha) transfer protein-like	miR-26a
<i>TUB</i>	tubby bipartite transcription factor	miR-26a
<i>TUBD1</i>	tubulin, delta 1	miR-26a
<i>TUFT1</i>	tuftelin 1	mir-484
<i>TWF1</i>	twinfilin actin-binding protein 1	miR-26a; miR-484
<i>TXNDC15</i>	thioredoxin domain containing 15	miR-26a
<i>UBAC1</i>	UBA domain containing 1	miR-26a
<i>UBAP2L</i>	ubiquitin associated protein 2-like	mir-484
<i>UBE2D1</i>	ubiquitin-conjugating enzyme E2D 1	miR-26a
<i>UBE2D4</i>	ubiquitin-conjugating enzyme E2D 4 (putative)	mir-484
<i>UBE2E2</i>	ubiquitin-conjugating enzyme E2E 2	miR-26a
<i>UBE2G1</i>	ubiquitin-conjugating enzyme E2G 1	miR-26a; miR-222
<i>UBE2H</i>	ubiquitin-conjugating enzyme E2H	miR-26a
<i>UBE2J1</i>	ubiquitin-conjugating enzyme E2, J1	miR-26a; miR-222
<i>UBE2QL1</i>	ubiquitin-conjugating enzyme E2Q family-like 1	miR-26a
<i>UBE2R2</i>	ubiquitin-conjugating enzyme E2R 2	mir-484
<i>UBE2V1</i>	ubiquitin-conjugating enzyme E2 variant 1	mir-484
<i>UBE2W</i>	ubiquitin-conjugating enzyme E2W (putative)	miR-26a
<i>UBE3A</i>	ubiquitin protein ligase E3A	miR-26a
<i>UBE4B</i>	ubiquitination factor E4B	miR-26a
<i>UBN2</i>	ubinuclein 2	miR-26a; miR-222; miR-484
<i>UBQLN4</i>	ubiquilin 4	mir-484
<i>UBR3</i>	ubiquitin protein ligase E3 component n-recognition 3 (putative)	miR-26a
<i>UBTD2</i>	ubiquitin domain containing 2	miR-26a
<i>UBXN7</i>	UBX domain protein 7	mir-484

<i>UCK2</i>	uridine-cytidine kinase 2	miR-26a
<i>UGT8</i>	UDP glycosyltransferase 8	miR-26a
<i>ULK1</i>	unc-51 like autophagy activating kinase 1	miR-26a
<i>ULK2</i>	unc-51 like autophagy activating kinase 2	miR-26a
<i>UNC45A</i>	unc-45 homolog A (<i>C. elegans</i>)	mir-484
<i>URI1</i>	URI1, prefoldin-like chaperone	miR-222
<i>USP15</i>	ubiquitin specific peptidase 15	miR-26a
<i>USP2</i>	ubiquitin specific peptidase 2	mir-484
<i>USP24</i>	ubiquitin specific peptidase 24	mir-484
<i>USP25</i>	ubiquitin specific peptidase 25	miR-26a
<i>USP27X</i>	ubiquitin specific peptidase 27, X-linked	miR-26a
<i>USP3</i>	ubiquitin specific peptidase 3	miR-26a
<i>USP37</i>	ubiquitin specific peptidase 37	miR-26a
<i>USP53</i>	ubiquitin specific peptidase 53	miR-26a
<i>USP9X</i>	ubiquitin specific peptidase 9, X-linked	miR-26a
<i>USP9Y</i>	ubiquitin specific peptidase 9, Y-linked	miR-26a
<i>UST</i>	uronyl-2-sulfotransferase	mir-484
<i>UTY</i>	ubiquitously transcribed tetratricopeptide repeat containing, Y-linked	miR-26a
<i>VAC14</i>	Vac14 homolog (<i>S. cerevisiae</i>)	mir-484
<i>VAMP1</i>	vesicle-associated membrane protein 1 (synaptobrevin 1)	miR-26a
<i>VAMP2</i>	vesicle-associated membrane protein 2 (synaptobrevin 2)	mir-484
<i>VANGL2</i>	VANGL planar cell polarity protein 2	miR-26a
<i>VAPB</i>	VAMP (vesicle-associated membrane protein)-associated protein B and C	miR-222
<i>VASH1</i>	vasohibin 1	miR-222
<i>VASH2</i>	vasohibin 2	mir-484
<i>VAV3</i>	vav 3 guanine nucleotide exchange factor	mir-484
<i>VDAC1</i>	voltage-dependent anion channel 1	miR-26a
<i>VEZF1</i>	vascular endothelial zinc finger 1	miR-222
<i>VGLL4</i>	vestigial like 4 (<i>Drosophila</i>)	miR-222
<i>VLDLR</i>	very low density lipoprotein receptor	miR-26a
<i>VMP1</i>	vacuole membrane protein 1	miR-26a
<i>VPS37D</i>	vacuolar protein sorting 37 homolog D (<i>S. cerevisiae</i>)	mir-484
<i>VSIG10</i>	V-set and immunoglobulin domain containing 10	miR-26a
<i>VTI1A</i>	vesicle transport through interaction with t-SNAREs 1A	mir-484
<i>VTI1B</i>	vesicle transport through interaction with t-SNAREs 1B	miR-26a
<i>WAPAL</i>	wings apart-like homolog (<i>Drosophila</i>)	miR-26a
<i>WASF2</i>	WAS protein family, member 2	miR-222
<i>WDFY2</i>	WD repeat and FYVE domain containing 2	mir-484
<i>WDFY4</i>	WDFY family member 4	mir-484
<i>WDR31</i>	WD repeat domain 31	mir-484
<i>WDR47</i>	WD repeat domain 47	miR-222

<i>WDR6</i>	WD repeat domain 6	mir-484
<i>WDR72</i>	WD repeat domain 72	mir-484
<i>WHSC1</i>	Wolf-Hirschhorn syndrome candidate 1	miR-26a
<i>WIPF2</i>	WAS/WASL interacting protein family, member 2	miR-26a
<i>WLS</i>	wntless Wnt ligand secretion mediator	miR-222
<i>WNK1</i>	WNK lysine deficient protein kinase 1	miR-26a
<i>WNK3</i>	WNK lysine deficient protein kinase 3	miR-26a; miR-222
<i>WNT4</i>	wingless-type MMTV integration site family, member 4	mir-484
<i>WNT5A</i>	wingless-type MMTV integration site family, member 5A	miR-26a
<i>WNT9A</i>	wingless-type MMTV integration site family, member 9A	mir-484
<i>WNT9B</i>	wingless-type MMTV integration site family, member 9B	mir-484
<i>XKR4</i>	XK, Kell blood group complex subunit-related family, member 4	miR-26a; miR-222
<i>XPO7</i>	exportin 7	mir-484
<i>YAP1</i>	Yes-associated protein 1	mir-484
<i>YDJC</i>	YdjC homolog (bacterial)	mir-484
<i>YIPF4</i>	Yip1 domain family, member 4	miR-26a
<i>YPEL1</i>	yippee-like 1 (<i>Drosophila</i>)	miR-26a
<i>YTHDC1</i>	YTH domain containing 1	miR-222
<i>YTHDF3</i>	YTH domain family, member 3	miR-26a
<i>YWHAE</i>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, epsilon polypeptide	miR-26a
<i>YWHAG</i>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, gamma polypeptide	miR-222
<i>ZADH2</i>	zinc binding alcohol dehydrogenase domain containing 2	miR-222
<i>ZBTB10</i>	zinc finger and BTB domain containing 10	miR-26a
<i>ZBTB16</i>	zinc finger and BTB domain containing 16	miR-26a
<i>ZBTB18</i>	zinc finger and BTB domain containing 18	miR-26a
<i>ZBTB20</i>	zinc finger and BTB domain containing 20	miR-26a
<i>ZBTB37</i>	zinc finger and BTB domain containing 37	miR-26a; miR-222
<i>ZBTB38</i>	zinc finger and BTB domain containing 38	miR-26a; miR-484
<i>ZBTB42</i>	zinc finger and BTB domain containing 42	mir-484
<i>ZBTB7C</i>	zinc finger and BTB domain containing 7C	miR-26a
<i>ZC3H7B</i>	zinc finger CCCH-type containing 7B	miR-26a
<i>ZCCHC11</i>	zinc finger, CCHC domain containing 11	miR-26a
<i>ZCCHC14</i>	zinc finger, CCHC domain containing 14	mir-484
<i>ZCCHC17</i>	zinc finger, CCHC domain containing 17	mir-484
<i>ZCCHC2</i>	zinc finger, CCHC domain containing 2	miR-26a
<i>ZCCHC24</i>	zinc finger, CCHC domain containing 24	miR-26a
<i>ZDHHC17</i>	zinc finger, DHHC-type containing 17	miR-222

<i>ZDHHC18</i>	zinc finger, DHHC-type containing 18	miR-26a; miR-484
<i>ZDHHC20</i>	zinc finger, DHHC-type containing 20	miR-26a
<i>ZDHHC23</i>	zinc finger, DHHC-type containing 23	mir-484
<i>ZDHHC3</i>	zinc finger, DHHC-type containing 3	mir-484
<i>ZDHHC6</i>	zinc finger, DHHC-type containing 6	miR-26a
<i>ZDHHC7</i>	zinc finger, DHHC-type containing 7	miR-26a
<i>ZDHHC8</i>	zinc finger, DHHC-type containing 8	mir-484
<i>ZDHHC9</i>	zinc finger, DHHC-type containing 9	mir-484
		miR-26a; miR-222
<i>ZEB2</i>	zinc finger E-box binding homeobox 2	miR-222
<i>ZFAND2B</i>	zinc finger, AN1-type domain 2B	mir-484
<i>ZFAND5</i>	zinc finger, AN1-type domain 5	miR-222
<i>ZFC3H1</i>	zinc finger, C3H1-type containing	miR-26a
<i>ZFHX2</i>	zinc finger homeobox 2	mir-484
		miR-26a; miR-222
<i>ZFHX3</i>	zinc finger homeobox 3	miR-222
<i>ZFHX4</i>	zinc finger homeobox 4	miR-26a
<i>ZFP36</i>	ZFP36 ring finger protein	miR-222
<i>ZFP36L2</i>	ZFP36 ring finger protein-like 2	miR-222
<i>ZFPM2</i>	zinc finger protein, FOG family member 2	miR-222
<i>ZFX</i>	zinc finger protein, X-linked	miR-26a
<i>ZFY</i>	zinc finger protein, Y-linked	miR-26a
<i>ZFYVE1</i>	zinc finger, FYVE domain containing 1	mir-484
<i>ZIC4</i>	Zic family member 4	mir-484
<i>ZIC5</i>	Zic family member 5	miR-26a
<i>ZKSCAN1</i>	zinc finger with KRAB and SCAN domains 1	miR-26a
<i>ZMAT5</i>	zinc finger, matrin-type 5	mir-484
<i>ZMIZ2</i>	zinc finger, MIZ-type containing 2	mir-484
<i>ZMYM2</i>	zinc finger, MYM-type 2	miR-222
<i>ZNF148</i>	zinc finger protein 148	miR-26a
<i>ZNF217</i>	zinc finger protein 217	miR-26a
<i>ZNF275</i>	zinc finger protein 275	miR-26a
<i>ZNF385A</i>	zinc finger protein 385A	miR-222
<i>ZNF385B</i>	zinc finger protein 385B	miR-26a
<i>ZNF410</i>	zinc finger protein 410	miR-26a
<i>ZNF462</i>	zinc finger protein 462	miR-26a
<i>ZNF469</i>	zinc finger protein 469	miR-26a
<i>ZNF503</i>	zinc finger protein 503	mir-484
<i>ZNF516</i>	zinc finger protein 516	miR-26a
<i>ZNF518B</i>	zinc finger protein 518B	miR-222
<i>ZNF574</i>	zinc finger protein 574	mir-484
<i>ZNF598</i>	zinc finger protein 598	miR-26a
<i>ZNF608</i>	zinc finger protein 608	miR-26a
<i>ZNF618</i>	zinc finger protein 618	miR-222
		miR-222; miR-484
<i>ZNF629</i>	zinc finger protein 629	

ZNF641	zinc finger protein 641	mir-484
ZNF652	zinc finger protein 652	miR-26a; miR-222
ZNF697	zinc finger protein 697	miR-26a
ZNF783	zinc finger family member 783	mir-484
ZNF784	zinc finger protein 784	mir-484
ZNF786	zinc finger protein 786	mir-484
ZNRF3	zinc and ring finger 3	miR-26a
ZSWIM6	zinc finger, SWIM-type containing 6	miR-26a