

**Supplementary Information for:** Constant light in critical postnatal days affects circadian rhythms in locomotion and gene expression in the suprachiasmatic nucleus, retina, and pineal gland later in life

Aneta Kubištová, Veronika Spišská, Lucie Petrželková, Leona Hrubcová, Simona Moravcová, Lenka Maierová and Zdeňka Bendová\*

Department of Physiology, Faculty of Science, Charles University in Prague, Czech Republic

\*Zdeňka Bendová ([zdenka.bendova@natur.cuni.cz](mailto:zdenka.bendova@natur.cuni.cz))

### Contents:

Table 1: One-way ANOVA statistics to confirm the rhythmicity of gene expression in P30 and P90

Table 2: Cosinor analysis to confirm a significant circadian rhythmicity for all gene expression profiles

Table 3: Two-way ANOVA statistics revealed the difference between profiles of LL-reared and control animals

Table 1: One-way ANOVA statistics. One-way ANOVA was used to test the significance in variation in mRNA levels among nine daily time points.

SCN	P30				P90			
	controls		LL		controls		LL	
	F =	p value	F =	p value	F =	p value	F =	p value
<i>Per1</i>	5,848	<0.0001	2,385	= 0.0277	–	–	–	–
<i>Per2</i>	7,772	<0.0001	3,924	= 0.0009	17.790	<0.0001	5.758	= 0.0020
<i>Nr1d1</i>	4.033	= 0.0010	0.579	= 0.7909	3.920	= 0.0123	5.199	= 0.0031
<i>Bdnf</i>	0.172	= 0.9937	1.960	= 0.0705	1.685	= 0.1826	9.872	<0.0001
<i>Stat3</i>	3.028	= 0.0078	0.443	= 0.8898	5.784	= 0.0019	2.985	= 0.0374
<i>Grin1</i>	2.631	= 0.0173	0.708	= 0.6832	6.754	= 0.0007	1.531	= 0.2224
<i>Grin2b</i>	3.669	= 0.0019	0.859	= 0.5566	8.803	= 0.0001	0.489	= 0.7433

Retina	P30				P90			
	controls		LL		controls		LL	
	F =	p value	F =	p value	F =	p value	F =	p value
<i>Per1</i>	1.611	= 0.1419	0.667	= 0.7180	9.015	<0.0001	2.490	= 0.0643
<i>Per2</i>	1.708	= 0.1168	3.179	= 0.0056	10.370	<0.0001	6.929	= 0.0005
<i>Nr1d1</i>	2.184	= 0.0431	0.790	= 0.6137	8.740	<0.0001	3.940	= 0.0113
<i>Bdnf</i>	0.979	= 0.4625	3.432	= 0.0031	0.715	= 0.5884	3.855	= 0.0128
<i>Stat3</i>	0.828	= 0.5809	0.724	= 0.6694	–	–	–	–
<i>Aanat</i>	21.180	<0.0001	7.806	<0.0001	15.720	<0.0001	18.310	<0.0001
<i>OPN4</i>	4.842	= 0.0001	2.020	= 0.0602	12.500	<0.0001	17.280	<0.0001

<i>OPN5</i>	1.559 = 0.1570	1.723 = 0.1119	1.473 = 0.2369	1.792 = 0.1574
<i>OPN1SW</i>	1.039 = 0.4175	0.385 = 0.9243	5.448 = 0.0021	0.764 = 0.5577
<i>Rho</i>	5.851 <0.0001	0.564 = 0.8024	6.299 = 0.0008	5.539 = 0.8024

Pineal gland	P30				P90			
	controls		LL		controls		LL	
	F =	p value	F =	p value	F =	p value	F =	p value
<i>Per1</i>	28.880	<0.0001	8.804	<0.0001	17.37	<0.0001	10.910	<0.0001
<i>Per2</i>	13.810	<0.0001	7.373	<0.0001	8.357	= 0.0002	12.100	<0.0001
<i>Nr1d1</i>	49.080	<0.0001	9.902	<0.0001	3.523	= 0.0287	2.470	= 0.0667
<i>Bdnf</i>	7.598	<0.0001	8.899	<0.0001	-	-	-	-
<i>Stat3</i>	44.800	<0.0001	19.340	<0.0001	4.055	= 0.0115	1.841	= 0.1490
<i>Tph1</i>	21.620	<0.0001	6.048	<0.0001	6.756	= 0.0007	4.112	= 0.0093
<i>Aanat</i>	38.410	<0.0001	22.670	<0.0001	101.8	<0.0001	22.450	<0.0001
<i>Icer</i>	64.390	<0.0001	27.690	<0.0001	31.29	<0.0001	32.950	<0.0001

Table 2: Cosinor analysis. Cosinor analysis was used to confirm a significant circadian rhythmicity for all gene expression profiles

SCN	P30		P90	
	controls	LL	controls	LL
	p value		p value	
<i>Per1</i>	<0.0001	= 0.0677	-	-
<i>Per2</i>	<0.0001	<0.0001	<0.0001	= 0.0002
<i>Nr1d1</i>	<0.0001	= 0.3237	= 0.0013	= 0.0003
<i>Bdnf</i>	= 0.8617	= 0.0071	= 0.0798	<0.0001
<i>Stat3</i>	= 0.0001	= 0.4333	= 0.0070	= 0.0052
<i>Grin1</i>	= 0.0007	= 0.1378	<0.0001	= 0.3934
<i>Grin2b</i>	= 0.0002	= 0.1417	= 0.0007	= 0.3660

Retina	P30		P90	
	controls	LL	controls	LL
	p value		p value	
<i>Per1</i>	= 0.0069	= 0.5174	<0.0001	= 0.0186
<i>Per2</i>	= 0.0176	= 0.0176	<0.0001	<0.0001
<i>Nr1d1</i>	= 0.0108	= 0.4059	<0.0001	= 0.0025
<i>Bdnf</i>	= 0.0449	= 0.0007	= 0.6496	= 0.0053
<i>Stat3</i>	= 0.8226	= 0.1870	-	-
<i>Aanat</i>	<0.0001	<0.0001	<0.0001	<0.0001
<i>Opn4</i>	<0.0001	= 0.0514	<0.0001	<0.0001

<i>Opn5</i>	= 0.2166	= 0.0357	= 0.2434	= 0.0339
<i>Opn1sw</i>	= 0.1336	= 0.4042	= 0.0013	= 0.2380
<i>Rho</i>	< 0,0001	= 0.5627	= 0.0293	= 0.0029

Pineal gland	P30		P90	
	controls	LL	controls	LL
	<i>p</i> value		<i>p</i> value	
<i>Per1</i>	<0.0001	<0.0001	<0.0001	<0.0001
<i>Per2</i>	<0.0001	<0.0001	<0.0001	<0.0001
<i>Nr1d1</i>	<0.0001	<0.0001	= 0.0001	= 0.0581
<i>Bdnf</i>	<0.0001	<0.0001	–	–
<i>Stat3</i>	<0.0001	<0.0001	= 0.0023	= 0.0702
<i>Tph1</i>	<0.0001	<0.0001	= 0.0002	= 0.0010
<i>Aanat</i>	<0.0001	<0.0001	<0.0001	<0.0001
<i>Icer</i>	<0.0001	<0.0001	<0.0001	<0.0001

Table 3: Two-way ANOVA statistics. Two-way ANOVA was used to analyse the difference between control and LL-reared animals in the SCN, retina and pineal gland.

SCN		P30		P90	
		F=	<i>p</i> value	F=	<i>p</i> value
<i>Per1</i>	interaction	3.179	= 0.0028	–	–
	time	6.583	<0.0001	–	–
	group	8.565	= 0.0042	–	–
<i>Per2</i>	interaction	2.367	= 0.0218	0.590	= 0.6716
	time	10.590	<0.0001	17.380	<0.0001
	group	10.400	= 0.0017	0.158	= 0.6929
<i>Nr1d1</i>	interaction	1.634	= 0.1240	0.305	= 0.8734
	time	2.857	= 0.0065	8.443	<0.0001
	group	8.459	= 0.0044	0.757	= 0.3880
<i>Bdnf</i>	interaction	1.007	= 0.4355	2.304	= 0.0698
	time	1.025	= 0.4221	6.855	= 0.0001
	group	0.062	= 0.8032	0.638	= 0.4280
<i>Stat3</i>	interaction	1.834	= 0.0791	2.367	= 0.0650
	time	2.929	= 0.0055	4.814	= 0.0023
	group	8.080	= 0.0054	1.771	= 0.1891
<i>Grin1</i>	interaction	1.521	= 0.1586	1.654	= 0.1744
	time	0.968	= 0.4648	6.089	= 0.0004
	group	0.640	= 0.4255	0.342	= 0.5610
<i>Grin2b</i>	interaction	3.119	= 0.0034	1.793	= 0.1433
	time	1.463	= 0.1798	3.292	= 0.0185

	group	7.113 = 0.0089	4.215 = 0.0448
--	-------	----------------	----------------

Retina		P30		P90	
		F=	p value	F=	p value
<i>Per1</i>	interaction	0.553	= 0.9137	0.567	= 0.6874
	time	1.661	= 0.1160	9.565	<0.0001
	group	1.702	= 0.1947	0.767	= 0.3847
<i>Per2</i>	interaction	1.272	= 0.2663	2.281	= 0.0719
	time	3.590	= 0.0010	14.110	<0.0001
	group	0.002	= 0.9679	1.003	= 0.3209
<i>Nr1d1</i>	interaction	1.582	= 0.1385	1.388	= 0.2492
	time	1.369	= 0.2183	10.590	<0.0001
	group	0.004	= 0.9524	1.353	= 0.2494
<i>Bdnf</i>	interaction	1.811	= 0.0831	1.038	= 0.3955
	time	3.295	= 0.0021	3.426	= 0.0139
	group	2.593	= 0.1103	1.157	= 0.2866
<i>Stat3</i>	interaction	0.654	= 0.7304	–	–
	time	0.854	= 0.5572	–	–
	group	0.049	= 0.8254	–	–
<i>Aanat</i>	interaction	6.902	<0.0001	0.796	= 0.5328
	time	25.720	<0.0001	33.300	<0.0001
	group	4.614	= 0.0339	2.674	= 0.1076
<i>Opn4</i>	interaction	2.259	= 0.0278	1.883	= 0.1254
	time	4.971	<0.0001	26.900	<0.0001
	group	10.780	= 0.0014	6.866	= 0.0112
<i>Opn5</i>	interaction	1.326	= 0.2375	2.484	= 0.0537
	time	1.982	= 0.0545	0.606	= 0.6599
	group	6.557	= 0.0117	4.866	= 0.0314
<i>Opn1sw</i>	interaction	0.283	= 0.9705	1.328	= 0.2706
	time	1.052	= 0.4016	2.003	= 0.1064
	group	0.260	= 0.6112	0.085	= 0.7716
<i>Rho</i>	interaction	3.132	= 0.0030	1.340	= 0.2658
	time	2.273	= 0.0268	10.360	<0.0001
	group	4.499	= 0.0360	6.642	= 0.0125

Pineal gland		P30		P90	
		F=	p value	F=	p value
<i>Per1</i>	interaction	2,462	= 0.0166	2.612	= 0.3175
	time	33.550	<0.0001	29.020	= 0.0018
	group	15.350	= 0.0001	5.770	= 0.0198
<i>Per2</i>	interaction	1.583	= 0.1369	1.269	= 0.2932
	time	19.130	<0.0001	18.320	<0.0001
	group	5.816	= 0.0174	1.877	= 0.1761
<i>Nr1d1</i>	interaction	9.972	<0.0001	1.221	= 0.3124
	time	47.700	<0.0001	5.356	= 0.0010
	group	11.340	= 0.0010	1.379	= 0.2458

<i>Bdnf</i>	interaction	7.260	<0.0001	-	-
	time	8.976	<0.0001	-	-
	group	8.092	= 0.0052	-	-
<i>Stat3</i>	interaction	3.432	= 0.0014	1.209	= 0.3175
	time	59.580	<0.0001	4.934	= 0.0018
	group	11.340	= 0.0003	5.770	= 0.0198
<i>Tph1</i>	interaction	1.709	= 0.1031	1.887	= 0.1266
	time	23.420	<0.0001	9.839	<0.0001
	group	11.960	= 0.0008	4.829	= 0.0321
<i>Aanat</i>	interaction	4.504	<0.0001	13.240	<0.0001
	time	58.230	<0.0001	98.480	<0.0001
	group	20.820	<0.0001	10.910	= 0.0017
<i>Icer</i>	interaction	2.163	0.0349	0.268	= 0.8971
	time	79.910	<0.0001	62.970	<0.0001
	group	0.280	0.5976	0.176	= 0.6767