

Supplementary materials

Table S1: EULAR diagnostic criteria for aSLE.

All: ANA > 1:80			<i>points</i>
CLINICAL DOMAINS	Constitutional	Fever	2
	Cutaneous	Non-scarring alopecia	2
		Oral Ulcers	2
		Subacute cutaneous or discoid lupus	4
		Acute cutaneous lupus	6
	Arthritis	Synovitis or tenderness in at least 2 joints	6
	Neurological	Delirium	2
		Psychosis	3
		Seizure	5
	Serositis	Pleural or pericardial effusion	5
		Acute pericarditis	6
	Hematologic	Leukopenia	3
		Thrombocytopenia	4
		Autoimmune hemolysis	4
	Renal	Proteinuria > 0,5 g/24h	4
		Class I or II lupus nephritis	8
		Class III or IV lupus nephritis	10
IMMUNOLOGICAL DOMAINS	Antiphospholipid antibody	Anti-cardiolipin IgG > 40 <i>or</i> Anti-B2-glycoprotein 1 IgG > 40 <i>or</i> Lupus anticoagulant	2
	Complement protein	Low C3 or low C4	3
		Low C3 and low C3	4
	High specific antibodies	Anti-dsDNA antibody <i>or</i> Anti-SM antibody	6