

Supplementary Material



New Porous Silicon-Containing Organic Polymers: Synthesis and Carbon Dioxide Uptake

Safaa H. Mohamed ¹, Ayad S. Hameed ¹, Emad Yousif ^{2,*}, Mohammad Hayal Alotaibi ^{3,*}, Dina S. Ahmed ⁴ and Gamal A. El-Hiti^{5,*}

- ¹ Department of Chemistry, College of Science, Tikrit University, Tikrit 34001, Iraq; safaaketmeer@gmail.com (S.H.M.); ayadsaadi@tu.edu.iq (A.S.H.)
- ² Department of Chemistry, College of Science, Al-Nahrain University, Baghdad 64021, Iraq
- ³ National Center for Petrochemicals Technology, King Abdulaziz City for Science and Technology, P.O. Box 6086, Riyadh 11442, Saudi Arabia
- ⁴ Department of Medical Instrumentation Engineering, Al-Mansour University College, Baghdad 64021, Iraq; dinasaadi86@gmail.com
- ⁵ Cornea Research Chair, Department of Optometry, College of Applied Medical Sciences, King Saud University, P.O. Box 10219, Riyadh 11433, Saudi Arabia
- * Correspondence: emad_yousif@hotmail.com (E.Y.); mhhalotaibi@kacst.edu.sa (M.H.A.); gelhiti@ksu.edu.sa (G.A.E.-H.); Tel.: +966-11469-3778 (G.A.E.-H.); Fax: +966-11469-3536 (G.A.E.-H.)





Figure S3. FTIR spectrum of 3.



Figure S4. ¹H NMR spectrum of 1.



Figure S5. ¹H NMR spectrum of 2.





Figure S7. ¹³C NMR spectrum of 2.







Figure S11. EDX of 4.



Figure S12. EDX of 5.



Figure S13. EDX of 6.







1µm





```
Figure S16. FESEM of 6.
```



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).