



Article 3D Technology Development and Dental Education: What Topics Are Best Suited for 3D Learning Resources?

Paulina Poblete ^{1,2,*}, Sean McAleer ³ and Andrew G Mason ²

- ¹ Escuela de Odontología, Facultad de Ciencias, Universidad Mayor, Providencia 2422, Chile
- ² Dundee Dental School, University of Dundee, Scotland DD1 4HR, UK; a.g.mason@dundee.ac.uk
- ³ Centre for Medical Education, University of Dundee, Scotland DD2 4BF, UK; j.p.g.mcaleer@dundee.ac.uk
- * Correspondence: p.pobletepacheco@dundee.ac.uk or paulina.poblete@umayor.cl

Received: 25 June 2020; Accepted: 30 July 2020; Published: 1 September 2020



Abstract: The aim of this study is to identify topics (knowledge and skills) from the dental curricula that would benefit from having a 3D learning resource using an exploratory sequential design method. The first phase targeted stakeholders from a Scottish dental school. Seven focus groups and three interviews disclosed 97 suitable topics for 3D technology development. These results were used to construct a survey that was sent to final year dental students, newly dental graduates and academics from three Scottish universities. The survey asked participants to rank each item based on the perceived benefit that a 3D learning resource would have for dental education. Results revealed that detailed anatomy of the temporomandibular joint, dental anaesthesiology, dental clinical skills techniques, dental occlusion and mandibular functioning were top priorities. Gender differences only appeared in relation to 'Extraction techniques: movements and force' (p < 0.05), this topic was considered to be more beneficial by females than by males. No statistical difference was found when comparing results of graduates with undergraduates. These results serve as a starting point when developing a new 3D technology tool for dental education, considering users demands and perceived needs has the potential to benefit dental students and dental education directly.

Keywords: three dimensional; educational technology; dental education; needs assessment

1. Introduction

The arrival of social media, mobile devices, personal computers, clinical technologies and visual technologies have modified how and where education occurs. These technological resources allow students to access information easily [1], to re-use learning materials [2], to study at a distance [3,4], and simulate training environments [5,6]. While limitations still exist, mainly because of the costs involved in the acquisition of this technology, dental education has now incorporated technology-based resources into its training and one key example is 3D technology [7]. Moreover, current curricular trends in dentistry consider simulation-based learning as an essential part of training [8]. Therefore, the development of technological resources is in high demand.

Several health science education publications describe the development of new resources using 3D technology [9–18]. Dentistry is not the exception and 3D technology has gained importance in the last 20 years. For example, a search in Scopus including the terms "3D" and "dental education" reveals only one paper in the year 2000 containing those terms; while 14 appeared in the year 2019 and 11 have been published so far in 2020. A review of the literature shows that 20 papers describe new software or novel uses of 3D technology for dental education [19–34] and 10 focus on students' perception of the use of 3D tools [19,30,35–40]. However, only eight were comparative studies [35,38,40–43]. Recently,

3D printing has been successfully used for producing anatomic models which serve to simulate clinical scenarios for dental education [44,45].

When studying the use of these technological resources for education it is important to see the complete scope of the topic and how terminology is used. For example, the term '3D', can refer to different types of technologies that depend on the context where it is used. A 3D model may or may not be an animation, and it can or cannot be part of a simulation system. A haptic device may have a virtual reality scenario that can be computer-based or attached to hardware that allows the simulation to occur. Considering this, it is necessary to look at the use of virtual reality in dentistry. It has been said that virtual reality is an innovative resource that in some areas of knowledge can bridge the gap between theory and practice [46]. The mixture of three key elements: 3D space, a visual representation of the user and the interactive chat produce the illusion of being immersed in a virtual world [47]. The use of virtual reality for dental education has been recently analysed revealing the existence of several virtual systems, however, the authors conclude there is still the need for further evidence surrounding their use and development [48].

Expert opinion suggests there should be a common approach to identifying students' needs before developing a 3D digital [12,14–17,28,49,50]. However, few studies have addressed these needs before developing any new technological resource. Marsh et al. [51] surveyed 36 students at the University of Cincinnati Medical School about areas of learning that cause difficulty and the results revealed that embryology was one of the recurrent topics mentioned by the students. However, their sample was small and there were few details about the methodology and the construction of the survey. Usually, the development of 3D learning resources is justified by their reusability factor which in the long term makes them less expensive than traditional methods [52–54] and the fact that their use involves few ethical issues e.g., cadaveric dissections [55]. While these arguments are indeed valid, they do focus on providers' needs rather than on the students' needs.

This study aims to identify topics from the dental curricula (knowledge and skills) used by the University of Dundee that potentially would benefit from 3D virtual animations or simulations in the context of dental education.

2. Materials and Method

Two phases were planned using an exploratory sequential design described by Creswell [56]. The methodology selected helped to obtain a comprehensive view of the needs for 3D resources for dental education. The first phase was planned as focus group sessions and the second phase as a survey. The literature shows that data collected by means of focus groups are valuable for the construction of surveys [57–59]. Additionally, this methodology has been successfully used in medical education [60].

The first phase identified the knowledge components and skills that might benefit from a 3D format for dental teaching; the second phase prioritised the topics, by means of a survey, in order to produce a short list of topics suitable as 3D digital resources. Ethical approval was granted for this study by the University of Dundee Ethical Committee (UREC: 13084, 05/08/2013.).

2.1. Phase 1: Focus Groups and Interviews

The exploratory purpose of the focus groups [61] served to collect participants' opinions towards what type of knowledge (facts, procedures, concepts and principles) and skills (cognitive and motor) might benefit from a 3D virtual format. Thirty-minute sessions were designed following recommendations encountered in the literature [62]. Five to six participants were invited per session in order to ensure sufficient data and a fluent conversation. The central question driving the sessions was: 'What are the knowledge components and skills that would benefit from being taught using a 3D virtual format?' Participants' answers were transcribed by the moderator and the scribe as soon as answers arose, therefore recording was not considered necessary for data collection. At the end of the session, the listed items were reviewed by the whole group to ensure completeness of data. All data were transcribed to Microsoft Excel using a laptop. Repetitions were excluded and similar items were

grouped. Descriptive analysis of data was conducted. In Table 1 the template of the focus group can be seen explaining the structure of the sessions.

| | - | | | |
|----------|-------|-------|-------|-------|
| Table 1. | Focus | group | temp. | late. |

| Focus Group Template | | |
|----------------------|---|-----|
| • | Opening (5 min) | |
| | Introduction of the session and presentation of the moderator and the scribe | |
| | Brief explanation of the aims of the project | |
| | Grounded rules | |
| | Confirmation of voluntary participation and seeking written consent | |
| • | Body (20 min) | |
| | O The question driving the session was: 'What are the knowledge components and skills that we benefit from being taught using a 3D virtual format?' | uld |
| | Conversation build-up surrounding the question and emerging topics | |
| | Paraphrasing the question if needed | |
| | Data collection: notes taken by the moderator and the scribe | |
| • | Closure (5 min) | |

- O Moderator revise all the answers with the group ensuring all answers were collected
- Closure and thank to participants for taking part

The target population were dental students and academics from the University of Dundee. A sample of undergraduates from each academic year and lecturers from different areas of dental specialisation were used following a convenience sampling strategy. The study excluded first-year dental students as their experience was considered too limited at the scheduled time of the sessions. Participation was voluntary and every participant gave written consent after being given information about the study. In total, seven focus groups sessions were conducted; four with undergraduate students, one with postgraduate students and two with dental academics. On three occasions only one individual showed up to the scheduled focus group session; in those cases, the moderator conducted an interview following the same structure as the focus groups. In total, three individual interviews were carried out.

2.2. Phase 2: Survey

A survey was used to rank items obtained in Phase 1 as being best suited to develop 3D digital educational resources. The survey targeted 4th and 5th year undergraduate students, postgraduate students, dental graduates, and dental academics from three Scottish universities (Universities of Dundee, Glasgow and Aberdeen).

The survey was constructed using OnlineSurveys, (former Bristol Online Survey BOS) and asked participants to rank each item based on their perceived benefit to have it as a virtual 3D format resource. A five-point Likert scale was used where 5 represented 'Maximum Benefit' and 1 'Minimum Benefit'. An extract of the survey can be seen in Figure 1.

| | Minimum benefit 1 2 3 4 5 Maximum benefit | | | | |
|--|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 |
| a. Absorption of nutrients, from the gut and transport to the tissues | 0 | O | 0 | 0 | O |
| b. Amalgam setting | O | O | O | O | Ô |
| c. Anatomy of the Cardiovascular system | 0 | 0 | 0 | 0 | 0 |
| ${\bf d}.$ Anatomy and Physiology of the heart including how the Ventricles work | O | O | O | © | Ô |
| e. Anatomy of the larynx | 0 | 0 | 0 | 0 | 0 |
| f. Anatomy of the TMJ space | O | O | Ô | Ô | 0 |
| g. Anatomy of trigeminal nerve | 0 | 0 | 0 | 0 | 0 |

Figure 1. Extract of the survey.

Demographic details were also collected. The dissemination of the survey was coordinated by each University. A total of 767 emails were sent, each containing an invitation letter and an information sheet. The biggest concern was the potentially low response rate, so the survey was as brief as possible, and used an informal written format. Reminders and incentives were used as recommended in the literature [63]. Reminders were sent via email and two £50 amazon vouchers were offered as incentives.

For data analysis the five-point Likert scale responses were categorised into two groups: 'beneficial' (grouping scores 4 and 5) and 'non-beneficial' (grouping scores 1, 2, and 3). An item was considered 'highly beneficial' when \geq 80% of the responses were rated 4 or 5. In total 17 items were considered 'highly beneficial' and statistically analysed. Fisher exact test was used to compare genders and graduates versus undergraduates.

3. Results

In total, 36 volunteers participated in the first phase of this study, generating a list of 198 items. After excluding repetitions, a final list of 97 items was obtained. The 13 most recurrent items are shown in Figure 2.




Figure 2. Most recurrent Items from all the focus group sessions and interviews.

One hundred and twenty-eight responded to the survey, a 17% response rate (84 females and 44 males). The 97 items were ranked based on their potential benefit. Table 2 shows both extremes of the ranking list; the highest ranked (\geq 70%) items and the lowest ranked (\leq 30%).

| Ranking | Item | Percentage of Participant that Ranked the Item as Beneficia |
|---------|---|--|
| 1st. | Anatomy of the TMJ space | 98% |
| 2nd. | Root canal treatment model representing what happens inside the canal and how to determine the working length | 92% |
| 3rd. | Local anaesthesia techniques including the needle position, the tissues and how the needle passes through or close to. | 90% |
| 4th. | Anatomy of trigeminal nerve | 91% |
| 5th. | Concepts in occlusion such as Bennett angle, Bennett movement, condylar guidance, anterior guide, excursive movements | 89% |
| 6th. | Tooth and cavity preparation for crowns, onlays, inlays, $\frac{3}{4}$ crowns, endodontic access | 88% |
| 7th. | Head and neck anatomy | 86% |
| 8th. | Suturing techniques | 86% |
| 9th. | TMJ dysfunction; including for example clicking temporomandibular joints | 86% |
| 10th. | Impacted tooth identification and extraction techniques | 85% |
| 11th. | Extraction techniques: movements and force to extract the tooth | 84% |
| 12th. | Third molar extractions | 84% |
| 13th. | Surgical procedures for implants | 84% |
| 14th. | Course of cranial nerves until the innervated tissues | 83% |
| 15th. | Occlusion functioning and types | 83% |
| 16th. | Masticatory muscles anatomy and physiology | 82% |
| 17th. | Caries removal including tactile feedback | 80% |
| 18th. | Flap design | 79% |
| 19th. | Mandibular and maxillary development, growth and anatomy | 77% |
| 20th. | Use of elevators | 77% |
| 21st. | Mandibular fracture | 76% |
| 22nd. | Tooth anatomy and tooth physical properties | 77% |
| 23rd. | Denture design—3D model to design cobalt-chrome dentures | 76% |
| 24th. | Normal movements of the jaw and pathological movement | 76% |
| 25th. | Removal of large lesions such as cysts | 76% |
| 26th. | Space infections of the head and neck | 76% |
| 27th. | Model showing most common errors and bad decision making for restorative dentistry (e.g., errors in prosthesis design, errors in crown preparation) | 74% |

| Ranking | Item | Percentage of Participant that Ranked the Item as Beneficial |
|---------|---|---|
| 28th. | Development of the dental arch | 73% |
| 29th. | Le Fort fractures | 73% |
| 30th. | Periradicular surgery | 73% |
| 31st. | Mastication process | 70% |
| 32nd. | Biomechanics in orthodontics (tooth movement) | 70% |
| 33rd. | Indirect vision practice model | 70% |
| 34th. | Model in 3D of oral cancer development and progress | 70% |
| 81st. | Pathogenesis of diseases | 30% |
| 82nd. | Pharmacology—models of how drugs work in the tissues | 29% |
| 83rd. | Ear anatomy model | 28% |
| 84th. | Respiratory system model, including process of ventilation, perfusion | 24% |
| 85th. | Kidney anatomy | 23% |
| 86th. | Cell mitosis and meiosis | 22% |
| 87th. | Drugs clearance methods | 21% |
| 88th. | Physiology of the GI tract | 21% |
| 89th. | Exchange of oxygen in the alveolus | 20% |
| 90th. | DNA double helix | 20% |
| 91st. | Hormonal cycles. From hormone production to their action | 20% |
| 92nd. | Metabolic reactions—Pathways of chemical reactions represented as interactive models | 19% |
| 93rd. | Absorption of nutrients, from the gut and transport to the tissues | 19% |
| 94th. | Renal physiology | 19% |
| 95th. | Protein synthesis | 15% |
| 96th. | Functions of mitochondria and Golgi complexes | 14% |
| 97th. | Molecular interaction of amino acids synthesis | 10% |

Table 2. Cont.

The results revealed that detailed anatomy of the temporomandibular joint, dental anaesthesiology, dental clinical skills techniques, dental occlusion and mandibular functioning were top priorities. When broken down by gender only one of the highly ranked items: 'Extraction techniques: movements and force', was perceived as being more beneficial by females than by males (p < 0.05). Comparison between graduates and undergraduates revealed no statistical differences.

4. Discussion

The results of the focus groups revealed a variety of items ranging from basic science concepts to clinical procedures very specific to dentistry. It was noticed that the clinical procedures were more frequently mentioned among the responses of participants of the focus groups. From the 97 items named, a few had been already addressed by developers [10,13,14,19,20,29,32,33,35,64,65] e.g., tooth morphology, root canal related software, 3D study models, surgical procedures for dental implants. Tooth anatomy was among the most recurrent themes in the focus group, despite the fact

that five studies [19,20,29,35,64] have highlighted the availability of a 3D learning resource for that purpose. Perhaps, the current respondents were unaware of these resources or maybe the actual

resources did not comply with their current needs in terms of quality or expectations. Another topic that featured high on the request list was head and neck anatomy, an area that has been addressed by several authors [9,13,14,65]. Head and neck anatomy 3D software package was developed by Anderson et al. [32,33], yet it still seems to be an area that need more exploration of its use.

Overall, the focus group results suggest that participants believed that less emphasis should be placed on topics related to basic science and more attention should be given to applied dental skills. It could be argued that these results might be influenced by the fact that the sampling focused on students from 2nd year onwards. As focus groups were conducted in September (beginning of academic year), first years were not invited as their familiarity with the career was too limited at that time. However, no concerns were perceived by the authors, as the final list contained a variety of topics representing the complete dental curricula which served to build a comprehensive survey.

Results of the survey revealed that 'Anatomy of the Temporomandibular Joint' was ranked the highest from those areas of the anatomy of the head and neck. Despite the existence of many of 3D technological tools for anatomy education [66], the results of the present study reveal a strong need for 3D learning resources specifically related to anatomical areas relevant to dentistry. One of the reasons might be that current models used in teaching lack sufficient detail to satisfy users' needs [66].

Other highly ranked items were 'root canal treatment' and 'cavity preparation'; both important clinical skills for newly qualified dentists. Dentistry is a hands-on profession; thus it is not surprising that many of the items mentioned in this study have a strong relationship with clinical procedures and skills. Similar observations were made by Murray et al. [67] in a study that asked new graduates about possible improvements for undergraduate curricula. To comply with the hands-on nature of dentistry, haptic systems have been developed mainly addressing cavity preparation [5].

'Dental anaesthetic techniques' was another highly ranked item. Anaesthetic techniques are complex to learn and require excellent clinical skills, in combination with sound anatomical knowledge. In many aspects its teaching is controversial, as in some schools the first local anaesthetic injection performed by a student is given to a classmate [68] or to a human cadaver [69]; both of these practices are not free of ethical issues. It has been reported that dental anaesthesiology education varies across many universities [68] because of its complexity. There are many factors that need to be controlled and having a 3D resource to help students visualise the anatomy and understand the technique before practicing might help build student confidence and competence.

Spatial awareness has been related to the capacity to manipulate 3D objects [70] and the literature is inconclusive when it comes to differences between males and females. Some authors believe there is no difference [71,72] while others support the idea that this ability is affected by gender [70] assigning better results to males than to females. The results of this study revealed statistical difference in only one of the highly rated items: extraction techniques, movements and force. Females considered that a 3D learning resource related with extractions techniques is much needed compared to the views of males as they did not rank that particular item as higher. These results are aligned with findings reported by Macluskey et al. [73], which showed that females felt less confident when preforming dental extractions. Interestingly, evidence suggests that female dentists are more inclined to refer exodontia cases [74], which could be due to a lack of confidence with the procedure. This might explain why females perceived a greater need for 3D learning resources for extraction techniques. Strength and size of the operator might have some implications on this difference observed in regards with dental extractions confidence, yet no evidence was found to support these assumptions.

Perceptions of graduates and undergraduates showed no statistical differences among highly ranked items. These results suggest agreement among different stakeholders, regardless their experience indicating that there is a need for 3D learning resources in several areas of dentistry.

Interestingly, all groups indicated that the top priority item was: 'Anatomy of the Temporomandibular Joint'. The importance of the temporomandibular joint (TMJ) is crucial for

dentistry as it is important for occlusion and the function of the masticatory system. It has been suggested that a proper understanding of the TMJ should be mandatory before investigating the temporomandibular joint disorder [75]. Many authors have identified the challenges of teaching and learning TMJ disorders [76–78] especially with the lack of consistency in basic terminology [77,79].

Interestingly, it was noticed that almost double the number of female participants took part in the study (84 females versus 44 males). This could be a consequence of the feminisation of dentistry as a profession that has occurred in recent years [80,81]. This tendency was also observed in recent work by Macluskey [73] across UK dental students which showed that more women are choosing dentistry as a career path [80-82]. However, the exact number of how many females and males were invited constitutes a limitation of this study. Therefore, further studies are required to confirm the increasing number of females taking dentistry as a career path. Another limitation of this study was the low response rate to the survey, despite using techniques to increase participation. However, it has been established that the size of a sample is more important than the response rate [83]. Overall, results of the 128 respondents who completed the questionnaire disclosed the need to generate new 3D learning resources addressing multiple areas of dentistry. Additionally, data were normally distributed, so despite the response rate, data were suitable for analysis. The construction cost of detailed 3D models is one of the disadvantages of these resources [2]. Brenton [9] suggested that they can be expensive and time-consuming to generate, as their successful development demands special equipment. When it comes to the construction of a haptic simulator, again cost has been reported as the main issue [84,85]. This is not just important for dental education but for all the industry of 3D technology developers as resources are limited. This study serves as a starting point when planning the development of a resource for dental education. The authors highlight the importance of considering users need and seeking their opinion towards which topics might benefit their educational process before developing a new resource. Moreover, if the resource is meant for academic purposes the recommendation would be to include students when making the decision.

Even though this study represents the view of a small proportion of the dental community, it reveals that the demands of graduates and undergraduates are aligned. Technology, especially 3D technology, has not yet entered dental education as deeply as it potentially could. This is relevant and needs to be acknowledge by regulatory bodies such as the General Dental Council (GDC) (dentistry regulation body in the United Kingdom). In the latest learning outcomes declaration 'Preparing for practice' of the GDC [86], emphasis is given to the use of technology, yet very little links to simulation or training using three dimensional technology are declared in the document. Results of this study demonstrate the existence of a demand that could potentially satisfy the need to benefit the dental education process. Even though future research is needed to set up a global need of this resources, this constitutes a starting point showing the lack of embracement of these technologies inside the classroom.

Future research implies de need to determine the educational impact of 3D learning resources, in order to validate the relevance of production these type of resources for dental education.

5. Conclusions

The final conclusions of this study are:

- There are key topics that would benefit from 3D digital learning resources: anatomy of temporomandibular joints, detail anatomy of head and neck, dental anaesthesiology, dental clinical skills techniques, dental occlusion and mandibular functioning.
- Perception of need and benefit of 3D learning resource does not vary by level of formation (undergraduate/graduate). Gender analysis only revealed difference around one topic: 'Extraction techniques: movements and force'.

Author Contributions: P.P. was the major contributor of this research. While S.M. and A.G.M. contribute with the edition and content suggestions. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Acknowledgments: Authors would like to acknowledge all participants who took the time to take part in this study.

Conflicts of Interest: The authors declare that there is no conflict of interest of any kind related with this manuscript. Also, the authors declare that they have no competing interests.

Ethical Considerations: This study was approved by the Ethical Committee of the University of Dundee UREC: 13084 on the 05/08/2013.

References

- 1. Kirkwood, A.; Price, L. Learners and learning in the twenty-first century: What do we know about students' attitudes towards and experiences of information and communication technologies that will help us design courses? *Stud. High. Educ.* **2005**, *30*, 257–274. [CrossRef]
- Vernon, T.; Peckham, D. The benefits of 3D modelling and animation in medical teaching. *J. Vis. Commun. Med.* 2002, 25, 142–148. [CrossRef]
- Bransford, J.D.; Brown, A.L.; Cocking, R.R. *How People Learn: Brain, Mind, Experience, and School*, Expanded ed.; Committee on Developments in the Science of Learning and Committee on Learning Research and Educational Practice, Commission on Behavioral and Social Sciences and Education; National Research Council, Ed.; National Academy Press: Washington, DC, USA, 2000.
- 4. Kolcu, M.I.B.; Öztürkçü, Ö.S.K.; Kaki, G.D. Evaluation of a Distance Education Course Using the 4C-ID Model for Continuing Endodontics Education. *J. Dent. Educ.* **2020**, *84*, 62–71. [CrossRef]
- Tse, B.; Harwin, W.; Barrow, A.; Quinn, B.; San Diego, J.; Cox, M. Design and Development of a Haptic Dental Training System - hapTEL. In *Haptics: Generating and Perceiving Tangible Sensations. EuroHaptics* 2010; Lecture Notes in Computer Science; Kappers, A.M.L., van Erp, J.B.F., Bergmann Tiest, W.M., van der Helm, F.C.T., Eds.; Springer: Berlin/Heidelberg, Germany, 2010; Volume 6192. [CrossRef]
- Vincent, M.; Joseph, D.; Amory, C.; Paoli, N.; Ambrosini, P.; Mortier, É.; Tran, N. Contribution of haptic simulation to analogic training environment in restorative dentistry. *J. Dent. Educ.* 2020, *84*, 367–376. [CrossRef] [PubMed]
- 7. Nassar, H.M.; Tekian, A. Computer-simulation and virtual reality in undergraduate operative and restorative dental education: A critical review. *J. Dent. Educ.* **2020**, *84*, 1–18. [CrossRef]
- 8. Brenton, H.; Hernandez, J.; Bello, F.; Strutton, P.; Purkayastha, S.; Firth, T.; Darzi, A. Using multimedia and Web3D to enhance anatomy teaching. *Comput. Educ.* **2007**, *49*, 32–53. [CrossRef]
- 9. Brenton, H.; Hernandez, J.; Bello, F.; Strutton, P.; Firth, T.; Darzi, A. Web Based Delivery of 3D Developmental Anatomy. In Proceedings of the LET-WEB3D 2004 Workshop on Web3D Technologies, Udine, Italy, 30 September–1 October 2004; pp. 53–57.
- 10. De Ribaupierre, S.; Wilson, T.D. Construction of a 3-D anatomical model for teaching temporal lobectomy. *Comput. Biol. Med.* **2012**, *42*, 692–696. [CrossRef] [PubMed]
- 11. Wolfgang, K.; Friedl, R.; Preisack, M.B.; Rose, T.; Stracke, S.; Quast, K.J.; Hannekum, A.; Gödje, O. Virtual Reality and 3D Visualizations in Heart Surgery Education. In *The Heart Surgery Forum*; Forum Multimedia Publishing: Charlottesville, VA, USA, 2002; p. E17.
- 12. Grimstead, I.J.; Walker, D.W.; Avis, N.J.; Kleinermann, F.; McClure, J. 3D Anatomical Model Visualization within a Grid-Enabled Environment. *Comput. Sci. Eng.* **2007**, *9*, 32–38. [CrossRef]
- 13. Henn, J.S.; Lemole, G.M., Jr.; Ferreira, M.A.; Gonzalez, L.F.; Schornak, M.; Preul, M.C.; Spetzler, R.F. Interactive stereoscopic virtual reality: A new tool for neurosurgical education. *J. Neurosurg.* **2002**, *96*, 144–149. [CrossRef]
- 14. Nguyen, N.; Wilson, T.D. A head in virtual reality: Development of a dynamic head and neck model. *Anat. Sci. Educ.* **2009**, *2*, 294–301. [CrossRef]
- 15. Nowinski, W.L.; Thirunavuukarasuu, A.; Volkau, I.; Marchenko, Y.; Aminah, B.; Gelas, A.; Huang, S.; Lee, L.C.; Liu, J.; Ng, T.T.; et al. A new presentation and exploration of human cerebral vasculature correlated with surface and sectional neuroanatomy. *Anat. Sci. Educ.* **2009**, *2*, 24–33. [CrossRef] [PubMed]
- 16. Rubin, J.S.; Summers, P.; Harris, T. Visualization of the human larynx: A three-dimensional computer modeling tool. *Auris Nasus Larynx* **1998**, *25*, 303–308. [CrossRef]

- 17. Warrick, P.A.; Funnell, W.R.J. A VRML-based anatomical visualization tool for medical education. *IEEE Trans. Inform. Technol. Biomed.* **1998**, *2*, 55–61. [CrossRef] [PubMed]
- Field, J.; Walmsley, A.; Paganelli, C.; McLoughlin, J.; Szep, S.; Kavadella, A.; Cespedes, M.C.M.; Davies, J.R.; DeLap, E.; Levy, G.; et al. The graduating european dentist: Contemporaneous methods of teaching, learning and assessment in dental undergraduate education. *Eur. J. Dent. Educ.* 2017, *21*, 28–35. [CrossRef] [PubMed]
- Mitov, G.; Dillschneider, T.; Abed, M.R.; Hohenberg, G.; Pospiech, P. Introducing and evaluating morphodent, a web-based learning program in dental morphology. *J. Dent. Educ.* 2010, 74, 1133–1139. [CrossRef] [PubMed]
- Nagasawa, S.; Yoshida, T.; Tamura, K.; Yamazoe, M.; Hayano, K.; Arai, Y.; Yamada, H.; Kasahara, E.; Ito, M. Construction of database for three-dimensional human tooth models and its ability for education and research-Carious tooth models. *Dent. Mater. J.* 2010, *29*, 132–137. [CrossRef] [PubMed]
- 21. Kim, K.-S.; Yoon, T.-H.; Lee, J.-W.; Kim, D.-J. Interactive toothbrushing education by a smart toothbrush system via 3D visualization. *Comput. Methods Progr. Biomed.* **2009**, *96*, 125–132. [CrossRef]
- 22. Gao, Y.; Peters, O.A.; Wu, H.; Zhou, X. An application framework of three-dimensional reconstruction and measurement for endodontic research. *J. Endod.* **2009**, *35*, 269–274. [CrossRef]
- 23. Cantin, M.; Muñoz, M.; Olate, S. Generation of 3D tooth models based on three-dimensional scanning to study the morphology of permanent teeth. *Int. J. Morphol.* **2015**, *33*, 782–787. [CrossRef]
- Steinberg, A.D.; Bashook, P.G.; Drummond, J.; Ashrafi, S.; Zefran, M. Assessment of faculty perception of content validity of Periosim\copyright, a haptic-3D virtual reality dental training simulator. *J. Dent. Educ.* 2007, 71, 1574–1582. [CrossRef]
- 25. De Boer, I.R.; Wesselink, P.R.; Vervoorn, J.M. The creation of virtual teeth with and without tooth pathology for a virtual learning environment in dental education. *Eur. J. Dent. Educ.* **2013**, *17*, 191–197. [CrossRef] [PubMed]
- 26. Marras, I.; Nikolaidis, N.; Mikrogeorgis, G.; Lyroudia, K.; Pitas, I. A virtual system for cavity preparation in endodontics. *J. Dent. Educ.* 2008, 72, 494–502. [CrossRef] [PubMed]
- Suman, S.; Amini, A.; Elson, B.; Reynolds, P. Design and Development of Virtual leaning environment using open source virtual world technology. In Proceedings of the IFIP TC 3 International Conference on Key Competencies in the Knowledge Society (KCKS)/Held as Part of World Computer Congress (WCC), Brisbane, Australia, 20–23 September 2010; pp. 379–388, ff. ffhal-01058316f. [CrossRef]
- Dias, D.R.C.; Brega, J.R.F.; De Paiva Guimarães, M.; Modesto, F.; Gnecco, B.B.; Lauris, J.R.P. 3d semantic models for dental education. In Proceedings of the International Conference on ENTERprise Information Systems, Beijing, China, 8–11 June 2011; Springer: Berlin/Heidelberg, Germany, 2011; pp. 89–96.
- 29. Mowery, D.; Clayton, M.; Hu, J.; Schleyer, T.K. Tooth Atlas 3.D. version 63. *J. Dent. Educ. Am. Dent. Educ. Assoc.* 2010, 74, 1261–1264.
- 30. Salajan, F.D.; Mount, G.J.; Prakki, A. An Assessment of Students' Perceptions of Learning Benefits Stemming from the Design and Instructional Use of a Web3D Atlas. *Electron. J. E-Learn.* **2015**, *13*, 120–137.
- 31. Yamaguchi, S.; Yamada, Y.; Yoshida, Y.; Noborio, H.; Imazato, S. Development of three-dimensional patient face model that enables real-time collision detection and cutting operation for a dental simulator. *Dent. Mater. J.* **2012**, *31*, 1047–1053. [CrossRef]
- 32. Anderson, P.; Chapman, P.; Ma, M.; Rea, P. Real-time medical visualization of human head and neck anatomy and its applications for dental training and simulation. *Curr. Med. Imaging Rev.* **2013**, *9*, 298–308. [CrossRef]
- Anderson, P.; Ma, M.; Poyade, M.; Anderson, P.; Ma, M.; Poyade, M. A Haptic-Based Virtual Reality Head and Neck Model for Dental Education. In *Virtual, Augmented Reality and Serious Games for Healthcare 1*; Springer: Berlin/Heidelberg, Germany, 2014; pp. 29–50.
- 34. Ammann, A.; Klebba, A.; Krueckeberg, J.; Matthies, H. The next generation of patient education: Multilingual Dental Explorer 3D. *Int. J. Comput. Dent.* **2010**, *13*, 43–55.
- 35. Maggio, M.P.; Hariton-Gross, K.; Gluch, J. The use of independent, interactive media for education in dental morphology. *J. Dent. Educ.* **2012**, *76*, 1497–1511. [CrossRef]
- 36. Hamil, L.M.; Mennito, A.S.; Renné, W.G.; Vuthiganon, J. Dental Students' Opinions of Preparation Assessment with E4D Compare Software Versus Traditional Methods. *J. Dent. Educ.* **2014**, *78*, 1424–1431. [CrossRef]
- Soares, P.V.; De Almeida, M.G.; Pereira, F.A.; Reis, B.R.; Soares, C.J.; De Sousa Meneses, M.; De Freitas Santos-Filho, P.C. Rapid prototyping and 3D-virtual models for operative dentistry education in Brazil. *J. Dent. Educ.* 2013, 77, 358–363. [CrossRef]

- 38. Vuchkova, J.; Maybury, T.S.; Farah, C.S. Testing the educational potential of 3D visualization software in oral radiographic interpretation. *J. Dent. Educ.* **2011**, *75*, 1417–1425. [CrossRef] [PubMed]
- 39. Wright, E.F.; Hendricson, W.D. Evaluation of a 3-D interactive tooth atlas by dental students in dental anatomy and endodontics courses. *J. Dent. Educ.* **2010**, *74*, 110–122. [CrossRef] [PubMed]
- 40. Papadopoulos, L.; Pentzou, A.-E.; Louloudiadis, K.; Tsiatsos, T.-K. Design and evaluation of a simulation for pediatric dentistry in virtual worlds. *J. Med. Internet Res.* **2013**, *15*, e240. [CrossRef] [PubMed]
- Hu, J.; Yu, H.; Shao, J.; Li, Z.; Wang, J.; Wang, Y. Effects of dental 3D multimedia system on the performance of junior dental students in preclinical practice: A report from China. *Adv. Health Sci. Educ.* 2009, 14, 123–133. [CrossRef]
- 42. Qi, S.; Yan, Y.; Li, R.; Hu, J. The Impact of Active Versus Passive Use of 3D Technology: A Study of Dental Students at Wuhan University, China. *J. Dent. Educ.* **2013**, *77*, 1536–1542. [CrossRef]
- 43. Kikuchi, H.; Ikeda, M.; Araki, K. Evaluation of a virtual reality simulation system for porcelain fused to metal crown preparation at Tokyo Medical and Dental University. *J. Dent. Educ.* **2013**, *77*, 782–792. [CrossRef]
- 44. Höhne, C.; Schwarzbauer, R.; Schmitter, M. 3D Printed Teeth with Enamel and Dentin Layer for Educating Dental Students in Crown Preparation. *J. Dent. Educ.* **2019**, *83*, 1457–1463. [CrossRef]
- 45. Kröger, E.; Dekiff, M.; Dirksen, D. 3D printed simulation models based on real patient situations for hands-on practice. *Eur. J. Dent. Educ.* 2017, 21, e119–e125. [CrossRef]
- 46. Jenson, C.E.; Forsyth, D.M. Virtual Reality Simulation: Using Three-dimensional Technology to Teach Nursing Students. *Comput. Inf. Nurs.* **2012**, *30*, 312–318. [CrossRef]
- 47. Dickey, M.D. 3D Virtual Worlds: An Emerging Technology for Traditional and Distance Learning. *Distance Educ.* 2003, 24, 105–121. [CrossRef]
- 48. Towers, A.; Field, J.; Stokes, C.; Maddock, S.; Martin, N. A scoping review of the use and application of virtual reality in pre-clinical dental education. *Br. Dent. J.* **2019**, *226*, 358–366. [CrossRef] [PubMed]
- 49. Kobayashi, M.; Nakajima, T.; Mori, A.; Tanaka, D.; Fujino, T.; Chiyokura, H. Three-dimensional computer graphics for surgical procedure learning: Web three-dimensional application for cleft lip repair. *Cleft Palate Craniofac. J.* **2006**, *43*, 266–271. [CrossRef] [PubMed]
- Spallek, H.; Kaiser, R.; Boberick, K.; Boston, D.; Schleyer, T. Web-Based 3D Online Crown Preparation Course for Dental Students. In Proceedings of the AMIA Symposium, Los Angeles, CA, USA, 4–8 November 2000; p. 1138.
- 51. Marsh, K.R.; Giffin, B.F.; Lowrie, D.J. Medical Student Retention of Embryonic Development: Impact of the Dimensions Added by Multimedia Tutorials. *Anat. Sci. Educ.* **2008**, *1*, 252–257. [CrossRef] [PubMed]
- 52. Hisley, K.C.; Anderson, L.D.; Smith, S.E.; Kavic, S.M.; Tracy, J.K. Coupled physical and digital cadaver dissection followed by a visual test protocol provides insights into the nature of anatomical knowledge and its evaluation. *Anat. Sci. Educ.* **2008**, *1*, 27–40. [CrossRef]
- 53. Jones, D.G. Reassessing the importance of dissection: A critique and elaboration. *Clin. Anat.* **1997**, *10*, 123–127. [CrossRef]
- 54. Petersson, H.; Sinkvist, D.; Wang, C.; Smedby, Ö. Web-based interactive 3D visualization as a tool for improved anatomy learning. *Anat. Sci. Educ.* **2009**, *2*, 61–68. [CrossRef]
- 55. Nguyen, N.; Nelson, A.J.; Wilson, T.D. Computer visualizations: Factors that influence spatial anatomy comprehension. *Anat. Sci. Educ.* **2012**, *5*, 98–108. [CrossRef]
- 56. Creswell, J.W. *Educational Research: Planning, Conducting, and Evaluating Quantitative;* Prentice Hall: Upper Saddle River, NJ, USA, 2002.
- Nassar-McMillan, S.C.; Borders, L.D. Use of Focus Groups in Survey Item Development. *Qual. Rep.* 2002, 7, 1–12. Available online: https://nsuworks.nova.edu/tqr/vol7/iss1/3 (accessed on 24 June 2020).
- Nichter, M.; Nichter, M.; Thompson, P.J.; Shiffman, S.; Moscicki, A.-B. Using qualitative research to inform survey development on nicotine dependence among adolescents. *Drug Alcohol Depend.* 2002, 68, 41–56. [CrossRef]
- 59. Wolff, B.; Knodel, J.; Sittitrai, W. Focus groups and surveys as complementary research methods. *Complement. Res. Methods* **1993**, 118–136.
- Riquelme, A.; Padilla, O.; Herrera, C.; Olivos, T.; Román, J.A.; Sarfatis, A.; Solis, N.; Pizarro, M.; Torres, P.; Roff, S. Development of ACLEEM questionnaire, an instrument measuring residents' educational environment in postgraduate ambulatory setting. *Med. Teach.* 2013, *35*, e861–e866. [CrossRef] [PubMed]
- 61. Fern, E.F. Advanced Focus Group Research; Sage Publication Inc.: Newbury Park, CA, USA, 2001.
- 62. Krueger, R.A. Focus Groups. A Practical Guide for Applied Research; SAGE: Thousand Oaks, CA, USA, 2009.

- 63. Deutskens, E.; De Ruyter, K.; Wetzels, M.; Oosterveld, P. Response rate and response quality of internet-based surveys: An experimental study. *Mark. Lett.* **2004**, *15*, 21–36. [CrossRef]
- 64. Salajan, F.D.; Mount, G.J. University of Toronto's dental school shows "new teeth": Moving towards online instruction. *J. Dent. Educ.* 2008, 72, 532–542. [CrossRef] [PubMed]
- Hu, A.; Wilson, T.; Ladak, H.; Haase, P.; Doyle, P.; Fung, K. Evaluation of a Three-Dimensional Educational Computer Model of the Larynx: Voicing a New Direction. *J. Otolaryngol. Head Neck Surg.* 2010, *39*, 315–322. [PubMed]
- Lewis, T.; Burnett, B.; Tunstall, R.; Abrahams, P. Complementing anatomy education using three-dimensional anatomy mobile software applications on tablet computers. *Clin. Anat.* 2013, 27, 313–320. [CrossRef] [PubMed]
- 67. Murray, F.J.; Blinkhorn, A.S.; Bulman, J. An assessment of the views held by recent graduates on their undergraduate course. *Eur. J. Dent. Educ.* **1999**, *3*, 3–9. [CrossRef]
- 68. Brand, H.; Kuin, D.; Baart, J. A survey of local anaesthesia education in European dental schools. *Eur. J. Dent. Educ.* **2008**, *12*, 85–88. [CrossRef]
- 69. Jenkins, D.B.; Spackman, G.K. A method for teaching the classical inferior alveolar nerve block. *Clin. Anat.* **1995**, *8*, 231–234. [CrossRef]
- Vandenberg, S.G.; Kuse, A.R. Mental rotations, a group test of three-dimensional spatial visualization. *Percept. Mot. Skills.* 1978, 47, 599–604. [CrossRef]
- 71. Newcombe, N.S.; Stieff, M. Six myths about spatial thinking. Int. J. Sci. Educ. 2012, 34, 955–971. [CrossRef]
- 72. Gonzales, R.A.; Ferns, G.; Vorstenbosch, M.A.T.M.; Smith, C.F. Does spatial awareness training affect anatomy learning in medical students? *Anat. Sci. Educ.* **2020**. [CrossRef] [PubMed]
- 73. Macluskey, M.; Durham, J.; Bell, A.; Cowpe, J.; Crean, S.J.; Dargue, A.; Dawson, L.; Freeman, C.; Jones, J.; McDouagh, A.; et al. A national survey of UK final year students' opinion of undergraduate oral surgery teaching. *Eur. J. Dent. Educ.* **2012**, *16*, e205–e212. [CrossRef] [PubMed]
- 74. Cottrell, D.A.; Reebye, U.N.; Blyer, S.M.; Hunter, M.J.; Mehta, N. Referral patterns of general dental practitioners for oral surgical procedures. *J. Oral Maxillofac. Surg.* **2007**, *65*, 686–690. [CrossRef] [PubMed]
- 75. Okeson, J.P. *Management of Temporomandibular Disorders and Occlusion*, 7th ed.; Elsevier: Amsterdam, The Netherlands, 2013.
- 76. Ash, M.M. Occlusion, TMDs, and dental education. Head Face Med. 2007, 3, 1–4. [CrossRef]
- 77. Stockstill, J.; Greene, C.S.; Kandasamy, S.; Campbell, D.; Rinchuse, D. Survey of orthodontic residency programs: Teaching about occlusion, temporomandibular joints, and temporomandibular disorders in postgraduate curricula. *Am. J. Orthod. Dentofac. Orthop.* **2011**, *139*, 17–23. [CrossRef]
- 78. Türp, J.; Greene, C.; Strub, J. Dental occlusion: A critical reflection on past, present and future concepts. *J. Oral Rehabil.* **2008**, *35*, 446–453. [CrossRef]
- Jasinevicius, T.; Yellowitz, J.A.; Vaughan, G.G.; Brooks, E.S.; Baughan, L.W.; Cline, N.; Theiss, L.B. Centric relation definitions taught in 7 dental schools: Results of faculty and student surveys. *J. Prosthodont.* 2000, *9*, 87–94. [CrossRef]
- 80. Gross, D.; Schäfer, G. "Feminization" in German dentistry. Career paths and opportunities—A gender comparison. *Women Stud. Int. Forum* **2011**, *34*, 130–139. [CrossRef]
- 81. McKay, J.C.; Quiñonez, C.R. The feminization of dentistry: Implications for the profession. *J. Can. Dent. Assoc.* **2012**, *78*, c1.
- Neumann, L.M. Trends in dental and allied dental education. J. Am. Dent. Assoc. 2004, 135, 1253–1259.
 [CrossRef]
- 83. Nulty, D.D. The adequacy of response rates to online and paper surveys: What can be done? *Assess. Eval. High. Educ.* **2008**, *33*, 301–314. [CrossRef]
- Gal, G.B.; Weiss, E.I.; Gafni, N.; Ziv, A. Preliminary assessment of faculty and student perception of a haptic virtual reality simulator for training dental manual dexterity. *J. Dent. Educ.* 2011, 75, 496–504. [CrossRef] [PubMed]

- 85. Hanson, L.M. The Utilization of Mixed-Reality Technologies to Teach Techniques for Administering Local Anesthesia. *All Graduate Theses and Dissertations*. 2011, p. 850. Available online: https://digitalcommons.usu.edu/etd/850 (accessed on 24 June 2020).
- 86. GDC Preparing for Practice-Dental Team Learning Outcomes for Registration [Internet]. London: General Dental Council. 2015. Available online: https://www.gdc-uk.org/docs/default-source/quality-assurance/preparing-for-practice-(revised-2015).pdf (accessed on 20 May 2019).



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).