

**Table S1.** Statistics of selected nutritional parameters for rice samples.

Parameter	Treatment	Number	Mean	SD
Starch content (%)	aCaT	18	91.984 <sup>b</sup>	1.090
	aCeT	18	92.515 <sup>ab</sup>	0.466
	eCaT	18	92.437 <sup>ab</sup>	0.760
	eCeT	18	93.080 <sup>a</sup>	0.556
Protein content (mg g <sup>-1</sup> )	aCaT	18	56.464 <sup>a</sup>	0.688
	aCeT	18	56.042 <sup>a</sup>	0.984
	eCaT	18	50.255 <sup>b</sup>	1.786
	eCeT	18	50.816 <sup>b</sup>	1.755
Lipid content (%)	aCaT	18	0.191 <sup>c</sup>	0.012
	aCeT	18	0.365 <sup>a</sup>	0.048
	eCaT	18	0.160 <sup>d</sup>	0.017
	eCeT	18	0.231 <sup>b</sup>	0.019

Note: aCaT, aCeT, eCaT, and eCeT refer to ambient conditions, increased temperature, elevated CO<sub>2</sub>, and the combination of elevated CO<sub>2</sub> and increased temperature, respectively. Different letters indicate significantly different by Tukey HSD test. SD, standard deviation.