

**Table S1.** Reports of analysis methods on PMZ and its metabolites in edible animal tissues.

Analytes	Target tissue	Equipment	LOD, LOQ	Reference
PMZ, PMZSO, Nor1PMZ	Swine muscle, liver, kidney, fat	LC-MS/MS	LOD: muscle, liver, and kidney 0.05 µg/kg for PMZ, PMZSO, 0.1µg/kg for Nor1PMZ.  LOQ: muscle, liver, and kidney 0.1 µg/kg for PMZ and PMZSO, 0.5 µg/kg for Nor1PMZ.  LOD and LOQ of fat, 0.05 µg/kg and 0.1 µg/kg for all analytes.	This study
5 phenothiazines, including PMZ	Fish	LC-MS/MS	LOD: 0.1ng/g LOQ: 0.5ng/g	Li et al., 2010 [33]
24 tranquillizer drugs, including PMZ	fish and fishery product	UPLC-Q- Orbitrap HRMS	LOQ: 0.5µg/kg	Gao et al., 2018 [47]
PMZ, Chlorpromazine	Poultry Eggs	LC-MS/MS	LOD: for PMZ 0.05µg/kg, LOQ: for PMZ 0.17µg/k	Yang et al., 2020 [48]
10 sedatives, including PMZ	Pork, kidney	UPLC- MS/MS	LOD: 0.5µg/kg LOQ: 1µg/kg	Sun et al.,2010 [49]
Tranquilizers, including PMZ	Swine muscle, liver, and kidney	LC-MS/MS	LOD: 0.06-0.1g/kg LOQ: 0.2-0.41g/kg	He et al., 2012 [34]
PMZ	Meat of bovine, porcine and ovine	LC-MS/MS	LOD: 0.1µg/kg LOQ: 0.3µg/kg	Li et al., 2019 [50]
15 sedatives, including PMZ	Meat of bovine and poultry, porcine liver	UPLC- MS/MS	LOD: 1µg/kg; LOQ: 3µg/kg	Wang et al., 2020 [41]
PMZ, PMZSO	Meat of bovine and poultry, porcine liver	UPLC-Q- TOF/MS	LOD: PMZ 2µg/kg, PMZSO 0.5µg/kg LOQ: PMZ 6µg/kg, PMZSO 1.5 µg/kg	Wang et al., 2021 [51]
PMZ	Pork product	LC-MS/MS	LOD: PMZ 0.3ng/g, LOQ : PMZ 1 ng/g	Liang et al., 2016 [52]
PMZ, PMZSO	Porcine meat, liver, kidney	LC-MS/MS	LOD: PMZ 0.04µg/kg, PMZSO 0.17µg/kg LOQ: PMZ 0.12µg/kg, PMZSO 0.51µg/kg	Chen et al., 2022 [43]

PMZ, Chlorpromazine	Porcine kidney	HPLC-UV	LOD: PMZ and Chlorpromazine 10µg/kg	Fan et al., 2005 [21]
------------------------	-------------------	---------	--	--------------------------

## References

21. Chen, P.; Fan, S.; Huang, L.; Yuan, Z. Establishment of detection method for chlorpromazine and promethazine residues in swine kidney. *Chin. J. Vet. Med.* **2005**, *4*, 412–413, 416.
33. Li, C.; Yue, Z.; Zhao, F.; Hua, H.; Han, R.; Li, L. Study on the Determination of Phenothiazide Residues in Aquatic Products by Liquid Chromatography Tandem Mass Spectrometry. *Chin. J. Vet. Med.* **2010**, *3*, 384–387, 392.
34. He, L.; Wang, J.; Zhang, G.; Liu, R.; Fang, B. Simultaneous Determination of Tranquilizers and Carazolol Residues in Swine Tissues by Liquid Chromatography-Tandem Mass Spectrometry. *Anal. Lett.* **2012**, *45*, 1377–1389.
41. Wang, j.; Ye, J.; Wang, X.; Zhong, S.; Chen, Q. Determination of 15 sedative drug residues in livestock and poultry meat by ultra-high performance liquid chromatography tandem mass spectrometry. *Farm Prod. Process.* **2020**, *7*, 45–49.
43. Chen, X.; Zhou, J.; Jin, M. Determination of 4 chlorpromazine and promethazine and their metabolites in swine tissues by liquid chromatography-tandem mass spectrometry with isotope internal standard dilution technique. *J. Hyg. Res.* **2022**, *51*, 476–482.
47. Li, R.; Yang, L.; Zhang, P.; Luo, Y.; Zhang, P.; Gao, Y. Rapid screening of 24 tranquillizer drugs in fish and fishery products by ultra-high performance liquid chromatography quadrupole /electrostatic field orbitrap high resolution mass spectroscopy. *Chin. J. of Chromatogr.*, **2018**, *36*, 125–135.
48. Wang, K.; Cao, Q.; Zhao, L.; Chen L.; Gao, Q.; Yang, L. Determination of Promethazine and Chlorpromazine in Poultry Eggs by High Performance Liquid Chromatography Tandem Mass Spectrometry. *The Food Ind.*, **2020**, *41*, 299–302.
49. Sun, L.; Zhang, L.; Xu, Q.; Wang, S.; Wang, X. Determination of ten sedative residues in pork and kidney by ultra performance liquid chromatography- tandem mass spectrometry. *Chin. J. of Chromatogr.*, **2010**, *28*, 38–42.
50. Li, Z.; Li, H.; Ma, Y.; Wang, S.; Ren, N.; Guo, W.; Guo, C.; Li, Y. High Performance Liquid Chromatography-Tandem Mass Spectrometry Detection of Promethazine in Animal-Derived Foods. *Food Sci.*, **2019**, *40*, 320–324.
51. Wang, J.; Ye, J.; Zhong, S.; Wang, X.; Chen Q. Determination of Antihistamine Residues in Livestock and Poultry Products by Ultra Performance Liquid Chromatography—Quadrupole—Time of Flight Mass Spectrometry. *Sci. Technol. of Food Ind.*, **2021**, *42*, 250–256, 264.
52. Liang, Y.; Li, Y.; Guo, X.; Li, R.; Gao, L.; Wang, J.; Fu, G.; Wan, Y. Determination of chlorpromazine, promethazine, and vancomycin in pork product by liquid chromatography-mass spectrometry. *Cereal Feed Ind.*, **2016**, *346*, 69–73.

**Table S2.** Original Data of Recovery and precision of spiked blank samples.

Tissues	Analyte	Concentration ( $\mu\text{g}/\text{kg}$ )				Recovery ( $\bar{X}\pm\text{S.D.}$ )(n=6) (%)			Intra-day RSD (%) (n=6)			Inter-day RSD (%)
		Spiked	Found ( $\bar{X}$ , n=6)			Batch I	Batch II	Batch III	Batch I	Batch II	Batch III	
Muscle	PMZ	0.1	0.077	0.082	0.082	77.13 $\pm$ 5.44	81.73 $\pm$ 9.12	82.35 $\pm$ 8.82	7.05	11.16	10.71	9.86
		5	5.00	4.58	4.72	100.00 $\pm$ 2.82	91.62 $\pm$ 2.92	94.47 $\pm$ 4.51	2.82	3.18	4.78	5.13
		50	52.33	47.15	50.08	104.55 $\pm$ 5.98	94.37 $\pm$ 3.56	100.27 $\pm$ 3.84	5.72	3.78	3.83	6.12
	PMZSO	0.1	0.10	0.10	0.099	102.95 $\pm$ 7.21	103.47 $\pm$ 8.33	99.22 $\pm$ 10.31	7.00	8.06	10.39	8.26
		5	4.64	5.31	5.17	92.82 $\pm$ 1.97	106.33 $\pm$ 3.20	103.28 $\pm$ 7.97	2.12	3.01	7.72	7.62
		50	43.12	45.23	43.95	86.25 $\pm$ 2.08	90.45 $\pm$ 2.99	87.88 $\pm$ 2.84	2.42	3.30	3.24	3.49
	NoriPMZ	0.5	0.52	0.45	0.47	103.70 $\pm$ 7.89	90.03 $\pm$ 7.53	94.33 $\pm$ 8.84	7.61	8.36	9.37	10.02
		5	4.75	4.81	5.04	95.00 $\pm$ 6.20	96.10 $\pm$ 3.50	100.73 $\pm$ 4.97	6.52	3.64	4.93	5.53
		50	45.92	55.58	53.70	91.85 $\pm$ 2.97	111.17 $\pm$ 3.66	107.43 $\pm$ 6.38	3.24	3.29	5.95	9.27
Liver	PMZ	0.1	0.10	0.10	0.097	101.02 $\pm$ 10.90	104.15 $\pm$ 7.39	96.72 $\pm$ 6.09	10.79	7.10	6.29	8.42
		5	5.37	5.13	4.35	107.17 $\pm$ 2.48	102.72 $\pm$ 8.20	87.08 $\pm$ 4.55	2.32	7.99	5.22	10.42
		50	44.37	45.42	44.53	88.75 $\pm$ 4.44	90.82 $\pm$ 5.07	89.10 $\pm$ 3.87	5.00	5.58	4.35	4.84
	PMZSO	0.1	0.098	0.10	0.098	97.52 $\pm$ 7.88	101.22 $\pm$ 5.12	97.88 $\pm$ 9.62	8.08	5.06	9.83	7.58
		5	4.58	5.01	4.54	91.52 $\pm$ 6.05	100.23 $\pm$ 3.94	90.72 $\pm$ 4.96	6.61	3.93	5.46	6.89
		50	50.02	48.23	52.20	100.02 $\pm$ 4.42	96.48 $\pm$ 5.13	104.33 $\pm$ 1.86	4.42	5.31	1.78	5.10
	NoriPMZ	0.5	0.49	0.48	0.47	97.48 $\pm$ 8.35	95.41 $\pm$ 6.61	94.17 $\pm$ 6.01	8.56	6.92	6.39	7.47
		5	4.57	4.76	4.93	91.28 $\pm$ 5.03	95.28 $\pm$ 8.94	98.50 $\pm$ 6.85	5.51	9.38	6.95	7.76
		50	47.32	49.33	50.40	94.63 $\pm$ 3.85	98.67 $\pm$ 4.29	100.88 $\pm$ 3.60	4.07	4.35	3.57	4.59
Kidney	PMZ	0.1	0.086	0.088	0.094	86.18 $\pm$ 4.29	88.05 $\pm$ 2.53	94.36 $\pm$ 7.33	4.98	2.87	7.76	6.70
		5	4.27	4.48	4.22	85.48 $\pm$ 5.05	89.63 $\pm$ 4.34	84.30 $\pm$ 3.63	5.91	4.84	4.30	5.45
		50	45.88	44.78	45.43	91.80 $\pm$ 2.77	89.60 $\pm$ 5.68	90.83 $\pm$ 1.68	3.02	6.34	1.84	4.02
	PMZSO	0.1	0.10	0.095	0.097	100.22 $\pm$ 10.67	94.52 $\pm$ 9.60	97.07 $\pm$ 6.56	10.16	10.65	6.76	9.14
		5	5.02	5.23	5.10	100.60 $\pm$ 4.31	104.53 $\pm$ 5.88	101.95 $\pm$ 3.11	4.29	5.63	3.05	4.55
		50	47.80	49.58	45.47	95.62 $\pm$ 1.70	99.17 $\pm$ 4.00	90.90 $\pm$ 2.19	1.77	4.03	2.04	4.58
	NoriPMZ	0.5	0.47	0.48	0.50	93.75 $\pm$ 6.36	95.92 $\pm$ 11.94	99.15 $\pm$ 5.35	6.79	12.45	5.39	8.62
		5	5.12	4.93	5.22	102.42 $\pm$ 7.24	97.40 $\pm$ 10.32	104.30 $\pm$ 6.13	7.07	10.59	5.88	7.86
		50	52.18	47.95	49.70	104.22 $\pm$ 5.79	95.92 $\pm$ 6.93	99.32 $\pm$ 2.69	5.56	7.23	2.71	6.32

		0.1	0.097	0.10	0.096	96.87±7.32	100.37±7.60	96.13±9.16	7.55	7.57	9.53	7.63
	PMZ	5	4.88	5.03	5.20	97.62±3.58	100.50±3.12	104.05±3.30	3.67	3.10	3.17	4.12
		50	52.35	48.83	50.33	104.55±6.95	97.63±5.47	100.53±5.67	6.65	5.60	5.64	6.40
Fat		0.1	0.094	0.10	0.095	94.02±6.79	100.55±10.52	94.73±8.52	7.22	10.46	9.00	9.07
	PMZSO	5	4.23	4.43	4.90	84.65±3.88	88.66±3.74	97.85±5.20	4.59	4.22	5.32	7.73
		50	46.30	45.48	46.40	92.56±3.32	90.93±4.65	92.82±3.00	3.59	5.11	3.23	4.79
		0.1	0.10	0.096	0.10	100.47±9.91	96.07±8.68	101.38±11.00	9.86	9.04	10.85	9.68
	NonPMZ	5	5.00	5.22	5.26	100.13±6.51	104.17±7.68	105.38±5.49	6.50	7.37	5.21	6.37
		50	49.38	47.88	43.43	98.73±4.93	92.25±7.07	86.88±6.87	4.99	7.66	7.90	7.53