

Supporting information for

**A Robust Homogeneous Fluorescence Polarization Immunoassay for  
Rapid Determination of Erythromycin in Milk**

Changfei Duan<sup>1</sup>, Huiyan Zhang<sup>1</sup>, Yingjie Zhang<sup>1</sup>, Qiang Li<sup>1</sup>, Peipei Li<sup>1</sup>, Ghulam  
Mujtaba Mari<sup>2</sup>, Sergei A. Eremin<sup>3</sup>, Jianzhong Shen<sup>1</sup>, Zhanhui Wang<sup>1\*</sup>

<sup>1</sup> National Key Laboratory of Veterinary Public Health Security, Beijing Key  
Laboratory of Detection Technology for Animal-Derived Food, College of Veterinary  
Medicine, China Agricultural University, 100193 Beijing, People's Republic of China

<sup>2</sup> Department of Veterinary Pharmacology and Toxicology, Faculty of Bio-Sciences,  
Shaheed Benazir Bhutto University of Veterinary and Animal Sciences, Sakrand, 67210.  
Pakistan


<sup>3</sup> Department of Chemistry, M.V. Lomonosov Moscow State University, 119991  
Moscow, Russia

*\*Corresponding author: Zhanhui Wang*


*Tel: +86-10-6273 4565*

*Fax: +86-10-6273 1032*


*E-mail: wangzhanhui@cau.edu.cn*




**Figure S1** The TLC purification of tracers.



**Figure S2** Mass spectra of the ERY-CMO-4'-AMF(A), ERM-FITC (B) and ERM-SRSC (C).










**Figure S3** Binding curves for three antibodies with the ERY-CMO-4'-AMF (A), ERM-FITC (B), ERM-AF647 (C) and ERM- SRSC (D), respectively.






**Figure S4** Standard curves for three antibodies with ERY-CMO-4'-AMF (A), ERM-FITC (B), ERM-SRSC (C) and ERM-AF647 (D).

**Table S1.** The IC<sub>50</sub> values and CRs of FPIA.

Type	Name	Structures	IC <sub>50</sub> (ng/mL)	CRs (%)
14-membered macrolides	ERY		7.39	100.0
	DIR		4.71	156.9
	ROX		8.05	91.8
	ERE		16.91	43.7
	CLA		27.67	26.7

16-membered macrolides	ERM		16.79	44.0
	OLE		—	< 0.1
	KIT		—	< 0.1
	JOS		—	< 0.1
	IVM		—	< 0.1
	AVE		—	< 0.1
	TYL		—	< 0.1

	SPI		—	< 0.1
pleuromutilin	VAL		—	< 0.1
	TAM tiamulin		—	< 0.1

**Table S2.** The parameters of standard curves in BB, BB with skimmed milk powder, and milk matrix, respectively.

Standard curve	$\delta\text{mP}$ (mP)	$\text{IC}_{50}$ (ng/mL)	$\text{IC}_{10}$ (ng/mL)	$\text{IC}_{20}-\text{IC}_{80}$ (ng/mL)	$R^2$
Milk matrix	47.0	4.95	1.2	2.02-12.14	0.9971
BB with skimmed milk powder	55.8	5.66	1.05	1.95-16.39	0.9931
BB	74.2	7.39	0.83	1.85-29.47	0.9969

**Table S3.** Summary of typically reported immunoassays for the determination of ERY.

Methods	Samples	LOD/LOQ ( $\mu\text{g/L}$ or $\mu\text{g/kg}$ )	Assay Time (from added samples)	Reference
ciELISA	milk	0.3	2h 30 min	[28]
ciELISA	milk	0.03	2h 40 min	[36]
IGCA	milk	5	10 min	[37]
MISPE-HPLC-ELSD	milk	10	15 min	[13]
HPLC	milk	25	15 min	[1]
MISPE-LC-MS/MS	muscle	1.0	15 min	[12]
LC-MS/MS	muscle	5	20 min	[38]
FPIA	milk	14.08	<b>5 min</b>	<b>This study</b>

ciELISA: competitive indirect enzyme-linked immunosorbent assay

IGCA: immunogold chromatographic assay

MSPE-HPLC-ELSD: molecularly imprinted polymers solid phase extraction combining with High Performance Liquid Chromatography-Evaporation Light Scattering Detection

HPLC: High Performance Liquid Chromatography

MISPE-LC-MS/MS: Molecularly imprinted polymer solid phase extraction combining with LC-MS/MS

LC-MS/MS: liquid chromatography–tandem mass spectrometry