



Supplement Figure S1. Quantitative polymerase chain reaction (qPCR) analysis of 14 ABC transporter genes in procymidone-resistant mutants with *BcEF* being a reference gene. CK: non-treated; Pro: procymidone added; M: azoxystrobin added; '****' indicates p value < 0.0001 ; '***' indicates p value < 0.001 ; '**' indicates p value < 0.001 .

Supplement Table S1. Primers used for sequence analysis.

Genes	Sequences
<i>BcBos1</i>	F: ACATCACAAATGTCGACATGGCAGCCATTGAGCCTG R: CCTTGCCTTCTAGATTCAAGCCCCCTGGTCTTC
<i>SdhA</i>	F: ATTTCTACACAATGTCTCATTTGC R: ATCATACTAATCCGCTCC
<i>SdhB</i>	F: ACCTACTGCCCTATCCAAT R: AGACTTAGCAATAACCGCCC
<i>SdhC</i>	F: GCCAGATTCCCTAGTCAG R: GCTGGACTCTGAATGTGAT
<i>SdhD</i>	F: AGCCAATCAAATCCGTTCCG R: CAAACTCCTCCCTGCCCTCT
<i>Cytb</i>	F: TAAAGTGGTATAACCCGACGG R: CCATCTCCATCCACCATAACCT
<i>Mrr1</i>	F: CCAATCATTCCAATCATTCA R: GGATAGGGTATTGCGTAGATCG

F: forward primer. R: reverse primer.