Control, non-infected rye plants

Rye plants infected by *M. nivale* strain 1 (20 dpi)

Rye plants infected by *M. nivale* strain 2 (20 dpi)

Rye plants infected by *M. nivale* strain 3 (20 dpi)

Rye plants infected by *M. nivale* strain 4 (20 dpi)

Rye plants infected by *M. nivale* strain 5 (20 dpi)

Rye plants infected by *M. nivale* strain 6 (20 dpi)

Rye plants infected by *M. nivale* strain 7 (20 dpi)

Rye plants infected by *M. nivale* strain 8 (20 dpi)

Rye plants infected by *M. nivale* strain 9 (20 dpi)

Rye plants infected by *M. nivale* strain 10 (20 dpi)

Rye plants infected by *M. nivale* strain 11 (20 dpi)

Rye plants infected by *M. nivale* strain 12 (20 dpi)

Rye plants infected by *M. nivale* strain13 (20 dpi)

Rye plants infected by *M. nivale* strain 14 (20 dpi)

Rye plants infected by *M. nivale* strain 15 (20 dpi)

Rye plants infected by *M. nivale* strain 16 (20 dpi)

Rye plants infected by *M. nivale* strain 17 (20 dpi)

Rye plants infected by *M. nivale* strain 18 (20 dpi)

Rye plants infected by *M. nivale* strain 19 (20 dpi)

Rye plants infected by *M. nivale* strain 20 (20 dpi)

Rye plants infected by *M. nivale* strain 21 (20 dpi)