

Review

Reviews on Chinese Patents Regarding the Nickel/Metal Hydride Battery

Kwo-Hsiung Young ^{1,2,*} , Xiaojuan Cai ^{3,4} and Shiuan Chang ^{2,5}

¹ Department of Chemical Engineering and Materials Science, Wayne State University, Detroit, MI 48202, USA

² BASF/Battery Materials-Ovonix, 2983 Waterview Drive, Rochester Hills, MI 48309, USA; shiuan@wayne.edu

³ College of Chemistry and Chemical Engineering, Zhengzhou University of Light Industry, No.5 Dongfeng Road, Zhengzhou 450002, Henan, China; amigo.cai@highpowertech.com

⁴ Shenzhen HighPower Technology, Building 1, 68 Xinxia Road, Pinghu Town, Longgang District, Shenzhen 518111, Guangdong, China

⁵ Department of Mechanical Engineering, Wayne State University, Detroit, MI 48202, USA

* Correspondence: kwo.young@basf.com; Tel.: +1-248-293-7000

Academic Editor: Catia Arbizzani

Received: 26 May 2017; Accepted: 14 July 2017; Published: 20 August 2017

Abstract: Both the patents issued and applications filed in China regarding nickel/metal hydride (Ni/MH) battery technology are reviewed in the article. Selective works from 39 battery manufactures, 9 metal hydride alloy suppliers, 13 Ni(OH)₂ suppliers, 20 hardware suppliers, 19 system integrators, universities, and 12 research institutes are included. China being the country that produces the most Ni/MH batteries is relatively weak in the innovation part of intellectual properties when compared to the US and Japan. However, it produces very many patents in the areas of cell structure optimization and production processes. Designs of high-capacity, high-power, and low-cost cells are compared from different manufacturers.

Keywords: nickel metal hydride battery; Chinese Patent; metal hydride alloy; nickel hydroxide; Chinese battery manufacturer

1. Introduction

The nickel/metal hydride (Ni/MH) battery is an important technology for consumer portable electronics, stationary, and transportation applications [1–3]. Even with the strong competition from the rival Li-ion battery [4–7], Ni/MH still finds its niche market in replacing nickel-cadmium (NiCd) and primary batteries [8–10]. China has been the country that has produced the most (>70%) of the consumer-type Ni/MH batteries for the world since the turn of the century. China has also started to produce Ni/MH batteries for hybrid electrical vehicles produced domestically [11]. While the main mission for the Chinese companies is to make a profit from selling products, many of them have devoted resources to the research and development of Ni/MH batteries—from raw materials, components, the cell, the battery pack, to various applications. Since the intellectual properties belonging to foreign companies have already been reviewed in two prior publications [12,13], only those filed by domestic companies are covered in this article. Three different types of patents are allowed in China: invention patent, utility model, and proactive. In this review, we focus mainly on the invention part unless the content is unique and important. The discussions are classified by the functions of those companies owning the patent right from the battery manufacture, metal hydride (MH) alloy producer, Ni(OH)₂ producer, other hardware producer, and system integrator. The relationship between these companies is illustrated in Figure 1. These Chinese issued patents and patent applications can be found online with the English translation of the abstract on the official

site of the State Intellectual Property Office of the People's Republic of China (SIPO) [14]. The full patent application in Chinese can be accessed from the website of the patent search engine—SooPAT as well [15]. The patent application number starts with the year of application, for example 200510087099. The issued patent has a shorter number such as 01242474.




Figure 1. Schematic diagram showing the supply chain for the nickel/metal hydride (Ni/MH) battery industry.

2. Nickel/Metal Hydride (Ni/MH) Battery Manufacturer

In 2012, 74% of the consumer type Ni/MH batteries were produced in China [16]. More than half of them were from the top four manufacturers: Gold Peak (GP, Hong Kong, China), Shenzhen HighPower (SZHP, Shenzhen, Guangdong, China), Corun (Changsha, Hunan, China), and Suppo (Anshan, Liaoning, China) (Figure 2). Brief introductions of the Chinese domestic Ni/MH battery manufacturers are listed in Table 1 and their main inventions in the area of Ni/MH batteries are reviewed in the next few sections. They are mainly located in Guangdong province, especially in the Shenzhen Special District, which just borders Hong Kong (Figure 3). The details of the Ni/MH battery fabrication process were discussed before [12] and a summary flow chart is illustrated in Figure 4.




Figure 2. Market share of Chinese domestic Ni/MH battery manufacturer in 2012 [16].

Table 1. Brief introduction of the Chinese Ni/MH battery manufacturers included in this review.

Company Name	Established Date	Headquarter	Main Products	Trademark
Gold Peak 金山/超霸	1964	New Territory, Hong Kong	Ni/MH, Li-ion, primary	
HighPower 豪鹏	2001	Shenzhen, Guangdong	Ni/MH, Li-ion	
Corun 科力远	1998	Changsha, Hunan	Ni/MH	
Suppo 三普	1996	Anshan, Liaoning	Ni/MH	

Table 1. Cont.

Company Name	Established Date	Headquarter	Main Products	Trademark
BYD 比亚迪	1995	Shenzhen, Guangdong	Car, Li-ion, Ni/MH	
Kan 凯恩	1993	Suichang, Zhejiang	Ni/MH	
Lexel 力可兴	1997	Shenzhen, Guangdong	Ni/MH	
McNair 迈科	2000	Dongguan, Guangdong	Li-ion, Ni/MH	
BetterPower 倍特力	2002	Shenzhen, Guangdong	Ni/MH, Li-ion	
EPT 量能	2001	Shenzhen, Guangdong	Ni/MH	
Grepow 格瑞普	1998	Shenzhen, Guangdong	Ni/MH, Li-PO	
JJJ 三捷	1989	Jiangmen, Guangdong	Ni/MH, NiCd	
Great Power 鹏辉	2001	Guangzhou, Guangdong	Ni/MH, Li-ion, Li-PO	
Wewin 能一郎	2003	Shenzhen, Guangdong	Li-PO, Ni/MH, Li-ion	
TMK 三俊/大别山	2002	Shenzhen, Guangdong	Ni/MH	
Baosheng 宝生	2006	Chengdu, Sichuan	Ni/MH	
Huangyu 环宇	1982	Xinxiang, Henan	Li-ion	
Fengbiao 浔标/朗泰通	1999	Shenzhen, Guangdong	Ni/MH	
Tianneng 天能	1986	Changxin, Zhejiang	Li-ion, Ni/MH	
Wankaifeng 万凯丰	2010	Mianning, Sichuan	Ni/MH, metal hydride powder	
REO 稀奥科	2001	Baotou, Inner Mongolia	Ni/MH	
BST Power 电科电源	2002	Shenzhen, Guangdong	Ni/MH, NiCd, Li-ion	

Table 1. Cont.


Company Name	Established Date	Headquarter	Main Products	Trademark
Zhengda 淄博正大	2009	Zebo, Shandong	Ni/MH	
CENS 赛恩斯	1999	Suzhou, Jiangsu	Ni/MH, NiCd	
Jintion 劲鑫	2002	Quanzhou, Fujian	Ni/MH, NiCd	
Jinhui 金辉	2003	Dongguan, Guangdong	Ni/MH, Li-ion, Li-PO	
Troily 创力	1999	Xinxiang, Henan	NiFe, Ni/MH, NiZn	
Innovation 亿诺	2011	Liuan, Anhui	Ni/MH, Li-PO	
Cel 赛尔	1996	Huaian, Jiangsu	Ni/MH, Li-PO, Li-ion	
Bofuneng 博富能	2003	Shenzhen, Guangdong	Ni/MH, Li-ion, Li-PO	
Ryder 瑞鼎	2005	Shenzhen, Guangdong	Ni/MH, NiCd, charger	
DFEI 德飞	2011	Dali, Shanxi	Ni/MH, Li-ion	
Wintonic 云通	1998	Guangzhou, Guangdong	Ni/MH, Li-ion	
Oceansun 海太阳	2002	Shenzhen, Guangdong	Li-PO, Ni/MH	
Shida 实达	1996	Foshan, Guangzhou	Li-PO, Ni/MH	
Sanik 新力	1995	Foshan, Guangzhou	Ni/MH	
PeaceBay 和平海湾	1996	Tianjin, Tianjin	Ni/MH	
Unitech 联科	2002	Shenzhen, Guangdong	Ni/MH, NiCd, Li-ion	
Taiyi 太一	1996	Zhuhai, Guangdong	Ni/MH	



Figure 3. Locations of domestic Chinese Ni/MH battery manufacturers.




Figure 4. A flow chart showing the Ni/MH battery fabrication processes of a typical manufacturer.

2.1. Gold Peak (GP)

GP obtained two Chinese Patents on the different thicknesses of active material applied on the negative electrode (thicker on the current collector side) to improve the utilization [17] and design of an auto-winding machine [18]. GP also applied patents on a rupture mechanism ensuring a good gas release path when venting occurs [19] (Figure 5), with two separators with different lengths to prevent electrical shortage [20], and a negative electrode with one side scratched to increase the current connectivity to the cell can [21].




Figure 5. Schematic diagram of a new venting cap design with 10: battery, 138: vent cap, 162: conductive lead, 112: groove, 110: cell can, 122: positive electrode, 124: negative electrode, and 120: electrode assembly [19].

2.2. Shenzhen HighPower

SZHP filed 65 Chinese Patent Applications and was granted 63. In the positive electrode area, a Ni-plated perforated steel (NPPS) as the substrate [22], and a γ -CoOOH coating to extend the cycle life and tolerate overcharge [23] were disclosed. In the negative electrode area, a Ni-coated carbon nanotube as active material [24], a low Pr and Nd AB₅ MH alloy [25], and a hydroxypropyl methylcellulose coating to reduce corrosion [26] were shown. In the electrolyte area, a soluble bromide was added to extend the storage period [27]. In the cell assembly, a multi-cell parallel-connected configuration [28], a multi-venting hole cap design [29], a positive electrode current collector [30], a tap design to self-melt during cell short-circuit [31], a safety short-circuit conduit to prevent explosion [32], a serviceable (electrolyte refilling) cell design [33], an ultra-thin design [34] and a double current-collector design to reduce the cost and production complexity [35] (Figure 6) were introduced. In the fabrication methods, a wet pasting machine [36], a centrifugal electrolyte filling station [37], a capacity sorting machine [38], a tap spot-welding machine [39], and a battery performance testing machine [40] were proposed.




Figure 6. Schematic diagram of a low-cost current collector design with 1: positive terminal, 2: Ni tap, 3: cell assembly, 4: negative electrode bottom plate, 5: Ni tap, 6: negative terminal, and 7: plastic case [35].

2.3. Corun

Corun filed 42 Chinese Patent Application in the area of Ni/MH battery and 18 of them were granted. In the positive electrode area, an extended area covered with a metal wire outside the active material [41], Ca, Y, Co additives [42], and a phosphate [43] and a fluoride [44] coating for high-temperature application were disclosed. In the negative electrode area, a new design of two single-sided electrodes [45] and an electrode composed of single- and double-side coated segments [46] were advocated. In the electrolyte, a tungstate additive for high-temperature charge acceptance [47] was invented. In the cell assembly area, a Ni-plate placed at the bottom of the cell as the negative electrode current collector with a Ni- or Cu-foam in between to increase the high-power capability [48,49], and new type of venting cap designs [50,51] were displayed. A new type of high heat-dissipation battery was proposed with a central conducting rod [52,53] (Figure 7). The production line inventions include an electrode sorting and classification system [54], a battery activation and sorting system [55], an automatic venting cap production machine [56], an automatic electrolyte filling station [57], and a new type of formation process [58].




Figure 7. (a) A cross-section, (b) a side-view of a high heat-dissipation cell design, and (c) a real photograph with 1: electrode assembly, 2: central rod, 3: positive electrode terminal, 4: negative electrode terminal, 5: case, 6: insulator plastic cover, 7: spring, 8: safe valve base, 9: screw, 10: vent cap, 11: rubber ball, 12: rubber washer, 13: safety valve, 14: groove, and 15: clamp seal [53].

2.4. Suppo

Suppo filed 10 Chinese Patent Applications and was granted six of them. Suppo patented a liquid phase oxidation method to produce a pre-charged NiOOH positive electrode [59], a perforated Cu-substrate for negative electrode [60], a long-life over-stoichiometric AB_x ($5.05 \leq x \leq 5.5$) MH alloy [61], and a design of a low self-discharge battery [62] (Figure 8).




Figure 8. A cross-section view of a low self-discharge cell with an extra spacer at the end of electrode and 1: negative electrode, 2: separator, 3: positive electrode, 4: spacer, and 5: spacer [62].

2.5. BYD

BYD (Shenzhen, Guangdong, China) filed the largest number of Patent Applications in China regarding the Ni/MH battery with 108 applications filed and 84 of them granted. In the positive electrode area, a LiOH solution sprayed Co-coated $\text{Ni}(\text{OH})_2$ [63], a Ti-additive to improve the high-temperature charging efficiency [64], a metallic V, Ti, Mo, Mn, Nb, Hf, Zr, Y, or Ta powder additive to improve the capacity and self-discharge performance [65], a poly-oxyalkylene and/or polyhydric alcohol to improve the uniformity in capacity and cycle stability [66], an Al_2O_3 , $\text{Al}(\text{OH})_3$ or Al-containing salt additives [67], a CoOOH coating [68], a CoO mixture [69] and a depolarizer [70] to increase the charging efficiency and cycle life, and a second coating besides the Co oxides containing the oxide (hydroxide) of Mg, Ba, Zn, Ca, Ti, Al, Ta, Mn, Y, Cr, Cd, Sr, and La-family rare earth element [71] were suggested. In the negative electrode area, surface treatment of NaBH_4 [72], NaH_2PO_2 [73], Ni-ion containing solution [74], surface activation by ball milling with alkaline solution [75], Ni or other noble metal [76] coatings, $\text{CoO}/\text{Co}_3\text{O}_4$ composite additives [77], Y-Ni (or Co) alloy additive to improve the cycle life [78], Cu- [79], Ni- [80], and carbon [81] fine particles coated on the NPPS substrate, addition of Y-containing compounds [82] and tetrapropyl orthosilicate [83], and a metallic thin film on the surface to promote the oxygen recombination during over-charge [84] were proposed. A porous oxide from Ni, Y, Mn, Co, W, Fr, Pb, or Mo was advocated as additives to both positive and negative electrodes to improve the low-temperature performance [85]. In the separator area, a new type of high-temperature (up to 400 °C) material [86] and a new hydrophilic polymer filling [87] were introduced. In the electrolyte area, both an S-containing soluble additive introduced to solve the short-circuit and leakage problems [88] and a gel-type electrolyte for preventing freeze in low-temperature [89] were disclosed. In the cell assembly area, an elongated seal ring [90–92] (Figure 9), a new design of vent cap [93], a venting hole with an oval shape [94], and a multi-layer current collector made of Ni, Cu, stainless steel, Cu and Ni layers [95] were presented. In the alloy design, BYD patterned a NdMgNiAl alloy with a stoichiometry between 3.2 and 3.9 [96], a dual-phase AB_5 -based alloy containing a Ti (Zr)-Ni secondary phase [97], a LaNiCuFeCoMnAl alloy containing at least two alkaline earth metals [98], and a RENiCuFeMnSn alloy where RE (rare earth) contains 40–85 wt% La [99] were revealed.




Figure 9. A schematic diagram of a cell with an elongated seal ring and 1: cell wall, 2: sealing ring, 3: vent cap, 4: separator, 5: positive electrode, 6: negative electrode, and 7: tap [91].

2.6. Kan

Kan (Suichang, Zhejiang, China) filed 16 Chinese Patent Applications related to the Ni/MH battery and obtained 13 of them. A MH alloy particle distribution of $D_{10} \geq 3 \mu\text{m}$, $D_{50} \leq 80 \mu\text{m}$, and $D_{90} \leq 130 \mu\text{m}$ was claimed to have good high-power capability [100]. An insulator layer was coated on the positive electrode to prevent short-circuit from burr [101]. In the cell assembly, a high-power battery design was repetitively shown in several applications [102–105] (Figure 10). In the fabrication area, an electromagnetic-coupled winder [106], a device for shunting negative electrode [107], an electrode collecting apparatus [108], a connection apparatus to reduce the stress in the automatic spot-welder [109], and an automatic venting cap pressing machine [110] were patented.




Figure 10. A schematic diagram of a high-power cell design with 1: can, 2: positive electrode, 3: separator, 4: negative electrode, and 5: tap having more than 4 welding spots to the positive electrode [100].

2.7. Lexel

Lexel (Shenzhen, Guangdong, China) filed 13 Chinese Patent applications and received 10 of them as granted. Lexel proposed a composite additive (2% ErO_2 , 2% TiO_2 , 1% Ca(OH)_2) to the positive electrode to increase the energy conversion efficiency during trickle charge [111]. Lexel also advocated the use of oxide or hydroxide of Ti, Y, Er, Tm, Yb, Rf, Ca, or Ba to improve the self-discharge characteristic [112]. In the production facilities, Lexel patented a cell impedance measuring apparatus [113], a cell thermo-resistivity measuring apparatus [114], a cell cleaning machine [115], and a scraping mechanism to remove extra MH powder [116]. In the cell design area, Lexel patented a low-temperature cell [117], a low-cost battery [118], and a high-capacity battery [119] (Figure 11).




Figure 11. Schematic diagram of a low-cost battery design with 1: rubber, 2: vent cap, 3: plastic gasket, 4: positive electrode, 5: separator, 6: negative electrode, 7: positive terminal, 8: steel can, and 9: space filler [119].

2.8. McNair

McNair (Dongguan, Guangdong, China) disclosed Er, U, and Yb oxides or hydroxides additives in the positive electrode and boron compound in the electrolyte to improve the high-temperature charging efficiency [120], a positive electrode containing 3.7%–4.3% Zn, 1.3%–1.7% Co-co-precipitated $\text{Ni}(\text{OH})_2$ with 6% CoO and 1%–10% metallic Ni for a fast charging battery [121], and an additive composed of oxide, hydroxide, fluoride, sulfide, and chloride of Ca, Mn, Er, Y, Yb, and B in the positive electrode with a negative electrode made from superlattice MH for the low self-discharge battery [122].

2.9. BetterPower

There are totally 65 Chinese Patent Applications filed by BetterPower (Shenzhen, Guangdong, China) and 52 got granted. In the positive electrode preparation, an addition of Ca into the paste [123], a vacuum-suction cleaning of the tab area [124], and a Sn-coating Ni-foam [125] were proposed. In the negative electrode preparation, an alkaline pre-activation [126] and an extra current collector layer on the electrode surface [127] were disclosed. In the cell assembly, new materials for the sealing ring [128] and rubber stopper [129], an Al-Cu alloy solder [130], a multi-layer separator [131], a graphite, Ni powder, acetylene black coating inside the wall of the can [132], a varying can wall thickness [133], an open-cell activation method [134], soft oval-shape [135] and cylindrical [136] pouch cells, an automatic powder cleaning station [137], and an automatic folding station [138] were included. A product design of a 9 V battery pack from BetterPower was also granted [139].

2.10. EPT

EPT (Shenzhen, Guangdong, China) filed 52 Chinese Patent Applications on the Ni/MH battery and received 37 of them granted, which cover a fabrication method of a high-capacity cell by adopting electrodes with varying thicknesses [140], a battery with AB_3 MH alloy and pre-oxidized $\text{Ni}(\text{OH})_2$ which does not require activation [141], a positive electrode fabrication method using ultrasound atomization [142], a negative electrode containing styrene-butadiene rubber (SBR) or polytetrafluoroethylene (PTFE) as binder [143], a high-power design with additional negative electrode current collector made of Ni-foam [144], and new designs of vent cap [145], sealing ring [146], and current collector [147].

2.11. Grepow

Grepow (Shenzhen, Guangdong, China) filed 21 Chinese Patent Applications and had 10 granted. In the negative electrode area, a Ni-rich (>65%) surface layer prepared by electrodeless plating was

introduced to improve the low-temperature/high-rate performance [148]. Fabrication methods for a low-capacity battery [149], a high-power battery [150] (Figure 12), a wide temperature range battery [151], and a low-impedance battery [152] were also disclosed by Grepow. A combination of battery and heating device was proposed to overcome the low-temperature hurdle of the Ni/MH battery [153,154]. Grepow advocated removing the extra active material in the negative electrode area contacting the can [155] and the related fabrication apparatus [156].




Figure 12. Schematic diagram of a high-power cell with 1: vent cap, 2: cell case, 3: current collector plate, 4: negative electrode plate, 5: electrode assembly, 6: positive electrode plate, 7: separator, 8: spot welding, 9: negative electrode, 10: positive electrode, 11: wound negative electrode, and 12: metallic foam [150].

2.12. JJJ

JJJ (Jiangmen, Guangdong, China) filed nine Chinese Patent Applications and seven of them were accepted. JJJ's inventions include a basic cylindrical cell design [157] (Figure 13), an electrolyte filling apparatus [158], an automatic cell sealing machine [159], a sealing ring coating apparatus [160], a negative electrode waste recycling method [161], a new type of vent cap [162], a low-capacity D-cell design [163], and a current collector design for a high-power battery [164].




Figure 13. Schematic diagram of a basic structure of a cell with 1: Ni/MH battery, 2: negative electrode, 3: negative substrate, 4: can, 5: positive electrode, 6: separator, 7: vent cap, and 8: positive substrate [147].

2.13. Great Power

Great Power (Guangzhou, Guangdong, China) filed six Chinese Patent Applications and three were allowed. Their inventions include a positive electrode containing CoO, Co, Ni, acetylene black, TiO₂, Y₂O₃, PTFE, and carboxymethyl cellulose [165], a positive electrode substrate using steel web and superfine graphite powder [166], a new type of vent cap [167], and a tri-layer design of negative electrode with a metal plate in between [168].

2.14. Wewin

Only one Chinese Patent Application was filed by Wewin (Xianning, Hubei, China) and is about negative active material using a low-Co AB₅/MgNi composite MH [169].

2.15. Other Battery Manufacturers

Besides the 14 main Chinese Ni/MH manufacturers reported above, there are other smaller companies in China also contributing to the Chinese Patents for the Ni/MH battery and their inventions are summarized in this section. Some of them may be already out of business but their Patent Applications are still reviewed here. Among them, TMK (Shenzhen, China) filed 14 Chinese Patent Applications and received half of them granted. TMK introduced a Ni/MH battery pack with an inspection function [170,171] and a self-balance circuitry [172], a charger preventing overcharge [173], a battery with a good heat dissipation capability [174,175], a control circuitry to prevent over-discharge [176], a low-cost cylindrical cell [177], and a prismatic battery for electrical vehicles (EV) [178]. In the component area, TMK disclosed a new negative electrode current collector [179], a new type vent cap [180], a high-power current collector [181], and a Cu and Ni-coated stainless steel substrate for the negative electrode [182]. In the production facilities, TMK also invented a fixed position electrode holding apparatus [183], a centrifugal electrode dryer [184], and a heated electrolyte filling station [185].

Baosheng (Chengdu, Sichuan, China) applied for 11 Chinese Patents which covered the topics of a high-Fe (3–26 at%) AB₅ MH alloy [186], a Ni/MH battery module for an electrical bus [187], a high-temperature Ni/MH battery with W-containing electrolyte and Ti and Y-added positive electrodes [188], and a high-power Ni/MH battery [189] (Figure 14).




Figure 14. Schematic diagram of a high-power cell with 1: can, 2: electrode assembly, 3: positive electrode, 4: negative electrode, 5: positive current collector, 6: negative current collector, 7: vent cap, and 8: sealing ring [189].

Huanyu (Xinxiang, Henan, China) disclosed an antioxidant made from boric acid [190], a tri-layer separator [191], a Cu-foam [192], a Fe-foam [193], and a Ni-plated expanded-steel [194] (Figure 15) substrates for the negative electrode, and a gas atomization fabrication method of MH powder [195] in their Chinese Patent Applications.




Figure 15. Schematic diagram of a special current collector design with 1: tap, 2: substrate, 3: metal hydride powder, 7: can, 8: negative electrode, 9: positive electrode, and 10: separator [194].

Fengbiao (Shenzhen, Guangdong, China) applied a Chinese Patent mainly in the area of the high-power Ni/MH battery [196–201]. They also proposed a single prismatic cell [202], a multi-prismatic battery pack [203], a low-cost/low-capacity battery [204], a large-capacity battery [205], a wide temperature range battery [206,207] (Figure 16), and a negative electrode recycling apparatus [208] in their additional applications.




Figure 16. Schematic diagram of a wide temperature range cell with 1: can, 2: Ni-foam mat, 3: electrode assembly, 4: Cu-web with spikes, 5: positive current collector, and 6: vent cap FB [206].

Tianneng (Changxing, Zhejiang, China) invented a bi-polar prismatic Ni/MH battery [209] (Figure 17), a high-power prismatic module [210], a positive electrode fabrication method placing a PTFE layer between the active material and the foam substrate [211], a Y_2O_3 -containing low-temperature battery [212], and a Na_3WO_4 containing high-temperature battery [213]. Wangkaifeng (Mianning, Sichuan, China) also owns Chinese Patents about prismatic Ni/MH batteries [214–216] (Figure 18).

Rare-earth ovonic (REO) Ni/MH Power Battery (Baotou, Inner Mongolia, China) filed Chinese Patents on HEV-used battery modules [217] and connectors [218], an EV-used battery module [219], an activation process [220], a short-circuit inspection apparatus [221], a paste mixing apparatus [222], a pasting machine [223,224], an electrode softener apparatus [225], an electrode pressing unit [226], an electrode delivery mechanism [227], a positive current collector ultrasound spot-welder [228], a new type of a sealing ring design [229,230], and an interconnecting mechanism in a battery module [231].




Figure 17. Schematic diagram of a bipolar/prismatic cell with 1: resin case, 2: positive electrode, 3: negative electrode, 4: separator, 5: positive terminal, 6: negative terminal, 7: screw, 8: washer, 9: positive current collector, 10: sealing plate, 11: liquid conduit slot, 12: safety venting valve, and 13: bare substrate [209].




Figure 18. (a) A schematic diagram and (b) a cross-section view of a prismatic cell with 1: current collector and 2: tab [215].

BST Power (Shenzhen, Guangzhou, China) filed 16 Chinese Patent Applications and had six granted, which cover the areas of: a high-power battery [232], a wide-temperature range battery [233], a high-temperature overcharge-resistant battery [234], a high-temperature and long life battery [235], a low-capacity battery [236], a flat supporting mechanism for transferring a battery during assembly [237], a method to raise the venting pressure of the safety valve [238], an anti-electrolyte spitting design of the cell [239], a gel-type electrode [240], a new tap design to increase the current collection capability [241], a fast electrolyte-filling station [242], and a powder removal apparatus in the positive electrode softening machine [243].

Zhengda (Zibo, Shandong, China) disclosed a high-power Ni/MH battery with a carbon nanotube coated negative electrode and a Co/Y/Ce hydroxide coated positive electrode [244] (Figure 19), a high-capacity cell design [245] (Figure 20), a constant power charger [246], a prismatic cell design [247–249], and a battery sealing mechanism [250,251] in their Chinese Patent applications.




Figure 19. Schematic diagram of a high-power cell with 1: vent cap, 2: can, 3: positive electrode coated with co-precipitated hydroxide of Co, Y, and Ce, 4: negative electrode coated with carbon nanotube, 5: negative current collector, 6: positive current collector, and 7: separator [244].




Figure 20. Schematic diagram of a high-capacity cell with 1: positive electrode (three layers), 2: negative electrode (three layers), 3: separator, 4: PTFE anti-corrosion film, and 5: can [245].

Suzhou CENS (Suzhou, Jiangsu, China) filed Chinese Patent Applications on the following subjects: a low-capacity/high-power Ni/MH battery [252], a high-power Ni/MH battery [253], a battery pack connection [254] with a temperature modulation unit [255], a water cooling mechanism [256], and a safe charging device [257].

Jintion (Quanzhou, Fujian, China) owns Chinese Patents in the areas of a high-capacity/high-power [258], high-power [259,260] (Figure 21), low-capacity [261], γ -CoOOH coated high-temperature [262], and β -CoOOH coated long storage [263] Ni/MH batteries, a Y_2O_3 added positive electrode [264], and a new welding design between tap and Ni-foam [265]. It also applied Chinese Patents in these areas as well: a high-power positive electrode with nano-size conductive additives [266], a composite separator for low self-discharge and high-rate applications [267], an electroplating S-containing coating on the negative electrode [268], a high-temperature battery with W-containing additives in the positive electrode [269], a nylon/grid/polypropylene (PP) tri-layer separator [270], and a fast-charge/high-power battery [271].




Figure 21. Schematic diagram of a high-capacity/high-power cell with 1: can, 2: current collector, 3: vent cap, 4: positive electrode, 5: negative electrode, 6: separator, 7: Ni-foam, and 41: Ni-foam [260].

Jinhui (Dongguan, Guangdong, China) owns Chinese Patents in the areas of new type button cells [272,273], a low-impedance button cell [274], and a low-cost button cell [275].

Troily New Energy (Xinxiang, Henan, China) has one Chinese Patent granted on a coated positive electrode [276] and one still in examination on a $\text{NaBO}_2 \cdot \text{H}_2\text{O}$ containing electrode for high-temperature application [277].

Innovation New Energy (Liuan, Anhui, China) filed 28 Chinese Patent Applications and had 11 of them granted with the following scope: plastic wrappings for regular [278], low self-discharge [279], high-capacity [280], high-power [281], and high-temperature [282] batteries, sealing glues for regular [283], high-capacity [284], high-temperature [285], low self-discharge [286], and high-power [287] batteries, a positive electrode for a wide temperature-range application [288], a high-temperature/high-power battery [289], a low self-discharge battery [290], a high-capacity non-winding type battery [291] (Figure 22), a high-voltage protection apparatus [292], an energy-efficient battery [293], a high heat-dissipation battery [294], an over-charge protected low-power dissipation battery [295], and an environmentally friendly high-capacity battery [296].

Cel (Huaian, Jiangsu, China) owns two Chinese Patents on a gel coating apparatus for electrode fabrication [297] and a powder scraping apparatus for a dry pasted positive electrode [298].

Bofuneng (Shenzhen, Guangdong, China) owns two Chinese Patents on a prismatic design [299] and an environmental protection cell design [300].




Figure 22. Schematic diagram of a high capacity/non-winding cell with 1: vent hole, 2: cap, 3: sealing ring, 4: can, 5: negative electrode, 6: positive electrode, 7: separator, 8: current collector, 9: tap, and 10: electrolyte [291].

Ryder (Shenzhen, Guangdong, China) owns six Chinese Patents in the subjects of a high-voltage connector design [301], a high-power Ni/MH battery [302,303] (Figure 23), a non-winding battery design [304], a large capacity battery with attached charging unit [305], and a high-voltage module with a high heat dissipation capability [306].




Figure 23. Schematic diagram of a high-power cell with 1: negative electrode, 2: separator, 3: positive electrode, 4: positive current collection, 5: negative current collector, 6: can, 7: cap, 9: insulator, and 10: insulator [302].

DFEI (Dali, Shanxi, China) owns five Chinese Patents in an extra paste removal apparatus in the negative electrode fabrication [307], a dust-removal tape on the positive electrode [308], a high-power design [309] (Figure 24), an automatic transport, vacuum, and de-burr apparatus [310], and a paste stirring apparatus for preparing a positive electrode [311].




Figure 24. Schematic diagram of a high-power cell with 1: positive current collector plate, 2: Cu mesh, 3: burr, 4: Ni foam, 5: welding spot, 6: insulator, 7: cell, and 8: positive terminal [309].

Wintonic (Guangzhou, Guangdong, China) owns five Chinese Patents on a cylindrical design [312], a nano-carbon containing negative electrode [313], a dual-shell high-temperature can design [314], a high-current positive electrode [315], and a sub-C positive electrode [316].

Oceansun (Shenzhen, Guangdong, China) disclosed a paste positive electrode fabrication method [317], a low-capacity Ni/MH battery [318], and a high-power design [319] in their failed Chinese Patent Applications.

Shida (Foshan, Guangzhou, China) disclosed the following technical ideas in their Chinese Patent Applications: a multi-tab high-power Ni/MH battery [320], a side-folded expanded metal for the electrode substrate [321], and a dry-compaction method for electrode fabrication [322]. Sanik (Foshan, Guangzhou, China) is another Ni/MH battery manufacture in the same city. However, they only filed four patents on the Ni-Fe rechargeable battery and the associated Ni-electrodes.

PeaceBay (Tianjin, China), a company with technology transfer from Toshiba (Tokyo, Japan), filed some early Chinese Patents (all obsolete now) in the areas of fabrications of positive electrodes [323,324], methods of making [325] and winding [326] Ni-foam as positive electrode substrate, a fabrication method for negative electrode [327], a MH/carbon nanotube composite [328] and a MgNi-based alloy [329] as negative active materials, a high-capacity cell design [330] (Figure 25), a reclaiming method of deteriorated MH power [331], and a recycling method for both electrodes [332].




Figure 25. Schematic diagram of a high-capacity cell with 1: can, 1a: positive terminal, 1b: negative terminal, 2: negative electrode, 3: positive electrode, 4: central rod, 5: separator, and 6: current collector [330].

Unitech (Shenzhen, Guangdong, China) filed eight Chinese Patent Applications to cover a protective layer on positive electrode [333], a slot-containing positive electrode [334], a PTFE-coated negative electrode [335], a high-capacity cell design [336], a low-capacity cell design [337], a new cell winding structure [338], and a design of a pasting machine [339].

Taiyi (Zhuhai, Guangzhou, China) has a Chinese Patent proposing a powder container with at least one step inside for the preparing of dry compacted electrode on an expanded metal or a porous metal substrate [340] which was used in some litigation procedures in China. It also applied another application in formation apparatus but is not valid now [341].

3. Metal Hydride Alloy Producer

Chinese MH alloy producers made more than 90% of the MH alloy for Ni/MH battery application (7300 tons in 2016). The top four largest manufactures, Xiamen Tungsten (Xiamen, Fujian, China), Doublewin (Sihui, Guangdong, China), REO Metal Hydride (Baotou, Inner Mongolia, China), and Jiangxi Tungsten (Nanchang, Jiangxi, China) supplied more than 70% of the domestic market in 2016 (Figure 26). Their main product is the rare-earth based AB_5 MH alloy made either by conventional induction melting and casting (Doublewin and REO) or by strip casting (Xiamen Tungsten and Jiangxi Tungsten) (Figure 27). All of them are now working on the high-capacity superlattice MH alloys.




Figure 26. Market shares of MH alloys produced in China in 2016. XT: Xiamen Tungsten, DW: Doublewin, REO: Rare-earth Ovonic, JT: Jiangxi Tungsten, KAM: Kingpowers Advanced Materials, BS: Baotou Santoku, GR: Gansu Rare-earth, and WG: Weishan Gangyan Rare-earth Material.




Figure 27. Schematics for (a) a conventional melt-and-cast, (b) a melt-spin, and (c) a strip casting MH alloy fabrication methods.

3.1. Xiamen Tungsten

Xiamen Tungsten, also called Amoi Wuye, has 14 Chinese Patent Applications and had 10 of them granted. In the alloy composition, it disclosed Cu-containing low-cost [342,343], low-Co [344], Co-free and low-Ni [345], Pr-Nd free low self-discharge [346], Mg-containing high-capacity ($\geq 355 \text{ mAh g}^{-1}$) [347], hypo-stoichiometric [348] and Co-free hyper-stoichiometric AB_5 MH alloys [349], and La-Gd [350] and La-Y [351] based A_2B_7 MH alloys. In the alloy production area, it proposed a strip casting of 0.1–0.3 mm thin flake [352–354] (Figure 28) and an electrode fabrication method using Mg-based MH alloy [355].




Figure 28. A schematic diagram for a mass-production strip-casting furnace with 1: strip casting motor, 2: rotation coupler, 3: strip casting axis, 4: top cover, 5: furnace, 12: rotating cooling rod, 14: collection box, 16: inside container, 17: outside container, 18: cart, 19: floor foundation, 20: vacuum pump and conduit, and 23: a railing system [354].

3.2. Doublewin

Doublewin filed eight Chinese Patent Applications and all were approved. Their inventions cover mostly the MH alloy production processes, such as a dust collection unit in the powder mixer [356] and in the ingot collection unit [357], an impurity removal unit in the sieving device [358], a cooling mold design [359], a quick electrode fabrication method for alloy quality control [360], and an automatic vacuum casting apparatus [361]. Doublewin also patented MH alloy formula in a (Ag, Sr, Ge)-modified A_2B_7 with improved capacity and low-temperature performance [362] and a (Ag, Sr, Ge, Au) modified AB_5/A_2B_7 mixture [363].

3.3. REO Metal Hydride

REO Metal Hydride filed eight Chinese Patents on MH materials and related fabrication methods which cover a La-rich, Sm-containing superlattice MH alloy [364,365], La-rich, Y, Zr, or Gd-containing over-stoichiometric AB_5 MH alloys [366], an electropolymerized polyaniline coating to protect the alloy surface [367], and a sintered AB_5/AB_3 composite [368].

3.4. Jiangxi Tungsten

Jiangxi Tungsten Haoyun Technology has one issued Chinese Patent on an acid pre-etching process for preparing the negative electrode [369].

3.5. Kingpowers

Kingpowers (Anshan, Liaoning, China) used to be sister company of Suppo and has eight issued Chinese Patents on the alloy formula in a low-Co and (Pr, Nd) free AB_5 MH alloy [370,371] and a Mg-containing A_2B_7 MH alloy [372–374], the alloy production process in annealing [375], and recycling processes from alloy slag [376] and spent batteries [377].

3.6. Others

Guansu Rare-earth (Baiyin, Gansu, China) only has one Chinese Patent Application on a powder grinding, sifting, and mixing process and was rejected [378].

Weishan Gangyan (Jining, Shandong, China) filed 12 Chinese Patent Applications covering areas of a fabrication method of a Ti-containing [379–381] A_2B_7 MH alloy, a nano-graphite/ RE_2Mg_{41} type MH composite [382], and a powder packing system [383]. None of them are valid now.

Beijing HarmoFinerY Technology (Beijing, China) owns Chinese Patents of (La, Ce, Dy)-based [384] and (La, Nd, Dy)-based [385] A_2B_7 MH alloys. It also filed a patent about a (La, Y)-based low-temperature A_2B_7 MH alloy.

Vapex (Zhuhai, Guangdong, China) filed 16 Chinese Patent Applications and had 13 granted. In the alloy formula area, Vapex patented a Cu-containing low-Co [386], a Dy-containing [387], a Pt-containing [388], a Fe-containing [389], a Nb-containing [390], a Ga-containing [391], a Sn-Cu containing [386] AB_5 MH alloys, and a Mg-containing A_5B_{19} MH alloy [392]. In the alloy fabrication area, Vapex proposed an induction melting of A_2B_7 alloy in a controlled Mg-vapor [393]. Besides, it also owns patents in the new design of a current collector [394–397], a high-temperature battery design [32], and a Ni/MH battery for solar cell application [398].

4. $Ni(OH)_2$ Producer

The original spherical shape $Ni(OH)_2$ used as the positive electrode active material in the Ni/MH battery was first used in Yuasa (Takatsuki, Osaka, Japan) which was supplied by Tanaka Chemical Co. (Fukui, Japan) [13]. Nowadays in China, almost all spherical shape $Ni(OH)_2$ is produced by the domestic suppliers using a continuous stirring single reactor co-precipitation process invented by Ovonic Battery Co. (Troy, MI, USA) [399]. The top five manufactures, Jinchuan (Lanzhou, Gansu, China), Kingray (Changsha, Hunan, China), Cologne (Xinxiang, Henan, China), Jien (Jilin, Jilin, China), and Aland (Wuwei, Anhui, China) held more than 65% of the market share in 2013 (5.1×10^7 kg, Figure 29). Their contributions to the Ni/MH intellectual properties are summarized in this section.




Figure 29. Market shares of Chinese domestic spherical $Ni(OH)_2$ producers in 2013 [13].

4.1. Jinchuan

Jinchuan applied four Chinese Patent Applications on $Ni(OH)_2$ and received one of them. The applications mainly covered the chemical co-precipitation process of making spherical particles [400], a sulfate removal process [401], and a Fe removal process [402].

4.2. Kingray

Kingray New Materials Science and Technology, now Minmetals Capital Co., did not file any Chinese Patent Application on $Ni(OH)_2$.

4.3. Cologne

Cologne filed seven Chinese Patent Applications about $Ni(OH)_2$ and had three of them granted, which cover the areas of a chemical co-precipitation method of making spherical $Ni(OH)_2$ powder [403],

a $\text{Ni}(\text{OH})_2$ specifically design for high-temperature battery [404], a Co-coated $\text{Ni}(\text{OH})_2$ [405], an eletrolytically coated CoOOH on $\text{Ni}(\text{OH})_2$ [406,407], and a chemically precipitated CoOOH on $\text{Ni}(\text{OH})_2$ [408].

4.4. Jien

Jien owns one Chinese Patent on a mechanical alloying method to coat Co on $\text{Ni}(\text{OH})_2$ [409] and one application is still in the examination stage on a Co-coated $\text{Ni}(\text{OH})_2$ for high-temperature applications [410].

4.5. Aland

Aland filed 16 Chinese Patent Applications related to $\text{Ni}(\text{OH})_2$ and had six of them granted. The scope of these applications covers a gaseous phase [411,412], a liquid phase [413], and a continuous [414] oxidation to prepare a Co-coated $\text{Ni}(\text{OH})_2$, a chemical co-precipitation of $(\text{Ni}, \text{Zn}, \text{Mn}, \text{Al})(\text{OH})_2$ [415], a Y, Yb, and Ca containing $\text{Ni}(\text{OH})_2$ for high-temperature applications [416], a new method of making $\text{Ni}(\text{OH})_2$ with cyclic amine-containing ionic liquid [417], a reactor for making high-power $\text{Ni}(\text{OH})_2$ [418], an oxidizer for high-power Co-coated $\text{Ni}(\text{OH})_2$ [419], a reactor for making $\text{Co}(\text{OH})_2$ coated $\text{Ni}(\text{OH})_2$ [420,421], a microwave dryer [422], an electrochemical/chemical pre-charge station for $\text{Ni}(\text{OH})_2$, [423], a static impedance measuring apparatus for Co-coated $\text{Ni}(\text{OH})_2$ [424], and a scrap recycling process to treat Co-coated $\text{Ni}(\text{OH})_2$ [425].

4.6. Others

Zhonghong (Shaoguan, Guangdong, China) owns one Chinese Patent on the chemical co-precipitation of spherical $\text{Ni}(\text{OH})_2$ [426] and also has one in the examination stage for the method of making Co-coated $\text{Ni}(\text{OH})_2$ [427]. Liyuan (Changsha, Hunan, China), a subsidiary of Corun, owns one Chinese Patent on a chemical co-precipitation method for making spherical $\text{Ni}(\text{OH})_2$ powder [428]. Jintian (Xiangtan, Hunan, China) owns one Chinese Patent on the preparation process of the γ - CoOOH coated $\text{Ni}(\text{OH})_2$ [429]. Changyu (Jiangmen, Guangdong, China) owns Chinese Patents in the area of a high-capacity and high discharge voltage $\text{Ni}(\text{OH})_2$ [430], a high-temperature $\text{Ni}(\text{OH})_2$ [431], a Co-coated $\text{Ni}(\text{OH})_2$ drying machine [432], and a spherical $\text{Ni}(\text{OH})_2$ production method [433,434]. It also filed Chinese Patents on the subjects of a reactor producing $\text{Ni}(\text{OH})_2$ [435], a Co-coating reactor for $\text{Ni}(\text{OH})_2$ [436], and a γ - CoOOH coating method [437]. Zhongdao Energy Development (Anding, Hainan, China) owns a Chinese Patent on a (Co, Al) hydrotalcite containing positive electrolyte [438]. Zhongjin Metal Powder (Wuxi, Jiangsu, China) has two Chinese Patents on a nano-structured CoOOH [439] and a β - $\text{Co}(\text{OH})_2$ [440]. Yixing Xinxing Zirconium (Yixing, Jiangsu, China) owns a patent on a high-temperature battery with CaF_2 , ZnO , $\text{Ba}(\text{OH})_2$, Er_2O_3 , Y_2O_3 , and Zr-compound additives for the positive electrode [441]. It also filed Chinese Patents in the areas of a Zr co-precipitated $\text{Ni}(\text{OH})_2$ [442] and a rinsing apparatus for spherical $\text{Ni}(\text{OH})_2$ [443]. GEM (Shenzhen, Guangdong, China) has one Chinese Patent on a non-stoichiometric $\text{Co}_{1.02\sim 2}\text{O}$ additive to increase the electrochemical activity of $\text{Ni}(\text{OH})_2$ [444].

5. Other Hardware Suppliers

Besides the active materials from both electrodes ($\text{Ni}(\text{OH})_2$ and MH alloy), there is other hardware used in Ni/MH batteries may also protected by Chinese Patents. Instead of grouping by companies, we listed the inventions from various companies under each part category in this section.

5.1. Ni Foam

The Ni-foam used as the substrate mainly for the positive electrode was first patented by INCO (Toronto, ON, Canada, now Vale Canada Limited) with a chemical vapor deposition (CVD) process from nickel carbonyl onto polymer foam which was removed later on by a sintering process [445].

This costly CVD deposition process was replaced by an electrode plating on the polymer form coated with a carbon-containing substance in China. Dr. Zhong, Chairman of Corun, owns a few Chinese Patents on the electroplating container for the continuous fabrication of Ni-foam [446] and a rough surface of Ni-foam [447] which were used in litigation against INCO in China [448]. His company, Liyuan (Changsha, Hunan, China) filed Chinese Patents in the areas of a high-strength Ni-foam [449, 450], a special structured Ni-foam [451], a carbon nanotube coated Ni-foam [452], a Ni-foam design for vehicle use [453], a multi-stage deposited Ni-foam for HEV use [454], a Ni-foam for high-power application [455], a Ni/Co-foam [456], a Fe-foam [457], a crystallization method for deposited Ni [458], a continuous electroplating apparatus [459], and a recycling procedure for making fine Ni powder from Ni-form waste [460].

Tianyu (Heze, Shandong, China) filed Chinese Patent Applications on the subjects of a Ni-alloy foam for high-power application [461,462], an electroplating Ni-foam [463], a super thick Ni-(or Cu-foam) [464], a purification process for Ni-foam [465], a high-uniformity Ni-foam production method [466,467], a low-face density and high-porosity Ni-foam [468], a high efficiency vacuum apparatus [469], and a raw material preparation method for improvement of Ni-foam uniformity [470].

Tiangao (Dalian, Liaoning, China) owns one Chinese Patent on a new type of electroplating basin for Ni-foam [471] and has one in examination about a super high-density Ni-foam [472].

5.2. Separator

The regular separator used in the Ni/MH battery is treated by acrylic acid (white) and a special sulfonated separator (brown) originally patented by Japan Vilene Co. (Tokyo, Japan) [13] has the advantage of low self-discharge since no trace of nitrogen-containing ion is left. Kangjie (Changzhou, Jiangsu, China) filed Chinese Patent Applications on a low-cost and high-yield sulfonation process [473], a multi-layer nylon-based separator [474], and a grafted polyethylene (PE) separator [475]. Lianyou Jinhao (Laizhou, Shandong, China) also has sulfonated separator patents [476–478]. Besides it also filed Chinese Patent Applications on a separator grafting apparatus [479], a separator pore size measurement apparatus [480], and a separator winding machine [481]. Lingqiao Environment Protection Equipment Works (Shanghai, China) has a Chinese Patent on a PP/PTFE/PP composite separator for a Ni/MH battery [482]. Jianxiang Shunxin Technology (Beijing, China) owns a Chinese Patent of a wet impedance measuring apparatus [483]. Meite Environmental Protection Material (Xianyang, Xi'an, China) filed one patent about a low-cost grafting method for making a separator [484]. Kegao (Luoyang, Henan, China) filed one Chinese Patent Application on a high-power separator with high gas permeability and small thermal contraction [485]. Rongsheng (Yizheng, Jiangsu, China) filed one application for its separator manufacturing process [486].

5.3. Stainless Steel Can

Shanghai Jinyang (Shanghai, China) owns Chinese Patents on an incoming parts organizer [487], an electroplating process [488], a dehydration station [489], a water-saving washing station [490], a plating quality control [491] and a thermal energy recycling mechanisms [492] for plating Ni on a stainless steel can. It also applied for Chinese Patents on the automatic plating apparatus [493]. Fujian Jinyang (Sanmin, Fujian, China) filed Chinese Patents about double-plating [494] and triple-plating [495] Ni on a stainless steel can. Donggang (Wuxi, Jiangsu, China) filed a Chinese Patent on a can with gradual cylinder wall thickness [496]. Hugang Electronics (Zhangjiagang, Jiangsu, China) claimed an electroplating/chemical plating combination method [497]. Haiyang (Nantong, Jiangsu, China) filed two Chinese Patent Applications on a case with an easy heat dissipation capability [498,499].

5.4. Negative Electrode Substrate

Zhongjin Gaoneng (Shenzhen, Guangdong, China) has three Chinese Patents on the punching die for the fabrication of a perforated non-ferrous metal belt [500], one for the high-power

perforated stainless steel substrate [501] and one for the regular NPPS belt [502] for the negative electrode substrate of a Ni/MH battery. Besides, it filed a patent on the fabrication method of NPPS [503]. Jiejing (Dongguan, Guangdong, China) also filed an application for an automatic electroplating apparatus for NPPS [504]. Shuzhen (Shanghai, China) filed an application on the Cu-web used as substrate material for a negative electrode [253]. Kingdom Sifang Metal Product (Qinhuangdao, Hebei, China) owns a Chinese Patent to fabricate NPPS [505]. Shenjian Metallurgical Equipment (Shanghai, China) filed an application on a non-metal fiber/Ni composite material for high-strength/light-weight substrate [506].

6. Applications

Ni/MH batteries were first used in consumer-type applications, such as cell phone, notebook computer, other portable electronic devices (walkman, personal data assistant, etc.), and dry cell replacement. Facing competition from the lighter Li-ion battery, the Ni/MH battery moved to the transportation propulsion type of applications, especially for hybrid electrical vehicles (HEV) and EV. Recently, due to the longevity and wide-temperature tolerance of the Ni/MH battery, it also entered stationary type of applications, for example, uninterrupted power supply (UPS), grid-pairing storage systems, and the EV charging station. The Chinese Patents on the application of Ni/MH area are reviewed here.

6.1. Consumer Type

A few common uses of the Ni/MH battery in consumer application are shown as examples in Figure 30. There are many Chinese inventions on this use of the Ni/MH battery. Some examples are: a moisture-protection battery case [507], a power supply for illumination in a mine [508,509], a power supply with monitoring and communication functions [510], a high-speed power tool [511,512], a new type of flashlight [513], an LED flashlight [514], a pager [515], a portable power modulator [516], a rechargeable radio frequency identification card [517], a portable vacuum cleaner [518], a kinetic energy rechargeable infrared detector [519], a remote humidifier [520], a wall-climbing vacuum cleaner [521], a robot used in a mine [522–525], a trimmer [526], and a wearable battery capacity extender [527].



Figure 30. Examples of Ni/MH batteries in consumer applications: (a) retailer, (b) cordless phone, (c) vacuum cleaner, (d) power drill, (e) shaver, (f) toothbrush, (g) flashlight, (h) solar lamp, and (i) remote control for game console.

6.2. Transportation Type

In the transportation area, the Ni/MH battery dominates the HEV market. Three HEVs made in China are shown in Figure 31: a Camry by Guangzhou Auto (Guangzhou, Guangdong, China), a Prius by First Automobile Works (FAW, Changchun, Jilin, China), and an EC7 by Geely Auto (Hangzhou, Zhejiang, China). In the Chinese Patent Applications in this area, an optimized range-extended HEV design [528], a forced-air-cooled HEV battery module [529], a heat dissipation unit [530,531], a temperature-regulated HEV battery system [532], and a HEV-use battery module [533,534] are available. Besides, Qineng (Yangzhong, Jiangsu, China) filed nine Chinese Patent Applications on the fabrication of an HEV-used Ni/MH battery and module [535–543]. In the EV application, inventions like a high-capacity Ni/MH battery pack [544,545], a high-capacity EV battery [546–548], an EV-used battery module [549–551], an overload protection for an EV battery [552], a pulse-based cycle life testing method for EV application [553], a battery management system for EV with Ni/MH [554], a large-capacity prismatic cell design [555–558] and a cylindrical Ni/MH battery [559] for EV application, an MH alloy designed for EV application [556], a battery module for EV [550,551], a Ni/MH battery pack [560], a special high-power cylindrical cell design [561–564], and an EV charging method [565] were demonstrated. In other transportation areas, a lawn mower [566], a fork lift truck [567], a solar-cell powered car, boat, or plane [568], a wind-powered car [569], an underwater propeller [570], a battery assembly for an E-bicycle [571–575], and a fast-charge moving cart [576] can be found.




Figure 31. Examples of Ni/MH batteries in transportation applications: (a) a Camry HEV (Guangzhou Auto), (b) a Prius HEV (FAW), and (c) an EC7 HEV (Geely Auto).

6.3. Stationary Type

In the un-interrupted power supply (UPS) applications, a video recording system with self-supporting power supply [577], a firefighting emergent light [578], a high-rise building emergency power system [579], a charging circuitry [580], and a mobile communication tower [581] are listed. In the energy storage associated with solar and wind energy, a solar cell/battery combination [582–585], and a Ni/MH rechargeable by solar power [398], a solar charger [586], a light emitting diode (LED) solar lamp [587], a solar rechargeable flashlight [588], and a solar-charged EV battery [589] are included. An example of a solar station equipped with Ni/MH energy storage is shown in Figure 32. In grid-companion energy storage, an energy distribution and EV used charging station [590], a monitoring system for energy storage [591], a double-source power unit [592], a monitoring system [593], a micro-grid Ni/MH system [594], a mega-watt class energy storage system [595], and an energy balancing system for Ni/MH storage [596] were introduced.




Figure 32. Example of Ni/MH batteries in alternative energy storage applications: (a) a solar cell system and (b) the accompanying Ni/MH battery pack installed and tested in Qinghai Plateau. (Courtesy of TMK).

7. Universities and Research Institutes

Many Chinese universities and state-owned research institutes have worked in the Ni/MH battery area, especially those involved in the 863 special project [597]. We reviewed the status of the Patent Applications of a few representative examples and present them here.

7.1. Beijing Institute of Technology

Beijing Institute of Technology (Beijing, China) filed four Chinese Patent Applications related to the Ni/MH battery and had one granted. Their invention covers the areas of a NiO-containing positive electrode [598], an inner-pressure reduction additive [599,600], and a battery non-destructive regeneration method [601].

7.2. Beijing University of Chemical Technology

Beijing University of Chemical Technology (Beijing, China) filed six Chinese Patent Applications about $\text{Ni}(\text{OH})_2$ and had two of them granted. The inventions are composed of an activated graphene/needle-shaped $\text{Ni}(\text{OH})_2$ composite [602], nano-thin films of $\alpha\text{-Ni}(\text{OH})_2$ [603] and $\beta\text{-Ni}(\text{OH})_2$ [604], a nano-structured/doped $\alpha\text{-Ni}(\text{OH})_2$ [605], an electrochemical/chemical process of making doped nano- $\text{Ni}(\text{OH})_2$ [606], a low-cost fabrication method of nano- $\text{Ni}(\text{OH})_2$ using oxygen in air [607], and a nano-C/ $\text{Ni}(\text{OH})_2$ composite [608].

7.3. Tsinghua University

Tsinghua University (Beijing, China) owns one Chinese Patent on an estimation of state-of-charge based on a standard battery model [609]. It also applied for the following inventions: a real-time estimation of the temperature difference between inside and outside of a cell [610], a magnetic treatment of MH alloy to improve its high-rate performance [611], and an air-cooled apparatus for an HEV-used Ni/MH battery module [612].

7.4. Tianjin University

Tianjin University (Tianjin, China) filed four Chinese Patents Application on these subjects: a negative electrode surface treatment to improve electrochemical performance [613], an apparatus to measure inner pressure of a Ni/MH cell [614], a tri-cellulose acetate/metal oxide composite separator [615], and $\alpha\text{-Ni}(\text{OH})_2$ prepared by a ball-milling process [616].

7.5. Nankai University

Nankai University (Tianjin, China) filed patents jointly with Peacebay. It also filed patents on their own in the areas of a C_{60} or boron nitride added negative electrode [617], electrode recycling methods [332], a large-capacity EV-used Ni/MH battery [555], and a negative electrode pasting line [618].

7.6. Tianjin Polytechnic University

Tianjin Polytechnic University (Tianjin, China) has two Chinese Patents on a sulfonated separator [619,620].

7.7. Shanghai Jiao Tong University

Shanghai Jiao Tong University (Shanghai, China) has one Chinese Patent on a primary (non-rechargeable) Ni/MH battery and withdrew one on a Ni/MH battery with a self-heat-dissipation mechanism [621].

7.8. Donghua University

Donghua University (Shanghai, China) has two Chinese Patents on a composite separator [622] and a nano-coating separator [623].

7.9. Jilin University

Jilin University (Changchun, Jilin, China) filed five Chinese Patent Applications on MH alloy/graphene [624], MH alloy/ Co_3O_4 [625], and MH alloy/nanoporous Ni [626] composite negative electrodes, a fast cycle life estimation method for MH alloy with a super long life [627], and a MoS_2 surface treatment for MH alloy [628].

7.10. Yanshan University

Yanshan University (Qinhuangdao, Hebei, China) mainly worked with REO MH Alloy Company in their inventions. In addition, it also filed Chinese Patent Applications on the subjects of a single phase Nd-Mg-Ni-based $PuNi_3$ MH alloy [629] and a surface polypyrrole treatment to improve the electrochemical performance of MH alloy [630] by itself.

7.11. Sichuan University

Sichuan University (Chengdu, Sichuan, China) owns two Chinese Patents on a Nd-free/low-temperature AB_5 MH alloy [631] and a low-Co LaPrCe-Ni based AB_5 MH alloy [632]. It also filed one application on an Nd-free A_2B_7 MH alloy [633].

7.12. University of Electronic Science and Technology of China (UESTC)

UESTC (Chengdu, Sichuan, China) owns three Chinese Patents in the areas of TiO_2 [634], Al_2O_3 ceramic [635], and NiO_2 [636] coatings on a positive electrode.

7.13. Zhejiang University

Most of the Chinese Patents from Zhejiang University are associated with KAN Battery. Zhejiang University (Hangzhou, Zhejiang, China) filed 45 Chinese Patent Applications themselves on an amorphous Mg-Ni [637] and a Ti-Cu-Ni [638] MH alloy as negative electrode active materials and ionic nitridation [639] and B-diffusion [640] methods to improve the anti-corrosion properties of the Mg-based alloy surface.

7.14. Zhejiang Normal University

Zhejiang Normal University (Hangzhou, Zhejiang, China) filed Chinese Patent Applications in the following subjects: a new binder [641], a new electrolyte additive [642], tartaric [643] and mucus [644] salts containing positive electrodes, and a saccharic salt containing a positive electrode [645].

7.15. South East University

South East University (Wuxi, Jiangsu, China) owns two Chinese Patents on a weak acid surface treatment for MH alloy [646] and a high-capacity Mg-Co based MH alloy [647]. It also filed two applications in the areas of an Mg-Pd-Co MH alloy [648] and a recycling method of a spent battery [649].

7.16. Henan Polytechnic University

Henan Polytechnic University (Jiaozuo, Henan, China) filed two Chinese Patent Applications on a fabrication method of RE-Mg-B MH alloy [650] and a multi-phase Mg-based MH alloy [651].

7.17. Guangdong University of Technology

Guangdong University of Technology (Guangzhou, Guangdong, China) owns three Chinese Patents on a graphene-based [652] and a nano-carbon composite [653] high-capacity negative electrodes for high-power battery, and a heat measuring apparatus for a high-power cylindrical cell [654]. It also applied patents in the areas of α -Ni(OH)₂ [655], nano-Ni(OH)₂ [656], and a multi-element doped nano α -Ni(OH)₂ [657,658].

7.18. South China University of Technology

South China University of Technology (Guangzhou, Guangdong, China) owns one Chinese Patent on a Sm-containing A₂B₇ MH alloy [659]. It also filed applications based on a multilayer thinfilm electrode [660], a thin-film electrode [661], and a Sm-containing Pr, Nd-free MH alloy [662].

7.19. Lanzhou University

Lanzhou University (Lanzhou, Gansu, China) filed one Chinese Patent Application on a three-dimensional cellular Ni(OH)₂ [663].

7.20. Institute of Metal Research (IMR) in the Chinese Academy of Sciences

IMR (Shenyang, Liaoning, China) filed four Chinese Patents in the areas of a Ni-foam using vacuum evaporation [664], a thick electrodeposition Ni-foam [665], and a nano-carbon decorated current collector for the negative electrode [666].

7.21. Changchun Institute of Applied Chemistry (CIAC) in the Chinese Academy of Sciences

CIAC (Changchun, Jilin, China) filed five Chinese Patents in the areas of a La-based AB₃ MH alloy [667,668], a high-power negative electrode with active carbon or graphite additives [669], a safe design of a button cell [670], and a battery /supercapacitor composite negative electrode [671].

7.22. Shanghai Institute of Microsystem and Information Technology (SIMIT) in the Chinese Academy of Sciences

SIMIT (Shanghai, China) filed Chinese Patents in the areas of a method for improving the long-term storage performance of a Ni/MH battery [672], a high-capacity Ti-V-based MH alloy [673], and a bipolar battery design [674].

7.23. Dalian Institute of Chemistry and Physics (DICP) in the Chinese Academy of Sciences

DICP (Dalian, Liaoning, China) filed a Chinese Patent on a conductive polymer/ AB_3 MH alloy composite [675].

7.24. General Research Institute for Nonferrous Metals (GRINM)

GRINM (Beijing, China) filed 11 Chinese Patents to cover a high-capacity, long-life, and high-power A_2B_7/A_5B_{19} based MH alloy [676], a low self-discharge Ce_2Ni_7/Cd_2Co_7 based MH alloy [677], a long life Pr (Nd) free A_2B_7 (>85%) MH alloy [678], a Nd-free low-temperature AB_5 MH alloy [679], a conducting composite for negative electrode [680], a zirconia based separator [681], high-temperature/high-power positive electrode active materials [682,683], a disordered composite positive electrode active material for power application [684], a Ni, Al $(OH)_2$ -based positive electrode [685], RE_2O_3 -based additives to positive electrodes [686], and a $Ni(OH)_2$ for high-temperature/high-power application [687].

7.25. Guangzhou Research Institute of Non-Ferrous Metals (GZRINM)

GZRINM (Guangzhou, Guangdong, China) filed four Chinese Patents on a low self-discharge Nd-based A_2B_7 MH alloy [688], a La, Sm-based A_2B_7 MH alloy [659], a Co-free AB_5 MH alloy [689], and a low-temperature MH alloy containing a secondary $CeCo_4B$ phase [690].

7.26. Baotou Rare Earth Research Institute (BRERI)

BRERI (Baotou, Inner Mongolia, China) owns a Chinese Patent on a Y-containing A_2B_7 MH alloy [691]. Besides, it also applied for the following inventions: Y containing A_5B_{19} [692] and AB_3 [693] MH alloys, Zr, Ti-modified AB_3 [694], A_2B_7 [695], and A_5B_{19} MH alloys [696], a Y-Ni based MH alloy [697], an amorphous Mg-Ni alloy [698], and a method to improve the capacity stability of Mg-based MH alloy [699].

7.27. National Engineering Research Center for Nanotechnology (NERCN)

NERCN (Shanghai, China) applied for two Chinese Patents on a superlattice MH alloy/BCC alloy composite [700] and an addition of acetylene back to the negative electrode [701].

7.28. Guilin Geology and Mining Academe (GGMA)

GGMA (Guilin, Guangxi, China) has one Chinese Patent on a fabrication method of a paste used in the negative electrode [702].

7.29. Changsha Research Institute of Mining and Metallurgy (CRIMM)

CRIMM (Changsha, Hunan, China) owns a Chinese Patent in the Ce, Co-coated $Ni(OH)_2$ composite material [703].

7.30. China Electronics Technology Group Corporation (CETC) 18th Research Institute

CETC (Tianjin, China) owns one Chinese Patent on a chemical fabrication method of $Ni(OH)_2$ [704] and applied one on the Ni/MH battery with a temperature control apparatus [705].

7.31. Central Iron & Steel Research Institute (CISRI)

CISRI (Beijing, China) applied Chinese Patents in the areas of W-containing high-capacity and V-high-temperature AB_5 MH alloys [706,707], a single-role quench method to prepare MH alloy for high-temperature application [708], a fabrication of a Ni/MH battery [709], an MH alloy pulverization by hydrogenation [710], and an electrolysis method of making misch metal for the raw material of MH alloy [711].

8. Comparisons

So far, we have reviewed Ni/MH battery-related patents (applications) filed in the USA (371) [12], Japan (275) [13], and China (692). The areas of these patents (applications) are categorized into negative electrode (metal hydride alloy), positive electrode ($\text{Ni}(\text{OH})_2$), battery structure, manufacturing facilities, applications, and others (other parts, charging algorithm, recycling, etc.) and are plotted in Figure 33. While the US Patents are distributed evenly in each category, Japanese and Chinese Patents are heavy on the negative electrode and battery structure, respectively (Figure 33). As for the assignees, almost all US Patents are from foreign companies and domestic research institutes and those for Japan and China Patents are from several sources: Battery companies, MH alloy suppliers, spherical nickel hydroxide suppliers, vendors of other parts, universities, and research institutes (Figure 34).




Figure 33. Areas of Patents (Applications) in (a) USA, (b) Japan, and (c) Chinese from negative electrode components (MH alloy), positive electrode component (nickel hydroxide), battery structure, manufacturing facilities, applications, and other areas.




Figure 34. Comparison of numbers of company/institute contributing to the Patents (Applications) in Japan and China.

9. Conclusions

692 Chinese Patent Applications in the nickel/metal hydride battery area are summarized in this review articles categorized by their assignees: battery manufacturers, metal hydride alloy manufacturers, nickel hydroxide manufactures, vendors of other marts, universities, and state-owned research institutes. Some representative schematic diagrams of cell structure designs are included to stimulate new ideas in this area.

Acknowledgments: The authors would like to thank the following individuals for contribution to the manuscript: David Pawlick from BASF, Xiangjun Liu from TMK, Chathan Ho from Coran, and Aishen Wu from Shida.

Author Contributions: Xiaojuan Cai collected the information. Kwo-Hsiung Young and Shiuan Chang prepared the manuscript.

Conflicts of Interest: The authors declare no conflict of interest.

Abbreviations

Ni/MH	Nickel/Metal Hydride
NiCd	Nickel-Cadmium
HEV	Hybrid Electrical Vehicle
MH	Metal Hydride
SIPO	State Intellectual Property Office of the People's Republic of China
GP	Gold Peak
SZHP	Shenzhen HighPower
Li-PO	Lithium-Polymer
NPPS	Ni-Plated Perforated Steel
RE	Rare Earth
SBR	Styrene-Butadiene Rub
PTFE	Polytetrafluoroethylene
EV	Electrical Vehicle
REO	Rare-Earth OVONIC
PP	Polypropylene
CVD	Chemical Vapor Deposition
PE	Polyethylene
UPS	Un-Interrupted Power Supply
LED	Light Emitting Diode
UESTC	University of Electronic Science and Technology of China
CIAC	Changchun Institute of Applied Chemistry
SIMIT	Shanghai Institute of Microsystem and Information Technology
DICP	Dalian Institute of Chemistry and Physics
GNINM	General Research Institute for Nonferrous Metals
GZRINM	Guangzhou Research Institute of Non-Ferrous Metals
BRERI	Baotou Rare Earth Research Institute
NERCN	National Engineering Research Center for Nanotechnology
GGMA	Guilin Geology and Mining Academe
CRIMM	Changsha Research Institute of Mining and Metallurgy
CETC	China Electronics Technology Group Corporation
CISRI	Central Iron & Steel Research Institute

References

1. Zelinsky, M.; Koch, J. Batteries and Heat—A Recipe for Success? Available online: www.battcon.com/PapersFinal2013/16-Mike%20Zelinsky%20-%20Batteries%20and%20Heat.pdf (accessed on 5 July 2017).
2. Young, K.; Ng, K.Y.S.; Bendersky, L. A Technical Report of the Robust Affordable Next Generation Energy Storage System-BASF Program. *Batteries* **2016**, *2*, 2. [CrossRef]
3. Trapanese, M.; Franzitta, V.; Viola, A. Description of hysteresis of nickel metal hydride battery. In Proceedings of the 38th Annual Conference on IEEE Industrial Electronics Society (IECON) 2012, Montreal, QC, Canada, 25–28 October 2012; pp. 967–970.
4. Köhler, U.; Kümpers, J.; Ullrich, M. High performance nickel-metal hydride and lithium-ion batteries. *J. Power Sources* **2002**, *105*, 139–144. [CrossRef]
5. NiMH vs. Li-ion: A Battery Comparison. Available online: <https://turbofuture.com/misc/Which-is-better-Nickel-Metal-Hydride-NiMH-or-Lithium-Ion-Li-ion-batteries> (accessed on 5 July 2017).
6. Trapanese, M.; Franzitta, V.; Viola, A. Description of hysteresis in lithium battery by classical Preisach model. *Adv. Mater. Res.* **2013**, *622*, 1099–1103.
7. Trapanese, M.; Franzitta, V.; Viola, A. The Jiles Atherton model for description on hysteresis in lithium battery. In Proceedings of the 2013 Twenty-Eighth Annual IEEE Applied Power Electronics Conference and Exposition (APEC), Long Beach, CA, USA, 17–21 March 2013; pp. 2772–2775.
8. Teraoka, H. Development of Ni-MH ESS with Lifetime and Performance Estimation Technology. In Proceedings of the 34th International Battery Seminar & Exhibit, Fort Lauderdale, FL, USA, 20–23 March 2017.
9. Teraoka, H. Ni-MH Stationary Energy Storage: Extreme Temperature & Long Life Developments. In Proceedings of the 33rd International Battery Seminar & Exhibit, Fort Lauderdale, FL, USA, 21–24 March 2016.
10. Teraoka, H. Development of Highly Durable and Long Life Ni-MH Batteries for Energy Storage Systems. In Proceedings of the 32th International Battery Seminar & Exhibit, Fort Lauderdale, FL, USA, 9–12 March 2015.
11. Ogawa, K. Toyota to start local production of NiMH battery cells in China by end of 2016. *Nikkei Technology Online*. 9 March 2016. Available online: http://techon.nikkeibp.co.jp/atclen/news_en/15mk/030900433/ (accessed on 2 November 2016).

12. Chang, S.; Young, K.; Nei, J.; Fierro, C. Reviews on the U.S. Patents regarding nickel/metal hydride batteries. *Batteries* **2016**, *2*, 10. [CrossRef]
13. Ouchi, T.; Young, K.; Moghe, D. Reviews on the Japanese Patent Applications regarding nickel/metal hydride batteries. *Batteries* **2016**, *2*, 21. [CrossRef]
14. Patent Search and Analysis of SIPO. Available online: <http://english.sipo.gov.cn/> (accessed on 2 November 2016).
15. SooPAT Website. Available online: <http://www2.soopat.com/Home/IIindex> (accessed on 2 November 2016).
16. Bai, W. The Current Status and Future Trends of Domestic and Foreign NiMH Battery Market. Available online: <http://cbe.com/u/cms/201406/06163842rc01.pdf> (accessed on 4 April 2017).
17. You, P.; Cai, J.; Yu, H. Rechargeable Battery. Chinese Patent Application No. 201120521690, 13 December 2011.
18. Wu, C.; Ling, P.; Chen, R. Method for Preparing Battery Roll Cores by Automatic Film Winding and Automatic Film Winder. Chinese Patent Application No. 201310582763, 18 November 2013.
19. You, P.; Liu, B.; Su, Y. Battery. Chinese Patent Application No. 201210019480, 20 January 2012.
20. Wu, C.; Chen, R.; Yu, H.; Lei, G. Battery Anode-Cathode Diaphragm, Preparation Method and Applications Thereof. Chinese Patent Application No. 201310482443, 15 October 2013.
21. Wu, C.; Ling, P.; Chen, R.; Lei, G. Novel Battery Negative Electrode as Well as Preparation and Application Thereof. Chinese Patent Application No. 201310482441, 15 October 2013.
22. Li, W.; Kong, L.; Wen, H.; Yang, W.; Li, X.; Xiong, S.; Han, X. Method for Making Battery Positive Plate and Positive Electrode Slurry Thereof. Chinese Patent Application No. 200710305063, 26 December 2007.
23. Li, W.; Kong, L.; Wen, H.; Tian, X.; Han, X. Nickel-Hydrogen Battery and Preparation Method for Anode Material. Chinese Patent Application No. 200810068362, 8 July 2008.
24. Zhou, Z.; Kong, L.; Li, W. Secondary battery anode piece and preparation method thereof. Chinese Patent Application No. 201110048145, 28 February 2011.
25. Zou, J.; Yang, R.; Zhang, L.; Cai, X.; Liao, X.; Li, W.; Jiang, Y.; Yang, J.; Qian, W.; Chen, Y.; et al. Hydrogen Storage Alloy Material for Nickel-Hydrogen Battery and Preparation Method. Chinese Patent Application No. 201210117357, 19 April 2012.
26. Liang, D.; Zou, J.; Zhang, L.; Liao, X.; Cai, X.; Kong, L. Battery Plate and Manufacturing Method Thereof. Chinese Patent Application No. 201110202077, 18 July 2011.
27. Li, W. Long Time Stored Nickel-Hydrogen Battery and Manufacturing Method Thereof. Chinese Patent Application No. 200510034847, 31 May 2005.
28. Li, W.; Guo, Y.; Han, X.; Huang, W.; Liao, X. Refitting Cylindrical Nickel-Hydrogen Battery. Chinese Patent Application No. 200920129531, 16 January 2009.
29. Wen, H.; Li, X.; Kong, L.; Yin, S.; Li, W. Battery Positive Pole Cap. Chinese Patent Application No. 200920136056, 24 March 2009.
30. Yang, W.; Liao, X.; Kong, L.; Li, W. Battery. Chinese Patent Application No. 201010505937, 12 October 2010.
31. Yang, W.; He, R.; Cai, X.; Liao, X.; Yu, L.; Zhou, T.; Li, W. Tab and Battery with Using the Same. Chinese Patent Application No. 201320217146, 25 April 2013.
32. Zou, J.; Liang, D.; Zhang, L.; Cai, X.; Liao, X.; Kong, L. Nickel-Metal Hydride Battery. Chinese Patent Application No. 201110194572, 12 July 2011.
33. Wu, W.; Yang, W.; Cai, X.; Liao, X. Maintainable Long-Service-Life Secondary Battery. Chinese Patent Application No. 201520120349, 28 February 2015.
34. Mo, X.; Yu, L.; Cheng, J.; Li, W. Novel Ultrathin Battery and Preparation Method Thereof. Chinese Patent Application No. 201510201345, 24 April 2015.
35. Li, W.; Guo, Y.; Han, X.; Huang, W.; Liao, X. Refitted Cylindrical Hydrogen Nickel Battery. Chinese Patent Application No. 200920129530, 16 January 2009.
36. Wang, X.; Su, Y.; Zhou, D.; Wu, Q.; Wen, H.; Li, W. Method for Manufacturing Battery Negative Pole Piece. Chinese Patent Application No. 200910107202, 30 April 2009.
37. Li, W.; Ma, W. Battery Centrifugal Liquid Filling Method Using Clamp. Chinese Patent Application No. 200510034697, 25 May 2005.
38. Tang, Z. Capacitance Dividing Cabinet Accuracy Testing Device. Chinese Patent Application No. 201420019634, 13 January 2014.
39. Cao, D.; Yang, K.; Sun, S.; Liao, X. Spot Welding Tool of Piece is Drawn Forth to Battery. Chinese Patent Application No. 201520645622, 25 August 2015.

40. Mo, X.; Yu, L.; Cheng, J.; Li, W. A Battery Test Apparatus. Chinese Patent Application No. 201520463569, 30 June 2015.
41. Zhong, F.; He, C.; Chen, F. Nickel-Metal Hydride Battery and Positive Plate Thereof. Chinese Patent Application No. 201020111306, 9 February 2010.
42. Xiong, X.; Yang, S.; Zhou, J.; Zhong, F. A Making Technology for Nickel Hydrogen High-Temperature Charging Battery. Chinese Patent Application No. 200610136707, 17 November 2006.
43. Zhang, J.; He, C.; He, Y.; Dai, G.; Chen, X.; Jiang, S.; Pi, Y. Spherical Shape Nickel Hydroxide for High-Temperature Nickel Electric Cell. Chinese Patent Application No. 200710035470, 30 July 2007.
44. Zhang, J.; He, C.; He, Y.; Dai, G.; Chen, X.; Jiang, S.; Pi, Y. Spherical Shape Nickel Hydroxide for High-Temperature Nickel Electric Cell. Chinese Patent Application No. 200710035471, 30 July 2007.
45. He, C.; Chen, F.; Yang, Y.; Zhang, Y. Manufacturing Methods of Secondary Battery Negative Electrode Slice, Negative Electrode and Secondary Battery, and Secondary Battery Manufactured by Same. Chinese Patent Application No. 201010585009, 13 December 2010.
46. Zhong, F.; He, C.; Chen, F. Preparation Method of Negative Plate of Chemical Battery. Chinese Patent Application No. 201010107805, 9 February 2010.
47. Gao, J.; Yang, S.; Zhou, J.; Yao, S.; Wang, Y. Special Electrolytic Solution for Alkaline Nickel-Hydrogen Battery. Chinese Patent Application No. 200810143053, 7 October 2008.
48. Yang, S.; Wang, X.; Zhou, J.; Zhong, F. High-Power Charging Battery. Chinese Patent Application No. 200620052560, 20 October 2006.
49. Yan, S.; Wang, X.; Zhou, J.; Zhou, F. High Power Charging Battery Manufacture Process. Chinese Patent Application No. 200610032432, 20 October 2006.
50. Zhou, C.; Luo, Y.; Yang, S.; Zhou, J. Cover-Cap for Cylindrical Battery and Cylindrical Battery. Chinese Patent Application No. 201410485861, 22 September 2014.
51. Zhou, C.; Lu, D.; Zhou, J.; Liu, L. Cap for Circular Battery. Chinese Patent Application No. 201420207528, 25 April 2014.
52. Zhong, F.; Ho, C.; Chen, F. Cylindrical battery. Chinese Patent Application No. 200980000348, 25 September 2009.
53. Chen, F.; He, C.; Zhong, F. Cylindrical battery. Chinese Patent Application No. 200920066023, 25 September 2009.
54. He, Y.; Lin, Y.; Tang, Z.; Zhang, C. Method and System for Classifying Battery Pole Pieces. Chinese Patent Application No. 201010202222, 18 June 2010.
55. Chen, F.; He, C.; Zhong, F. Forming and Capacity Dividing Method. Chinese Patent Application No. 201010107736, 9 February 2010.
56. Xiao, J.; Zhong, F.; Quan, G.; Yang, C.; Liu, B. Automatic Cap Welding All-In-One Machine. Chinese Patent Application No. 201510553196, 1 September 2015.
57. Xiao, J.; Zhong, F.; Quan, G.; Yang, C.; Liu, B. Automatic Integrated Liquid Filling Machine. Chinese Patent Application No. 201510551892, 1 September 2015.
58. Yang, S.; Liu, T.; Li, L.; Zhou, C. Forming Method of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201410490021, 23 September 2014.
59. Pang, L.; Chen, X.; Ye, D. Method for Preparing Cobalt Clad Beta-NiOOH by Liquid Phase Oxidation Method. Chinese Patent Application No. 201010565217, 30 November 2010.
60. Huang, N.; Pang, L.; Fu, L. Conductive Skeleton for Negative Pole of Nickel-Hydrogen Battery. Chinese Patent Application No. 201020536041, 20 September 2010.
61. Guo, J.; Guo, S.; Xia, C. High-Capacity Hydrogen-Bearing Alloy Powder with Long Service Life for High-Performance Secondary MH-Ni Battery. Chinese Patent Application No. 00123177, 31 October 2000.
62. Huang, N.; Pang, L. Cylindrical Nickel-Hydrogen High Charge Retention Battery. Chinese Patent Application No. 200920014000, 27 May 2009.
63. Li, W.; Zhou, W.; Wang, C. Method for Processing Cobalt Coated Nickel Hydroxide. Chinese Patent Application No. 02151988, 19 November 2002.
64. Lu, H. High-Temperature Ni/H₂ Battery and Its Manufacture. Chinese Patent Application No. 99116113, 5 April 1999.
65. Zhou, W. Alkaline Secondary Battery Positive Electrode Material and Alkaline Secondary Battery. Chinese Patent Application No. 200510126001, 28 November 2005.

66. Gu, M.; Zhang, X.; Zhou, W. Nickel Anode Accumulator Anode Slurry and Method for Preparing Anode Accumulator Using the Same. Chinese Patent Application No. 200710122892, 9 July 2007.
67. Li, W.; Wang, C. Alkaline Secondary Cell. Chinese Patent Application No. 03140045, 2 August 2003.
68. Zhou, W.; Chen, S.; Yu, F. Method for Preparing Alkaline Secondary Cell Anode Active Matter. Chinese Patent Application No. 200610109529, 4 August 2006.
69. Cao, C. Composite Nickel Powder, Preparation Thereof, Nickel Anode and Alkaline Accumulator. Chinese Patent Application No. 200710198727, 10 December 2007.
70. Zhu, Z. Positive Electrode Material, Positive Electrode and Battery Containing the Material and Preparing Process Thereof. Chinese Patent Application No. 200510087099, 26 July 2005.
71. Zhou, W. Anode Active Substance and Its Preparing Method and Anode and Battery. Chinese Patent Application No. 200610141071, 29 September 2006.
72. Deng, X.; Cheng, X.; Zhang, F.; Gong, Q. Hydrogen Storage Alloy Type Hydrogenation Catalyst and Preparation Method Thereof. Chinese Patent Application No. 200710077544, 3 December 2007.
73. Geng, W. Hydrogen Storage Alloy Powder Surface Processing Method. Chinese Patent Application No. 200610111583, 28 August 2006.
74. Feng, H. Surface Processing Method for Hydrogen Storage Alloy Powder. Chinese Patent Application No. 200810097956, 16 May 2008.
75. Feng, H.; Geng, W. Method for Preparing Hydrogen Storage Alloy. Chinese Patent Application No. 200910106438, 27 March 2009.
76. Yan, H. High Power Nickel-Hydrogen Accumulator Negative Electrode Active Substance and Its Preparation Method and Nickel-Hydrogen Accumulator. Chinese Patent Application No. 200510035315, 13 June 2005.
77. Geng, W. Composite Particle, Nickel-Hydrogen Secondary Cell Negative-Pole and Cell and Method for Making Same. Chinese Patent Application No. 200510126115, 30 November 2005.
78. Geng, W. Active Material for Nickel-Hydrogen Battery Cathode and Preparation Method Thereof. Chinese Patent Application No. 200710147646, 31 August 2007.
79. Liu, T.; Tan, S. Steel Belt, Cell Negative Pole Using Said Steel Belt and Cell and Their Preparing Method. Chinese Patent Application No. 200510068305, 30 April 2005.
80. Liu, T.; Tan, S. Steel Strip, Cell Cathode Using Same and Cell and Their Manufacture Methods. Chinese Patent Application No. 200510117681, 8 November 2005.
81. Feng, H. Cathode Active Substance and Preparation Method Thereof, Cathode and Battery. Chinese Patent Application No. 200810146427, 28 August 2008.
82. Geng, W. Nickel-Hydrogen Secondary Battery Negative Electrode and Battery and Producing Method. Chinese Patent Application No. 200510126002, 28 November 2005.
83. Deng, X.; Cheng, X.; Zhang, F.; Gong, Q. Preparation Method of Hydrogen Storage Material. Chinese Patent Application No. 200810094115, 4 May 2008.
84. Li, W.; Yan, H. Nickel-Hydrogen Battery Negative Pole and Battery Using Same and Preparing Method. Chinese Patent Application No. 200410101265, 17 December 2004.
85. Xie, H.; Huang, Z. Electrode Material of Nickel-Hydrogen Battery and Preparation Method Thereof and Nickel-Hydrogen Battery. Chinese Patent Application No. 201010294722, 28 September 2010.
86. Li, C.; Jiang, L.; Li, Q.; Gong, Q. Battery Isolating Film and Method for Producing the Same. Chinese Patent Application No. 200610170396, 29 December 2006.
87. Xie, H.; Huang, Z. Nickel-Hydrogen Battery Diaphragm, and Preparation Method and Nickel-Hydrogen Battery Thereof. Chinese Patent Application No. 201010219090, 30 June 2010.
88. Xie, H. Electrolyte of Nickel Hydrogen Battery and Nickel Hydrogen Battery. Chinese Patent Application No. 201010260261, 19 August 2010.
89. Xie, H. Nickel Hydrogen Secondary Battery. Chinese Patent Application No. 200910188446, 27 November 2009.
90. Zhang, J.; Wang, H.; Wang, C. Cylindrical Alkaline Secondary Battery and its Seal Ring Module. Chinese Patent Application No. 03238936, 10 March 2003.
91. Lun, Y.; He, Y.; Deng, S. Secondary Battery. Chinese Patent Application No. 200820213846, 21 November 2008.
92. Lun, Y. Secondary Battery. Chinese Patent Application No. 200920129200, 12 January 2009.
93. Zhu, Z.; Sun, L. Battery Assembling Cap. Chinese Patent Application No. 200620017913, 23 August 2006.
94. Lun, Y. Electrode Terminal, Battery Cover Cap Containing the Electrode Terminal and Battery Thereof. Chinese Patent Application No. 200820094941, 21 June 2008.

95. He, Z.; Liu, W. Battery Metal Flow Collection Band. Chinese Patent Application No. 200420102334, 3 December 2004.
96. Huang, Z.; Chen, Q. Hydrogen Storage Alloy and Hydrogen Storage Alloy Cathode Including the Same. Chinese Patent Application No. 200610127740, 1 September 2006.
97. Zhang, F. Hydrogen Storage Alloy and Its Preparation Method. Chinese Patent Application No. 200610167384, 31 December 2006.
98. Pan, Y.; Geng, W. Hydrogen Storage Alloy, Preparation Thereof, and Cathode and Battery Using the Hydrogen Storage Alloy. Chinese Patent Application No. 200710147642, 31 August 2007.
99. Yang, Y. Hydrogen Storage Alloy, Preparation Method Thereof and Negative Pole and Battery Containing Hydrogen Storage Alloy. Chinese Patent Application No. 200810126837, 26 June 2008.
100. Wang, B.; Gao, M.; Liu, Y.; Chen, J.; Feng, R. High-Power Nickel-Metal Hydride Battery and Manufacturing Method Thereof. Chinese Patent Application No. 201210405985, 23 October 2012.
101. Jin, Z.; Wang, Z.; He, R.; Wu, Y.; Wu, D.; Liu, W.; Liu, J.; Fan, C. Nickel-Hydrogen Battery Positive Plate. Chinese Patent Application No. 201520589228, 7 August 2015.
102. Wang, B.; Pan, H.; Gao, M. Secondary Battery with High-Rate Discharge Characteristic. Chinese Patent Application No. 201220543651, 23 October 2012.
103. Wang, B.; Pan, H.; Gao, M. High-Power Nickel-Metal Hydride Battery. Chinese Patent Application No. 201220545556, 23 October 2012.
104. Wang, B.; Pan, H.; Guo, M. Secondary Battery Capable of Improving High-Rate Discharge Property of Secondary Battery. Chinese Patent Application No. 201220543416, 23 October 2012.
105. Wang, B.; Gao, M.; Liu, Y.; Chen, J.; Feng, R. Secondary Battery with Improved High-Ratio Discharge Performance and Production Method of Secondary Battery. Chinese Patent Application No. 201210406152, 23 October 2012.
106. Pan, Y.; Che, J.; Zhu, W.; Pan, W. Electromagnetic Clutch Driving Winder. Chinese Patent Application No. 201120327340, 2 September 2011.
107. Pan, Y.; Chen, J.; Zhu, W.; Pan, W. Chute Device for Shunting of Negative Plates. Chinese Patent Application No. 201120327287, 2 September 2011.
108. Pan, Y.; Chen, J.; Zhu, W.; Pan, W. Polar Plate Receiving Device. Chinese Patent Application No. 201120327407, 2 September 2011.
109. Pan, Y.; Chen, J.; Zhu, W.; Pan, W. Connecting Device for Eliminating Stress of Automatic Spot Welding Machine. Chinese Patent Application No. 201120327257, 2 September 2011.
110. Jin, Z.; Liu, J.; Wu, Y.; Pan, G.; Zhang, W. Automatic Battery Cap Press. Chinese Patent Application No. 201520168069, 24 March 2015.
111. Gao, X.; Xie, X.; Zhang, P.; Liao, S.; Yang, Y. High Temperature Composite Additive Agent for Nickel Base Charging Battery. Chinese Patent Application No. 200610061895, 27 July 2006.
112. Gao, X.; Liao, S.; Xie, X.; Yang, Y. Nickel Hydrogen Charging Battery. Chinese Patent Application No. 200710073554, 16 March 2007.
113. Long, Q.; Xie, J.; Xie, X. Voltage Internal Resistance General-Purpose Tester. Chinese Patent Application No. 201220068181, 28 February 2012.
114. Long, Q.; Xie, J.; Yuan, H.; Wang, J. Nickel-Hydrogen Battery Thermistor of Group Tester. Chinese Patent Application No. 201520856256, 30 October 2015.
115. Peng, H.; Zeng, S.; Xie, H.; Xie, J. Battery Cleaning Machine. Chinese Patent Application No. 201220056525, 21 February 2012.
116. Peng, H.; Yan, Y.; Wang, J. Whitewashed Device is Scraped to Nickel-Hydrogen Battery Negative Pole. Chinese Patent Application No. 201520845461, 28 October 2015.
117. Luo, Q.; Xie, X. Nickel-Hydrogen Battery Capable of Being Used in Low-Temperature Environment and Preparation Method Thereof. Chinese Patent Application No. 201210043538, 24 February 2012.
118. Yu, Y.; Peng, H. Rechargeable Nickel-Hydrogen Battery. Chinese Patent Application No. 201220056523, 21 February 2012.
119. Gao, X.; Che, Y. Sealed Ni/MH Battery. Chinese Patent Application No. 99243344, 23 September 1999.
120. Li, Z.; Li, Q.; Yang, S. A Nickel-Hydrogen High-Temperature Battery and Its Making Method. Chinese Patent Application No. 200810027050, 27 March 2008.

121. Li, Z.; Li, Q.; Chen, H. Nickel Hydrogen Quick Charging Battery and its Making Method. Chinese Patent Application No. 200810027053, 27 March 2008.
122. Li, Z.; Li, Q.; Tian, X.; Liu, Y. Nickel-Hydrogen Low Self-Discharge Battery. Chinese Patent Application No. 200810027054, 27 March 2008.
123. Long, X.; Ye, K.; Guan, T.; Zhang, Y.; Bin, J. Method of Manufacturing Nickel-Metal Hydride Battery. Chinese Patent Application No. 201110191333, 8 July 2011.
124. Fan, Z.; Guan, D.; Long, X.; Ye, K.; Zhang, Y. Method for Preparing Nickel Battery. Chinese Patent Application No. 200910188936, 15 December 2009.
125. Long, X.; Ye, K.; Fan, Z. Positive Base Material of Battery. Chinese Patent Application No. 200920144753, 27 February 2009.
126. Long, X.; Ye, K.; Fan, Z. Nickel-Metal Hydride Battery Cathode Alkali Treatment Method. Chinese Patent Application No. 200910136112, 30 April 2009.
127. Long, X.; Ye, K.; Fan, Z. Nickel-Hydrogen Power Battery Cathode. Chinese Patent Application No. 200920151587, 30 April 2009.
128. Fan, Z.; Long, X.; Ye, K. Battery Anti-Explosion System. Chinese Patent Application No. 200910036407, 4 January 2009.
129. Fan, Z.; Long, X.; Ye, K. High Temperature Failure Rubber. Chinese Patent Application No. 200910036691, 15 January 2009.
130. Long, X.; Ye, K.; Fan, Z.; Guan, D.; Zhang, Y. Welding of Battery Nickel Sheets. Chinese Patent Application No. 200910041975, 19 August 2009.
131. Long, X.; Ye, K. Nickel Battery with Multi-Layer Membrane. Chinese Patent Application No. 200820214287, 5 December 2008.
132. Long, X.; Ye, K. Cell Casing with Active Layer and Cell Using Same. Chinese Patent Application No. 200820235079, 15 December 2008.
133. Long, X.; Ye, K.; Fan, Z. Steel Shell of Cylindrical Cell. Chinese Patent Application No. 200920050216, 15 January 2009.
134. Fan, Z.; Guan, D.; Long, X.; Ye, K.; Zhang, Y. Manufacturing Method of Cylindrical Battery. Chinese Patent Application No. 200910189079, 18 December 2009.
135. Long, X.; Xu, X.; Zhou, W.; Cheng, Z. Flexibly-Packaged Elliptic Battery. Chinese Patent Application No. 201120441364, 9 November 2011.
136. Long, X.; Xu, X.; Zhou, W.; Cheng, Z. Soft Packaging Cylindrical Battery. Chinese Patent Application No. 201120441377, 9 November 2011.
137. Long, X.; Ran, G.; Long, Z. Automatic Dust Removal Machine. Chinese Patent Application No. 201510782747, 16 November 2015.
138. Long, X.; Ran, G.; Long, Z. Automatic Edge-Folding Machine. Chinese Patent Application No. 201510786877, 16 November 2015.
139. Long, X.; Li, J.; Guan, D.; Zhao, S.; Li, X. Combined Type Cell (9V). Chinese Patent Application No. 201430441530, 11 November 2014.
140. Guan, S.; Wang, L.; Zhao, S.; Shi, S.; Xiong, K.; Guo, J.; Yuan, X.; Li, J. Electrolyte and Electrochemical Component Using Same. Chinese Patent Application No. 201310216070, 3 June 2013.
141. Liang, D.; Meng, Z.; Wang, S.; Tang, Y. Formation-Free Nickel-Metal Hydride Battery and Manufacturing Method Thereof. Chinese Patent Application No. 201310293737, 12 July 2013.
142. Yang, Z.; Peng, D.; Wang, S.; Liu, X.; Wang, W.; Ji, J. Manufacturing Process for Positive Plate of Nickel-Hydrogen Rechargeable Battery. Chinese Patent Application No. 200910190780, 10 October 2009.
143. Liang, S.; Ciao, S.; Wang, W.; Ciao, H. A Negative Electrode Sheet for a Nickel-Hydrogen Battery and a Method for Producing the Same and a Nickel-Hydrogen Battery. Chinese Patent Application No. 201510452395, 28 July 2015.
144. Zhou, J.; Wang, S. Manufacturing Technology of High Power Charging Battery. Chinese Patent Application No. 200310112211, 20 November 2003.
145. Zheng, L. Cap Pressing Device for Batteries. Chinese Patent Application No. 201110103881, 25 April 2011.
146. Liang, D.; Wang, W.; Tang, Y. Cylindrical Alkaline Battery and Sealing Ring Thereof. Chinese Patent Application No. 201420673268, 12 November 2014.

147. Wei, N.; Peng, D.; Wang, S.; Yu, D.; Mo, Y. Charging Battery and Assembling Structure of Charging Battery Cover and Current Collector. Chinese Patent Application No. 201020690810, 30 December 2010.
148. Hu, Y.; Jia, H.; Liu, M. Nickel-Hydrogen Battery Discharging at Low Temperature and High Multiplying Power and Preparation Method and Negative Plate Thereof. Chinese Patent Application No. 200910119762, 26 March 2010.
149. Liu, M.; Jia, H.; Hu, Y. Low-Capacity Nickel-Metal Hydride Secondary Battery and Assembly Method Thereof. Chinese Patent Application No. 200910261710, 28 December 2009.
150. Xu, Z.; Fan, Z. Novel Nickel-Hydrogen Power Battery. Chinese Patent Application No. 200520053766, 11 January 2005.
151. Liu, M.; Liu, J. Wide-Temperature Range and High-Power Nickel-Hydrogen Battery and Preparation Technology Thereof. Chinese Patent Application No. 201511015536, 30 December 2015.
152. Liu, M.; Liu, J. Low Internal Resistance Nickel-Hydrogen Battery. Chinese Patent Application No. 201521125143, 30 December 2015.
153. Zhu, M.; Tao, G.; Zhu, Y.; Deng, X. Battery System. Chinese Patent Application No. 201620013831, 6 January 2016.
154. Zhu, M.; Gao, D.; Guo, Q.; Huang, C. Battery System. Chinese Patent Application No. 201610009992, 6 January 2016.
155. Liu, M.; Liu, J. A Cylindrical Nickel Metal Hydride Battery. Chinese Patent Application No. 201521118986, 12 December 2015.
156. Liu, M.; Liu, J. Cylindrical Nickel-Metal Hydride Battery and Negative Pole Wet-Method Powder Scraping Process. Chinese Patent Application No. 201511010831, 30 December 2015.
157. Li, M.; Lu, Y.; Ou, X.; Lian, W.; Xie, H.; Lin, Z.; Yang, F.; Tan, B. Nickel-Hydrogen Battery and Manufacturing Technique Thereof. Chinese Patent Application No. 92101326, 9 March 1992.
158. Xu, J.; Zhang, H.; Ouyang, J. Injection Method for Battery Electrolyte. Chinese Patent Application No. 201110237409, 18 August 2011.
159. Lin, Y.; Tan, W.; Tan, Y.; Li, W.; Chen, X.; Tan, G. Battery Sealing Machine. Chinese Patent Application No. 201110237406, 18 August 2011.
160. Lin, Y.; Tan, W.; Tan, Y.; Li, W.; Chen, X.; Tan, G. Spreading Machine for Battery. Chinese Patent Application No. 201110237390, 18 August 2011.
161. Chen, J.; Huang, Z.; Zhang, H.; Ouyang, J. Recovery Method of Ni-MH Battery Negative Pole Waste. Chinese Patent Application No. 201110237411, 18 August 2011.
162. Huang, Z.; Huang, J.; Chen, J.; Huang, B.; Zhang, H.; Ouyang, J. An anti-Explosion Battery Cap. Chinese Patent Application No. 201120301061, 18 August 2011.
163. Huang, J.; Huang, Z.; Chen, J.; Huang, B.; Zhang, H.; Ouyang, J. D-Type Low Capacity Battery Structure. Chinese Patent Application No. 201120301104, 18 August 2011.
164. Zhang, H.; Huang, J.; Chen, J.; Huang, B.; Ouyang, J. Power Battery Current-Collecting Disc. Chinese Patent Application No. 201120301102, 18 August 2011.
165. Nan, J.; Hou, X.; Xue, J. Nickel-Hydrogen Alkaline Battery and Preparation Method Thereof. Chinese Patent Application No. 200410077333, 9 December 2004.
166. Zeng, X.; Xia, X.; Xue, J. Battery Plus Plate Current-Collector and Producing Technology Thereof. Chinese Patent Application No. 200610122367, 25 September 2006.
167. Xia, X.; Nan, J.; Meng, X. Alkaline Battery Cover. Chinese Patent Application No. 200320117076, 13 October 2003.
168. Liu, J.; Xia, X.; Xue, J. Negative Electrode of NiMH Battery and Its Making Process. Chinese Patent Application No. 02134370, 17 July 2002.
169. Huang, T.; Wang, J. Composite Hydrogen Storage Alloy for NiMH Battery Cathode. Chinese Patent Application No. 200810197606, 12 November 2008.
170. Wu, H.; Liu, X.; Huang, J. Nickel-Hydrogen Battery Pack Provided with Detection Device. Chinese Patent Application No. 201010229034, 16 July 2010.
171. Liu, X.; Wu, H.; Huang, J. Nickel-Metal Hydride Battery Set with Detecting Device. Chinese Patent Application No. 201020261323, 17 July 2010.
172. Wu, H.; Sun, J.; Yang, R.; Wang, T. Equalization Charging Device of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201220070633, 29 February 2012.

173. Wang, T.; Tu, J.; Yang, R. Charger with Nickel-Hydrogen Battery Overcharging Prevention Function. Chinese Patent Application No. 201220241474, 25 May 2012.
174. Sun, J.; Jiang, Z. Nickel-Metal Hydride Battery Facilitating Heat Dissipation. Chinese Patent Application No. 201220241313, 25 May 2012.
175. Sun, J.; Wu, H.; Yang, R. Nickel-Metal Hydride Battery with Anti-Overheating Function and Stable Structure. Chinese Patent Application No. 201220180479, 25 April 2012.
176. Wu, H.; Sun, J.; Wang, T. Control Device for Preventing Nickel-Hydrogen Battery Overdischarge. Chinese Patent Application No. 201220180491, 25 April 2012.
177. Sun, J.; Wu, H. Low-Cost Nickel-Metal Hydride Battery Provided with Electrodes of High Winding Performance. Chinese Patent Application No. 201220180477, 25 April 2012.
178. Wu, H.; Sun, J.; Yang, R.; Wang, T. Square Nickel-Metal Hydride Battery, Battery Pack and Electric Vehicle Using Battery Pack. Chinese Patent Application No. 201220070631, 29 February 2012.
179. Huang, J.; Huang, J.; Wu, H. Cathode Current Collecting Structure of Nickel-Hydrogen Battery. Chinese Patent Application No. 200920131330, 20 April 2009.
180. Wu, H.; Sun, J.; Huang, J. Rechargeable Battery and Cap Thereof. Chinese Patent Application No. 201220292409, 21 June 2012.
181. Sun, J.; Wu, H.; Jiang, M. High-Power Rechargeable Battery Current Collector and Rechargeable Battery Thereof. Chinese Patent Application No. 201220290378, 20 June 2012.
182. Huang, J.; Huang, J.; Wu, H. Battery Negative Plate. Chinese Patent Application No. 200920131329, 20 April 2009.
183. Sun, J.; Jiang, Z.; Huang, J. Positioning Clamping Device of Battery Pole Piece. Chinese Patent Application No. 201220290379, 20 June 2012.
184. Sun, J.; Wu, H.; Jiang, M. Centrifugal Dryer Used for Battery Pole Piece. Chinese Patent Application No. 201220290372, 20 June 2012.
185. Sun, J.; Wu, H.; Huang, J. Electrolyte Injector with Heating Function. Chinese Patent Application No. 201220290380, 20 June 2012.
186. Chen, Y.; Yang, H.; Wu, C.; Chao, D. High Iron Hydrogen Storage Electrode Alloy, Preparation Method Thereof and Nickel-Hydrogen Battery Cathode Material. Chinese Patent Application No. 201110144878, 31 May 2011.
187. Meng, Z.; He, Y.; Sun, W. Nickel-Metal Hydride Battery Pack for Pure Electric Bus. Chinese Patent Application No. 201410159453, 21 April 2014.
188. Zhang, X.; Sun, W.; Lin, X.; Wu, Y. High-Temperature Nickel-Metal Hydride Battery. Chinese Patent Application No. 201010287314, 20 September 2010.
189. Zhang, X.; Wu, Y.; Li, H.; Li, X.; Sun, W. High-Power Nickel-Hydrogen Battery. Chinese Patent Application No. 201120023136, 25 January 2011.
190. Tang, C.; Cheng, S.; Hu, C.; Zhang, M.; Guo, H.; Wang, F.; Zhou, Z.; Li, P. Antioxidant for Alkaline Cell and Alkaline Cell Using Antioxidant. Chinese Patent Application No. 201310272023, 2 July 2013.
191. Wang, L.; Sun, Y. Alkaline Secondary Cell Diaphragm and Its Producing Method. Chinese Patent Application No. 200410056887, 27 August 2004.
192. Cao, Y.; Yang, T.; Guo, J. Manufacturing Method of Alkaline Battery Electrode and Battery Produced Using Said Method. Chinese Patent Application No. 01144538, 19 December 2001.
193. Cao, Y.; Yang, T.; Guo, J. Manufacturing method of alkaline battery electrode and battery produced using said method. Chinese Patent Application No. 01144539, 19 December 2001.
194. Cao, Y.; Xie, F. Secondary NiMH Battery. Chinese Patent Application No. 200620115719, 31 May 2006.
195. Li, W. Manufacturing Method of Nickel Hydrogen Battery Negative Electrode Material. Chinese Patent Application No. 03100898, 27 January 2003.
196. Wu, Y.; Deng, Z.; Zeng, Y.; He, L.; Deng, Z.; Zhu, D. Nickel-Hydrogen Power Battery and Preparation Method Therefor. Chinese Patent Application No. 201510434308, 22 July 2015.
197. Wu, Y.; Zhu, D.; Lv, D.; Chang, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Cylindrical Nickel-Hydrogen Power Cell. Chinese Patent Application No. 201220096555, 15 March 2012.
198. Wu, Y.; Zhu, D.; Lv, D.; Chang, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Nickel-Hydrogen Battery. Chinese Patent Application No. 201220096530, 15 March 2012.

199. Wu, Y.; Zhu, D.; Lv, D.; Jing, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Dual-Purpose Power Battery. Chinese Patent Application No. 201220096554, 15 March 2012.
200. Wu, Y.; Zhu, D.; Lv, D.; Chang, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Novel Nickel-Hydrogen Power Battery. Chinese Patent Application No. 201220096553, 15 March 2012.
201. Wu, Y. High-Efficiency Nickel Metal Hydrogen Power Battery. Chinese Patent Application No. 201420456274, 14 August 2014.
202. Wu, Y.; Zhu, D.; Lv, D.; Chang, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Novel Square Ni-MH Power Battery. Chinese Patent Application No. 201220096552, 15 March 2012.
203. Wu, Y.; Zhu, D.; Lv, D.; Chang, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Composite Novel Nickel-Metal Hydride Battery. Chinese Patent Application No. 201220096558, 15 March 2012.
204. Wu, Y.; Zhu, D.; Lv, D.; Chang, J.; Wang, C.; Wen, X.; He, Y.; Xia, Z. Novel Nickel-Metal Hydride Battery. Chinese Patent Application No. 201220096556, 15 March 2012.
205. Deng, Z.; Zeng, Y.; He, L.; Wu, Y.; Wang, L.; Zhu, D. Large Capacity Ni-MH Power Battery. Chinese Patent Application No. 201520322087, 18 May 2015.
206. Wu, Y. High-Temperature and Low-Temperature Nickel-Hydrogen Power Cell with Super-High Multiplying Power. Chinese Patent Application No. 201420456286, 14 August 2014.
207. Deng, Z.; Zeng, Y.; He, L.; Wu, Y.; Wang, L.; Zhu, D. A High-Power Ni-MH Battery Suitable for a Wide Temperature Range. Chinese Patent Application No. 201520322089, 18 May 2015.
208. Li, X. Negative Pole Polar Plate Recycle Device. Chinese Patent Application No. 201620139343, 23 February 2016.
209. Zhang, T.; Chen, Y.; Zhang, P.; Gu, Y. Double Electric Pole Columns Power Type Square Body Nickel-Hydrogen Battery. Chinese Patent Application No. 200710156932, 20 November 2007.
210. Zhang, T.; Chen, Y.; Zhang, P.; Gu, Y. Power Type Cube Nickel-Hydrogen Batteries of Module Electric Core. Chinese Patent Application No. 200710156935, 20 November 2007.
211. Gu, Y.; Zhang, J.; Bai, Y.; Zhu, Y.; Mo, Z.; Qian, L. Nickel-Hydrogen Battery Positive Electrode Sheet Manufacturing Method and Manufacturing Apparatus Thereof. Chinese Patent Application No. 201210431784, 1 November 2012.
212. Gu, Y.; Zhang, J.; Zhu, Y.; Mo, Z.; He, Y.; Qian, L. Low-Temperature Nickel-Hydrogen Battery and Preparation Method Thereof. Chinese Patent Application No. 201210431080, 1 November 2012.
213. Gu, Y.; Zhang, J.; Chen, A.; Mo, Z.; Qian, L. High Temperature Nickel-Hydrogen Battery and Preparation Method Thereof. Chinese Patent Application No. 201210430545, 1 November 2012.
214. Tian, X.; Zhou, S. Square Battery Shell. Chinese Patent Application No. 201320083480, 25 February 2013.
215. Tian, X.; Zhou, S. Rectangular Battery and Manufacturing Method Thereof. Chinese Patent Application No. 201310058048, 25 February 2013.
216. Tian, X.; Zhou, S. Square Battery. Chinese Patent Application No. 201320083860, 25 February 2013.
217. Cao, S.; Jiang, Z.; Yin, L.; Huangfu, Y.; Wang, Y.; Jia, C.; Wu, F.; Zhao, X.; Zhang, L.; Zhang, W.; et al. Hybrid Cars Battery Module and its Battery Pack. Chinese Patent Application No. 201610875601, 30 September 2016.
218. Cao, S.; Huangfu, Y.; Yin, L.; Wang, Y.; Jia, C.; Zhao, X.; Zhang, L.; Ji, Y.; Zhang, W.; Zheng, Z.; et al. Cell Connector. Chinese Patent Application No. 201610875603, 30 September 2016.
219. Li, J.; Cao, S.; Jia, C.; Wu, F.; Yan, Q.; Zhang, W.; Hou, S. Nickel-Metal Hydride Battery Pack for Electric Bicycle. Chinese Patent Application No. 201020158887, 19 March 2010.
220. Xu, S.; Liang, W.; Zhang, Z.; Yang, Y.; Cao, S.; Zhang, W.; Ma, Y.; Zhang, X.; Xu, G.; Xing, Z.; et al. Precharging Technique for Forming Nickel Hydrogen Battery. Chinese Patent Application No. 200610151962, 3 September 2006.
221. Li, J.; Cao, S.; Jia, C.; Zhang, L.; Huangfu, Y.; Wang, Y.; Zhang, W.; Yang, T. Battery Micro-Short Low-Temperature Detection Method. Chinese Patent Application No. 201310118797, 8 April 2013.
222. Li, J.; Cao, S.; Jia, C.; Chang, Z.; Huangfu, Y.; Wang, Y.; Yin, L.; Ma, Y. Electrode Slurry Mixing Method. Chinese Patent Application No. 201310118746, 8 April 2013.
223. Li, J.; Cao, S.; Jia, C.; Huangfu, Y.; Zhang, W.; Chen, S.; Miao, R.; Wu, H. Cathode Coating Device. Chinese Patent Application No. 201320127460, 20 March 2013.
224. Zhang, Z.; Zhang, X.; Xu, G. Multi-Way Paste-Applicator with Welding Headspace. Chinese Patent Application No. 200420065793, 1 July 2004.

225. Li, J.; Cao, S.; Jia, C.; Wu, F.; Huangfu, Y.; Wang, Y.; Chen, S.; Du, J. Method for Eliminating Battery Plate Stress. Chinese Patent Application No. 201310118460, 8 April 2013.
226. Cao, S.; Chang, Z.; Huang, F.; Li, J.; Li, J.; Shi, Q.; Xu, S.; Yang, Y. Nickel-Metal Hydride Battery Electrode Burr Punching Machine. Chinese Patent Application No. 201020158886, 19 March 2010.
227. Cao, S.; Jiang, Z.; Chang, Z.; Huangfu, Y.; Yin, L.; Wang, Y.; Jian, C.; Zhao, X.; Li, J.; Ji, Y. Pole Piece Conveying Positioner. Chinese Patent Application No. 201520224145, 15 April 2015.
228. Zhang, Z.; Xu, S.; Yang, Y.; Chang, Z.; Ma, Y.; Zhao, X.; Feng, H.; Liu, J.; Liu, Z. Ultrasonic Welding Machine of Current Collecting Belt of Positive Plate. Chinese Patent Application No. 201020154887, 19 March 2010.
229. Cao, S.; Jiang, Z.; Chang, Z.; Huangfu, Y.; Yin, L.; Wu, F.; Wang, Y.; Jia, C.; Hu, D.; Zheng, Z. Battery Insulated Ring Assembly Device. Chinese Patent Application No. 201520224142, 15 April 2015.
230. Li, J.; Cao, S.; Jia, C.; Huangfu, Y.; Wang, Y.; Yin, L.; Zhang, W. Cylindrical Battery Insulation Space Ring. Chinese Patent Application No. 201320128321, 20 March 2013.
231. Li, J.; Cao, S.; Xu, G.; Ma, Y.; Jia, C.; Wang, Y.; Shi, Q.; Chang, Z. Connecting Component for Nickel-Hydrogen Battery Groups. Chinese Patent Application No. 201020154903, 19 March 2010.
232. Zhao, P.; Chen, P.; Ma, G. High Power Nickel-Metal Hydride Battery. Chinese Patent Application No. 201120029381, 28 January 2011.
233. Ma, G.; Cao, Y. Super-Wide-Temperature-Range Nickel-Hydrogen Battery and Manufacturing Method Therefor. Chinese Patent Application No. 201510746318, 15 November 2015.
234. Chen, P.; Hu, Z.; Ma, G. Method for Manufacturing Ultra-High Temperature Overcharging-Resistance Long Service Life Nickel-Hydrogen Battery. Chinese Patent Application No. 201310173019, 11 May 2013.
235. Hu, Z.; Chen, P.; Ma, G. Method for Manufacturing Ultra-High Temperature Long-Service Life Nickel-Hydrogen Batteries. Chinese Patent Application No. 201410816955, 24 December 2014.
236. Cao, Y.; Ma, G. Novel Low Capacity Nickel-Hydrogen Battery of Structure. Chinese Patent Application No. 201520803268, 15 October 2015.
237. Ma, G. A Flat Supporting Flame to Produce Cylindrical Ni-MH Battery. Chinese Patent Application No. 201710018936, 11 January 2017.
238. Gao, P.; Huang, D.; Fan, H.; Wang, F.; Lou, L. Method for Improving Air Impermeability of Cylindrical Battery and Cylindrical Battery. Chinese Patent Application No. 201410791776, 19 December 2014.
239. Hu, Z. Novel Structure of Safety Type Nickel-Metal Hydride Battery. Chinese Patent Application No. 201320565787, 12 September 2013.
240. Hu, Z.; Chen, P.; Ma, G. Nickel-Metal Hydride Battery. Chinese Patent Application No. 201120029358, 28 January 2011.
241. Ma, G.; Chen, P. Nickel Hydrogen-Nickel Cadmium Battery. Chinese Patent Application No. 201120029357, 28 January 2011.
242. Peng, L. Rapid Liquid Feeding Device for Nickel-Metal Hydride Battery. Chinese Patent Application No. 201320565780, 12 September 2013.
243. Tang, B.; Ma, G. A Gumming Device for on Battery Positive Plate Softening Machine. Chinese Patent Application No. 201520827309, 22 October 2015.
244. Zhang, Y.; Zhu, Y.; Li, L. Super Power Nickel-Hydrogen Battery Overturning Traditional Technology. Chinese Patent Application No. 201310083759, 4 March 2013.
245. Zhang, Y.; Ge, K.; Si, W. Novel Nickel-Metallic Oxide Cell Structure. Chinese Patent Application No. 201220358743, 23 July 2012.
246. Zhang, Y. Nickel-Metal Hydride Battery Charger. Chinese Patent Application No. 201220358739, 23 July 2012.
247. Zhang, Y.; Ge, K. A Prismatic Sealed Battery Module. Chinese Patent Application No. 201220358692, 23 July 2012.
248. Zhang, Y. Sealing Structure for Square Metal-Casing Storage Battery Post. Chinese Patent Application No. 201220357573, 23 July 2012.
249. Zhang, Y. Square Plastic-Casing Sealed Storage Battery. Chinese Patent Application No. 201220358740, 23 July 2012.
250. Zhang, Y.; Ge, K. Steel Shell Battery Seal Structure. Chinese Patent Application No. 201220357555, 23 July 2012.
251. Zhang, Y. Compound Sealing Device of Battery Electrode Column. Chinese Patent Application No. 201020609670, 16 November 2010.

252. Xu, Y.; Qiu, J.; Ge, C.; He, X.; Liu, Q. Low-Capacity High-Power Nickel-Hydrogen Battery. Chinese Patent Application No. 200520073477, 6 July 2005.
253. Xu, Y.; Ge, C.; Jiang, X.; Qiu, J.; He, X.; Xia, B.; Liu, Q. High Power Ni/MH Battery. Chinese Patent Application No. 200620069267, 8 February 2006.
254. Li, G.; Xu, Y.; Dong, M.; Li, X.; Zhang, L. Battery Connecting Apparatus. Chinese Patent Application No. 200810168497, 30 September 2008.
255. Li, G.; Xu, Y.; Yu, Z. Battery Group with Temperature Regulating Device. Chinese Patent Application No. 201010283138, 16 September 2010.
256. Xu, Y.; Li, G.; Dong, M.; Li, X.; Lu, Y.; Yue, J. Liquid Cooling Device of Battery Set. Chinese Patent Application No. 200910115238, 20 April 2009.
257. Dong, M.; Li, G.; Li, X.; Xu, Y.; Zhong, Z. Method for Charging Battery Pack. Chinese Patent Application No. 200910186454, 3 November 2009.
258. Chen, D. Dynamic High-Capacity Nickel-Hydrogen Battery and Production Process Thereof. Chinese Patent Application No. 200910225295, 13 November 2009.
259. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Ni/MH Power Battery and Production Technology Thereof. Chinese Patent Application No. 201110201987, 19 July 2011.
260. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Nickel-Hydrogen Power Battery. Chinese Patent Application No. 201120254890, 19 July 2011.
261. Chen, D.; Chen, W.; Li, P.; Zhang, L. Ultralow-Capacity Battery and Powder Pulling Die for Manufacturing Battery. Chinese Patent Application No. 201310268984, 1 July 2013.
262. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Method for Producing High Temperature Nickel-Metal Hydride Battery. Chinese Patent Application No. 201110455378, 31 December 2011.
263. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Manufacturing Method of Nickel-Metal Hydride Battery Capable of Being Stored for Long Time. Chinese Patent Application No. 201110455379, 31 December 2011.
264. Chen, W.; Chen, D.; Li, P.; Zhang, G. Production Method for Positive Pole of High-Power Nickel-Metal Hydride Battery. Chinese Patent Application No. 201210289894, 15 August 2012.
265. Chen, D.; Chen, W.; Li, P. Novel Welding Method for Anode Tab and Foamed Nickel of Battery. Chinese Patent Application No. 201310367366, 22 August 2013.
266. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Method for Preparing Anode of High-Power Nickel-Hydrogen Battery. Chinese Patent Application No. 201110174707, 27 June 2011.
267. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Battery Diaphragm with Improved Structure and Production Technology Thereof. Chinese Patent Application No. 201110211199, 27 July 2011.
268. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. Nickel-Metal Hydride Battery Cathode Preparing Method. Chinese Patent Application No. 201110350094, 8 November 2011.
269. Chen, D.; Chen, W.; Li, P.; Zhang, G.; Yin, C. High-Temperature Nickel-Metal Hydride Battery and Manufacturing Method Thereof. Chinese Patent Application No. 201110381832, 28 November 2011.
270. Chen, W.; Chen, D.; Chen, X.; Lyu, G.; Liu, Y. Novel Battery Separation Membrane. Chinese Patent Application No. 201510249811, 16 May 2015.
271. Chen, D.; Chen, W.; Chen, C.; Zhang, G. Rapid Charging Power Battery. Chinese Patent Application No. 201610571747, 20 July 2016.
272. Zou, B.; Hu, X. Novel Knot Formula Nickel-Hydrogen Battery. Chinese Patent Application No. 201520557708, 29 July 2015.
273. Zou, B.; Hu, X. Knot Formula Nickel-Hydrogen Battery. Chinese Patent Application No. 201520557757, 29 July 2015.
274. Zou, B.; Hu, X. Formula Nickel-Hydrogen Battery is Detained in Low Internal Resistance. Chinese Patent Application No. 201520557650, 29 July 2015.
275. Zou, B.; Hu, X. Low-Cost Knot Formula Nickel-Hydrogen Battery. Chinese Patent Application No. 201520557651, 29 July 2015.
276. Yang, Y.; Li, Q.; Li, X. Cladding Nickel Electrode and Preparation Method Thereof. Chinese Patent Application No. 201410272553, 18 June 2014.
277. Yang, Y.; Li, X.; Lei, Y.; Wang, X. NiMH Battery Electrolyte Additive, and an Electrolyte Containing a Nickel Hydrogen Battery Additives. Chinese Patent Application No. 201610925948, 31 October 2016.

278. Di, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Ordinary Battery External Wrapping Film and Preparation Method Thereof. Chinese Patent Application No. 201610248734, 19 April 2016.
279. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Low-Self-Discharging Battery Outer Wrapping Thin Film and Preparing Method Thereof. Chinese Patent Application No. 201610248753, 19 April 2016.
280. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Film for Wrapping Exteriors of High Capacity Batteries and Preparation Process Thereof. Chinese Patent Application No. 201610248752, 19 April 2016.
281. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. External Coating Thin Film of Power Battery and Preparation Method Thereof. Chinese Patent Application No. 201610248748, 19 April 2016.
282. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Film for Wrapping Exteriors of High-Temperature Batteries and Preparation Method Thereof. Chinese Patent Application No. 201610248738, 19 April 2016.
283. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Special Sealant for Ordinary Batteries and Preparation Process Thereof. Chinese Patent Application No. 201610248732, 19 April 2016.
284. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Special Sealant for High Capacity Batteries and Preparation Process Thereof. Chinese Patent Application No. 201610248740, 19 April 2016.
285. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Special Sealant for High-Temperature Batteries and Preparation Process Thereof. Chinese Patent Application No. 201610248747, 19 April 2016.
286. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Seal Gum Specially Used for Low-Self-Discharge Battery and Preparation Process of Same. Chinese Patent Application No. 201610248757, 19 April 2016.
287. Zhai, E.; Qiu, C.; Chen, T.; Guan, S.; Li, J.; Zheng, X.; Yin, D. Sealant Special for Power Batteries and Preparation Process of Sealant. Chinese Patent Application No. 201610248751, 19 April 2016.
288. Zhai, E. Anode Material of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201410270953, 17 June 2014.
289. Li, J. Preparation Method of High-Temperature Ni-MH Power Battery. Chinese Patent Application No. 201210538083, 13 December 2012.
290. Huang, P.; Li, H.; Zhai, E. Preparation Method of Low Self-Discharge Nickel-Metal Hydride Battery. Chinese Patent Application No. 201410541530, 14 October 2014.
291. Li, J. Pole-Piece-Free Non-Sinding High-Power-Capacity Nickel-Hydrogen Battery and Processing Technology Thereof. Chinese Patent Application No. 201210355458, 18 September 2012.
292. Zhai, E.; Chen, T.; Li, J. High Voltage Nickel-Metal Hydride Battery Safety Protective Device. Chinese Patent Application No. 201510352510, 24 June 2015.
293. Zhai, E.; Chen, T.; Li, J. Energy-Saving Type High-Power Nickel Metal Hydride Battery. Chinese Patent Application No. 201510352144, 24 June 2015.
294. Zhai, E.; Chen, T.; Li, J. Heat Dissipation Type Nickel-Metal Hydride Battery. Chinese Patent Application No. 201510352233, 24 June 2015.
295. Zhai, E.; Chen, T.; Li, J. Low-Power-Consumption Overvoltage Protective Device for Nickel-Metal Hydride Battery. Chinese Patent Application No. 201510352123, 24 June 2015.
296. Zhai, E.; Chen, T.; Li, J. Environment-Friendly High-Capacity Nickel-Hydrogen Battery. Chinese Patent Application No. 201510352143, 24 June 2015.
297. Zhai, D.; Guo, D.; Han, N.; Zhu, R.; Cui, W.; Wang, R. Glue Solution for Surface Treatment of Nickel-Metal Hydride (NiMH) Battery Plate and Gum Dipping Device. Chinese Patent Application No. 201010189698, 28 May 2010.
298. Wang, R.; Wang, X.; Guo, D.; Fan, J. An Assembled Powder Scraping Apparatus for the Dary Method of Preparing Positive Electrode of Ni-MH Batteries. Chinese Patent Application No. 201120065653, 14 March 2011.
299. Guan, Y.; Su, W.; Yuan, T. Square Nickel-Metal Hydride Battery. Chinese Patent Application No. 201120319631, 29 August 2011.
300. Guan, Y.; Su, W.; Yuan, T. Environment-Friendly Nickel-Metal Hydride Battery. Chinese Patent Application No. 201120319658, 29 August 2011.
301. Chen, P. High-Voltage Nickel-Metal Hydride Battery Structure. Chinese Patent Application No. 201320338290, 7 June 2013.
302. Chen, P. High-Power Nickel-Hydrogen Battery. Chinese Patent Application No. 201120116046, 19 April 2011.
303. Chen, P. A High-Power Ni-MH Battery. Chinese Patent Application No. 201420355227, 30 June 2014.

304. Chen, P. A Non-Winding High-Capacity Ni-MH Battery. Chinese Patent Application No. 201420350094, 29 June 2014.
305. Chen, P. High-Capacity Nickel-Hydrogen Battery Pack with Self-Provided Charger. Chinese Patent Application No. 201120168375, 24 May 2011.
306. Chen, P. Multifunctional Charger with Various Input and Output Modes. Chinese Patent Application No. 201120124612, 25 April 2011.
307. Liu, Q.; Gao, G.; He, J.; Liu, J.; Zhu, Z.; Jia, F. Nickel-Hydrogen Battery Negative Pole Slurry Scraping Device. Chinese Patent Application No. 201620012233, 7 January 2016.
308. Gao, G.; He, J.; Liu, J.; Liu, Q.; Zhu, Z.; Jia, F. Nickel-Hydrogen Battery Positive Plate Dust Removal Rubberizing Device. Chinese Patent Application No. 201620076470, 26 January 2016.
309. Wu, Y.; Liu, Q.; Gao, G.; Liu, J.; Zhu, Z.; Jia, F. Power Nickel-Hydrogen Battery. Chinese Patent Application No. 201620013206, 7 January 2016.
310. Zhu, Z.; He, J.; Gao, G.; Liu, J.; Liu, Q.; Jia, F. Automatic Transportation of Nickel-Hydrogen Battery, Dust Absorption, Flash Removed. Chinese Patent Application No. 201620077158, 26 January 2016.
311. Wu, Y.; He, J.; Liu, J.; Liu, Q.; Zhu, Z.; Jia, F. A Agitating Unit that is Used for Nickel-Hydrogen Battery Positive Pole to Join in Marriage Whitewashed Process. Chinese Patent Application No. 201620011848, 7 January 2016.
312. Hu, H.; Hua, Y.; Li, J.; Lin, D.; Ye, H.; Zhan, B.; Zhan, J.; Zhou, H. Cylinder-Type Nickel-Metal Hydride Battery. Chinese Patent Application No. 201010114307, 11 February 2010.
313. Zhan, B.; Luo, S.; Zhan, J.; Tang, B.; Wang, J. Preparation Method of Negative Electrode Plate of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201210272493, 1 August 2012.
314. Zhang, B.; Zhan, J. Temperature-Resisting Cylindrical Nickel-Metal Hydride Battery. Chinese Patent Application No. 201010114308, 11 February 2010.
315. Shen, M.; Xia, P.; Yan, Q.; Zheng, L.; He, Z.; Cheng, F.; Zhou, H.; Zhan, B.; Zhan, J.; Luo, S. Nickel Hydroxide Anode Pole Piece of Large Current Nickel-Metal Hydride Battery. Chinese Patent Application No. 201120255986, 19 July 2011.
316. He, Z.; Zheng, L.; Zhou, H.; Yan, L.; Zhan, B.; Zhan, J.; Luo, S. Special Nickel Hydroxide Positive Plate for SC Type Nickel-Metal Hydride Batteries. Chinese Patent Application No. 201020289229, 6 August 2010.
317. Pan, C.; Zhou, H.; Chen, X. Method for Fabricating Nickel Electrode in Nickel Hydrogen Battery. Chinese Patent Application No. 200510036556, 18 August 2005.
318. Xiang, K.; Chen, X.; Li, Y. Low-Capacity Nickel-Metal Hydride Battery. Chinese Patent Application No. 201020577092, 22 October 2010.
319. Zhou, H.; Pan, C.; Xiang, K.; Cheng, X. Nickel-Hydrogen Dynamic Cell. Chinese Patent Application No. 200520121356, 30 December 2005.
320. Wu, A.; Kuang, D. A High-Power Nickel-Hydrogen Cell. Chinese Patent Application No. 200320117714, 5 November 2003.
321. Wu, A.; Kuang, D. Flanged Metal Expanding Guipure for Manufacturing Electrode. Chinese Patent Application No. 200320117712, 5 November 2003.
322. Wu, A.; Kuang, D. Large Content High Power Nickel-Cadmium Charging Cell. Chinese Patent Application No. 200320117685, 4 November 2003.
323. Yan, D.; Wang, J. Manufacture Technology of Positive Plate for Nickel-Hydrogen Cell. Chinese Patent Application No. 97120114, 4 November 1997.
324. Yan, D.; Cui, W.; Chen, Q. Method for Manufacturing $\text{Ni}(\text{OH})_2$ Electrodes of Ni-H Battery. Chinese Patent Application No. 98101896, 26 May 1998.
325. Ma, K.; Yan, D. Metal Strap Covered with Foam Nickel Material and Making Method Thereof. Chinese Patent Application No. 00109696, 22 June 2000.
326. Wang, J.; Yang, X.; Cheng, Q. Winding Process of Foamed Nickel Electrode. Chinese Patent Application No. 97120113, 4 November 1997.
327. Yan, D.; Cui, W.; Cheng, X. Method for Manufacturing Metal Hydride Electrode of Nickel-Hydrogen Battery. Chinese Patent Application No. 97121781, 22 December 1997.
328. Gao, X.; Qin, X.; Lan, Y. Composite Hydrogen-Storing Electrode Material of Hydrogen-Storing Alloy/Nano Carbon Material and its Preparing Process. Chinese Patent Application No. 00107426, 12 May 2000.

329. Yuan, H.; Wang, Y.; Wang, L. Magnesium-Base Hydrogen Storing Alloy Material. Chinese Patent Application No. 00109349, 31 May 2000.
330. Gong, W.; Gong, Z.; Gen, M. High Energy Nickel-Metal Hydride Cell. Chinese Patent Application No. 03258177, 31 July 2003.
331. Yan, J.; Wang, R.; Yan, D. Regeneration Method of Deactivated Negative Alloy Powder of Secondary Nickel-Hydrogen Battery. Chinese Patent Application No. 00132165, 19 December 2000.
332. Yan, J.; Wang, R.; Yan, D. Recovering Method of Defective Positive and Negative Pole Material of Secondary Nickel-Hydrogen Battery. Chinese Patent Application No. 00132164, 19 December 2000.
333. Chu, C.; Du, J.; Luo, Y. Anode Piece of Nickel-Metal Hydride Battery. Chinese Patent Application No. 200920168290, 4 September 2009.
334. Yu, Y. Energy-Saving Monitoring System of Power Line Carrier Street Lamp. Chinese Patent Application No. 200920169294, 21 August 2009.
335. Du, J.; Luo, Y.; Tu, Y. Nickel-Metal Hydride Battery Pole Piece and Battery Using the Same. Chinese Patent Application No. 200920168292, 4 September 2009.
336. Du, J.; Luo, Y.; Tu, Y. Nickel-Metal Hydride High-Capacity Cylindrical Battery. Chinese Patent Application No. 200920168291, 4 September 2009.
337. Du, J.; Luo, Y.; Ma, C. Low-Capacity Battery Bottom Mat. Chinese Patent Application No. 200920168289, 4 September 2009.
338. Lin, J.; Yan, Y.; Luo, Y. Winding Structure for Nickel-Hydrogen Battery. Chinese Patent Application No. 201220272255, 11 June 2016.
339. Tu, Y.; Yan, Y.; Luo, Y. Mold for Wet Slurry-Pulling of Nickel-Metal Hydride Battery Cathodes. Chinese Patent Application No. 201220272309, 11 June 2012.
340. Wang, Y.; Li, W.; Sun, L. Electrode of Charging Battery and Method and Equipment for Making Electrode. Chinese Patent Application No. 97122056, 19 December 1997.
341. Wang, J.; Wang, Y. Integrated Battery Device. Chinese Patent Application No. 98248410, 18 November 1998.
342. Lin, J.; Yang, J.; Qian, W.; Zhang, Y.; Jiang, Y.; Zhang, P.; Chen, Y. Cu-Contained Rare Earth System AB₅-Type Hydrogen Storage Alloy and Preparation Method Thereof. Chinese Patent Application No. 201210178222, 31 May 2012.
343. Zhang, P.; Yang, J.; Qian, W.; Zhang, Y.; Jiang, Y.; Chen, Y.; Chen, Y.; Lin, J. Low Cost Hydrogen Storage Alloy, Preparation Method and Application Thereof. Chinese Patent Application No. 200910112283, 21 July 2009.
344. Zhou, Z.; Huang, C.; Qian, W.; Yang, J.; Song, Y.; Cui, S.; Lin, C.; Zhang, Y.; Zhang, P. Low-Cost High-Performance Rare-Earth-Based AB₅-Type Hydrogen Storage Alloy and Preparation Method Thereof. Chinese Patent Application No. 200910112323, 22 July 2009.
345. Jiang, Y.; Chen, Y.; Chen, Y.; Zhang, Y.; Wu, Y. Non-Cobalt Low-Nickel Hydrogen Storage Alloy. Chinese Patent Application No. 201110032195, 28 January 2011.
346. Chen, Y.; Yang, J.; Qian, W.; Zhang, Y.; Jiang, Y.; Chen, Y.; Zhang, P.; Lin, J. Low-Self-Discharge Hydrogen Storage Alloy and Preparation Method Thereof. Chinese Patent Application No. 201110032749, 28 January 2011.
347. Zhang, P.; Yang, J.; Qian, W.; Jiang, L.; Lin, Z. Low-Cost AB₅ Type Hydrogen Storage Alloy Having Ultrahigh Capacity Characteristic, and Preparation Method and Application Thereof. Chinese Patent Application No. 201210412250, 25 October 2012.
348. Lin, J.; Yang, J.; Qian, W.; Zhang, Y.; Jiang, Y.; Zhang, P.; Chen, Y. Low Temperature Power Type Hydrogen Storage Alloy for Nickel-Metal Hydride Battery. Chinese Patent Application No. 201210143770, 10 May 2012.
349. Jiang, Y.; Yang, J.; Zhang, Y.; Ding, X.; Chen, Y.; Chen, Y.; Lin, Y.; Zhou, Y. Over-Stoichiometric Low-Cost Hydrogen Storage Alloy, and Preparation Method and Application Thereof. Chinese Patent Application No. 200810210684, 8 August 2008.
350. Zhang, P.; Yang, J.; Qian, W.; Zhang, Y.; Jiang, Y. Rare Earth Magnesium-Based Hydrogen Storage Alloy with Low Cost and Long Life and Applications Thereof. Chinese Patent Application No. 201110319482, 29 October 2011.
351. Kakeya, T.; Kodama, M.; Kanemoto, M.; Okuda, D.; Zhang, P.; Lin, Z.; Yang, J.; Qian, W.; Jiang, L. Hydrogen Storage Alloy and Manufacturing Method Thereof. Chinese Patent Application No. 201410409393, 19 August 2014.

352. Huang, Z.; Qian, W.; Chen, H.; Zhang, Y.; Zhu, G. Method for Preparing Hydrogen Storing Alloy Powder. Chinese Patent Application No. 200710008544, 2 February 2007.
353. Huang, Z.; Qian, W.; Chen, H.; Zhang, Y.; Zhu, G. Vacuum Induction Smelting Furnace. Chinese Patent Application No. 200820145393, 29 August 2008.
354. Huang, C.; Qian, W.; Chen, H.; Zhang, Y.; Zhu, G. Vacuum Induction Smelting Furnace. Chinese Patent Application No. 200810071672, 29 August 2008.
355. Chen, Y.; Zhang, Y.; Jiang, Y. Method for Preparing Magnesium-Based Cathode of Nickel-Hydrogen Battery. Chinese Patent Application No. 200910111626, 27 April 2009.
356. Min, D.; Chen, Y.; Yang, L.; He, C. Discharging Dust-Collecting Device for Hydrogen Storage Alloy Powder Mixer. Chinese Patent Application No. 201120206564, 17 June 2011.
357. Min, D.; Chen, Y.; Yang, L.; Tao, J. Dust Collection Control System Beneficial to Production. Chinese Patent Application No. 201120206503, 17 June 2011.
358. Min, D.; Chen, Y.; Luo, T.; Yang, L.; He, C. Cleaning Device Capable of Effectively Disposing Impurities on Vibrating Screen. Chinese Patent Application No. 201120206511, 17 June 2011.
359. Min, D.; Chen, Y.; Luo, T.; Yang, L.; Tao, J. Cooling Mould Set Beneficial for Crystallization of Alloys. Chinese Patent Application No. 201120206500, 17 June 2011.
360. Min, D.; Chen, Y.; Luo, T.; He, C. Sheet Producing Device for Fast Testing Electrochemistry Performance of Hydrogen Storage Alloy Powder. Chinese Patent Application No. 201120206636, 17 June 2011.
361. Min, D.; Chen, Y.; Luo, T.; Tao, J. Automated Pouring System for Vacuum Melting Furnace. Chinese Patent Application No. 201120206514, 17 June 2011.
362. Chen, Y.; Liu, L.; Min, D. A_2B_7 Hydrogen Storage Alloy for Nickel-Hydride Battery and Preparation Method Thereof. Chinese Patent Application No. 201310228766, 8 June 2013.
363. Min, D.; Liu, L.; Chen, Y. Rare Earth-Magnesium-Nickel System Heterogeneous Hydrogen Storage Alloys Used for Nickel-Hydrogen Batteries and Preparing Method Thereof. Chinese Patent Application No. 201410222437, 23 May 2014.
364. Zhu, X.; Zhao, X.; Ji, L.; Wang, Y.; Li, Q. High-Capacity Hydrogen Storage Alloy Electrode Material and Production Method Thereof. Chinese Patent Application No. 201310268222, 28 June 2013.
365. Ji, L.; Zhao, X.; Zhu, X.; Han, S.; Wang, Y.; Li, Q.; Liu, Y.; Jing, Y.; Xu, J. Hydrogen Storage Alloy for Nickel-Metal Hydride Battery. Chinese Patent Application No. 201310728257, 26 December 2013.
366. Zhu, X.; Xu, J.; Zhao, X. Hydrogen Storage Alloy for Nickel-Metal Hydride Battery and Manufacturing Method of Hydrogen Storage Alloy. Chinese Patent Application No. 201510879635, 3 December 2015.
367. Han, S.; Shen, W.; Zhu, X.; Zhou, Y. Method for Improving Electrochemical Performance of Hydrogen Storage Alloy Powder by Utilizing Electropolymerization Polyaniline. Chinese Patent Application No. 201110158364, 2 June 2011.
368. Han, S.; Zhang, Z.; Zhu, X.; Li, J.; Xu, S.; Yang, Y.; Jing, T.; Wang, X. Preparation Method of High Content Rare Earth-Magnesium Base Composite Hydrogen Storage Alloy for NiMH Battery. Chinese Patent Application No. 200410092078, 2 November 2004.
369. Zhang, P. Method for Preparing AB_5 Type Mixed Rare-Earth Hydrogen-Bearing Alloy Powder. Chinese Patent Application No. 200710123188, 2 July 2007.
370. Wang, C.; Jiang, B.; Chi, X.; Shen, X.; Liu, L.; Zhang, Y. Low-Cobalt and Praseodymium-Neodymium-Free AB_5 Type Hydrogen Storage Alloy with Low Cost and Preparation Method Thereof. Chinese Patent Application No. 201210215478, 27 June 2012.
371. Wang, C.; Jiang, B.; Chi, X.; Shen, X.; Liu, L.; Zhang, Y. Praseodymium-Neodymium-Free Low-Cost Superlong Life Type Hydrogen Storage Alloy and Preparation Method Thereof. Chinese Patent Application No. 201210362335, 26 September 2012.
372. Guo, J.; Jiang, B.; Sun, C.; Wang, Z. Rare Earth Hydrogen Storage Alloy Containing Mg and Preparing Method Thereof. Chinese Patent Application No. 200710157452, 15 October 2007.
373. Wang, C.; Guo, J.; Jiang, B.; Shen, X. Magnesium-Containing Superlattice Hydrogen Storage Alloy and Preparation Method Thereof. Chinese Patent Application No. 201110152699, 8 June 2011.
374. Wang, C.; Jiang, B.; Chi, X.; Shen, X.; Liu, L.; Zhang, Y. Praseodymium-Free, Neodymium-Free and Cobalt-Free High Capacity Superlattice Hydrogen Storage Alloy Containing Magnesium. Chinese Patent Application No. 201310362901, 16 August 2013.

375. Guo, J.; Jiang, B.; Sun, C.; Wang, C. Preparation Method of AB₅ Type Hydrogen-Storage Alloy Used on Ni/MH Battery. Chinese Patent Application No. 200810246900, 30 December 2008.
376. Wang, C.; Guo, J.; Jiang, B.; Shen, X. Method for Treating Hydrogen Storage Alloy Waste Residues. Chinese Patent Application No. 201110151658, 8 June 2011.
377. Wang, C.; Guo, J.; Jiang, B.; Shen, X. Method for Recycling Metals from Waste Nickel-Hydrogen Batteries. Chinese Patent Application No. 201110173754, 25 June 2011.
378. Miao, G.; Ren, H.; Zhou, X.; Sun, X. Preparation Method of High Performance Hydrogen Storage Alloy Powder. Chinese Patent Application No. 200810150430, 23 July 2008.
379. Gao, J.; Zhang, Y.; Shang, H.; Yang, T.; Zhai, T.; Li, Y. High-Capacity RE-Mg-Ti-Co-Al System AB₂ Type Hydrogen Storage Electrode Alloy Applied to NiMH Batteries of Hybrid Electric Vehicles and Preparation Method of Alloy. Chinese Patent Application No. 201510008846, 8 January 2015.
380. Gao, J.; Yong, H.; Zhang, Y.; Shang, H.; Li, Y.; Yuan, Z. RE-Mg-Ni-Ti-Cu-Al-B Series AB Type Electrode Alloy Used for Ni-MH Battery and Preparation Method. Chinese Patent Application No. 201610454477, 22 June 2016.
381. Gao, J.; Shang, H.; Li, J.; Xu, C. Low-Magnesium RE-Mg-Ti-Al-B Series Hydrogen-Storage Alloy for Ni-MH Secondary Battery and Preparation Method. Chinese Patent Application No. 201410085723, 11 March 2014.
382. Gao, J.; Yuan, Z.; Yang, T.; Liao, Y.; Ma, X. Nano-Graphite Compounded High-Capacity RE-Mg-Ni-Based Hydrogen Storage Material and Preparation Method Thereof. Chinese Patent Application No. 201510554498, 2 September 2015.
383. Gao, J. Automatic Split Charging Device of Hydrogen-Storage Alloy Powder. Chinese Patent Application No. 201320585007, 23 September 2013.
384. Huang, Y.; Wu, J.; Liu, H.; Li, R.; Xie, Y.; Yang, K. La-Mg-Ni Negative Electrode Hydrogen Storage Material Used in Power-Type Nickel-Metal Hydride Battery. Chinese Patent Application No. 201110339760, 1 November 2011.
385. Liu, H.; Li, R.; Wu, J. La-Mg-Ni Negative Hydrogen Storage Material for Nickel-Hydrogen Batteries. Chinese Patent Application No. 200910163893, 14 August 2009.
386. Liu, H.; Wu, J. AB₅ Type Negative Pole Hydrogen Storing Material. Chinese Patent Application No. 200810175124, 30 October 2008.
387. Liu, H.; Wu, J. AB₅ Type Negative Pole Hydrogen Storing Material and Preparation Method Thereof. Chinese Patent Application No. 200510083535, 8 July 2005.
388. Liu, H.; Wu, J.; Liu, J. AB₅ Negative Pole Hydrogen Storing Material. Chinese Patent Application No. 200510083537, 8 July 2005.
389. Liu, H.; Wu, J.; Wang, M. AB₅ Type Negative Pole Hydrogen-Storage Material. Chinese Patent Application No. 200510099899, 9 September 2005.
390. Liu, H.; Wu, J. AB₅ Type Negative Pole Hydrogen-Storage Material. Chinese Patent Application No. 200510099901, 9 September 2005.
391. Liu, H.; Wu, J. AB₅ Type Negative Pole Hydrogen-Storage Material. Chinese Patent Application No. 200510099902, 9 September 2005.
392. Liu, H.; Wu, J. Pr₅Co₁₉ Type Cathode Hydrogen Storage Material and Application Thereof. Chinese Patent Application No. 200810181720, 4 December 2008.
393. Liu, H.; Tian, B. AB_{3.5} Type Hydrogen-Storing Negative Pole Material and its Preparation Process and Use. Chinese Patent Application No. 200610148600, 22 November 2006.
394. Liu, H.; Liu, J. Novel Collector of Hydrogen Battery. Chinese Patent Application No. 201020676945, 23 December 2010.
395. Liu, H.; Liu, J. Current-Collecting Sheet with Novel Structure for Hydrogen Battery. Chinese Patent Application No. 201020676956, 23 December 2010.
396. Liu, H.; Liu, J. Easy-To-Weld Current-Collecting Sheet of Hydrogen Cell. Chinese Patent Application No. 201020676958, 23 December 2010.
397. Liu, H.; Liu, J. Easily-Welded Current-Collecting Sheet for Hydrogen Battery. Chinese Patent Application No. 201020676935, 23 December 2010.
398. Yang, S.; Wang, X.; Zhou, J.; Zhou, F. Solar Energy Nickel-Hydrogen Charging Battery Manufacture Process. Chinese Patent Application No. 200610032433, 20 October 2006.

399. Fierro, C.; Fetcenko, M.A.; Young, K.; Ovshinsky, S.R.; Sommers, B.; Harrison, C. Nickel Hydroxide Positive Electrode Material Exhibiting Improved Conductivity and Engineered Activation Energy. U.S. Patent 6,228,535, 8 May 2001.
400. Gao, W.; Wang, Q.; Gong, J.; Meng, X.; Wang, T.; Zhang, X.; Yang, Z.; Fan, G.; Wang, W.; Chen, J. Method for Preparing Pure-Phase Spherical Nickel Hydroxide. Chinese Patent Application No. 201410551376, 17 October 2014.
401. Gao, W.; Wang, Q.; Fan, G.; Wang, W.; Chen, J.; Ma, M.; Zhao, S.; Tao, S. Method for Removing Sulfate Radicals in Nickel Hydroxide. Chinese Patent Application No. 201510803603, 20 November 2015.
402. Zhou, T.; Geng, W.; Xin, H.; Wu, Y.; Zhao, M.; Zhang, J.; Lai, J.; Wang, R.; Wang, Y.; Cui, W. Nickel Hydroxide Raw Material Iron Removing Process and Pneumatic Stirring and Precipitating Impurity Removing Tank Adopting Nickel Hydroxide Raw Material Iron Removing Process. Chinese Patent Application No. 201510812812, 20 November 2015.
403. Yin, Z.; Xu, Y.; Zhang, H.; Han, H. Method for Producing Spherical Nickel Hydroxide. Chinese Patent Application No. 200510017529, 20 April 2005.
404. Xu, Y.; Yin, Z.; Kang, B. Method for Producing Nickel Hydroxide Used for High Temperature Battery. Chinese Patent Application No. 200510017528, 20 April 2005.
405. Xu, Y.; Kang, B.; Yin, Z.; Wei, L.; Wang, M.; Han, H.; Zhang, H.; Yuan, J. Spherical Nickel Hydroxide with Composite Cobalt Layer Being Coated and Preparation Method. Chinese Patent Application No. 200510017530, 20 April 2005.
406. Chang, Z.; Shangguan, E.; Wu, F.; Tang, H.; Cheng, D.; Xu, Y.; Yin, Z. Method for Electrolyzing Nickel Hydroxide Covering Hydroxyl Cobalt Oxide Layer. Chinese Patent Application No. 200710054761, 28 June 2007.
407. Chang, Z.; Shangguan, N.; Wu, F.; Tang, H.; Cheng, D.; Xu, Y.; Yin, Z. Method for Electrolytic Preparing Hydroxy Cobalt Nickel Oxide. Chinese Patent Application No. 200710054762, 28 June 2007.
408. Yin, Z.; Xu, Y. Method of Cladding Hydroxy Cobalt Oxide on Spherical Nickel Hydroxide Surface. Chinese Patent Application No. 200510048557, 11 November 2005.
409. Zhang, B.; Zhao, Q.; Wang, Y.; Dong, Y.; Zhang, H. Cobalt Coating Method for Spherical Nickel Hydroxide by Mechanical Fusion. Chinese Patent Application No. 201210405104, 22 October 2012.
410. Wang, Y.; Zhao, Q.; Zhang, H.; Yang, X.; Zhang, B.; Dong, Y. Spherical Cobalt-Coated Nickel Hydroxide Applied to Power Battery and Preparation Method of Spherical Cobalt-Coated Nickel Hydroxide. Chinese Patent Application No. 201510024014, 19 January 2015.
411. Wang, D.; Sun, W.; Wang, X.; Li, S.; Wang, Y.; Sun, C.; Lu, H.; Zhang, Z.; Zhang, C. Dry Gaseous Oxidation Preparation of Spherical Cobalt-Coated Nickel Hydroxide. Chinese Patent Application No. 201110344412, 4 November 2011.
412. Wang, D.; Li, S.; Wang, Y.; Lu, H.; Sun, W. Special Vertical Oxidizer for Gas-Phase Oxidation Cobalt-Coated Spherical Nickel Hydroxide. Chinese Patent Application No. 201120310715, 24 August 2011.
413. Sun, W.; Wang, X.; Li, S.; Wang, D.; Wang, Y.; Lu, H.; Zhang, Z.; Zhang, C. Liquid Phase Oxidation Method for Preparing Co-Coated Spherical Nickel Hydroxide. Chinese Patent Application No. 201110344391, 4 November 2011.
414. Wang, D.; Wang, X.; Lu, H.; Li, S.; Wang, Y.; Sun, C.; Sun, W. Technology for Producing Covering Cobalt Spherical Nickelous Hydroxide through Continuous Method. Chinese Patent Application No. 201210344973, 15 September 2012.
415. Wang, D.; Sun, W.; Wang, X.; Li, S.; Lu, H.; Wang, Y.; Zhang, C.; Zhang, Z.; Sun, C. Method for Preparing Spherical Nickel Hydroxide by Doping Zinc, Manganese and Aluminum. Chinese Patent Application No. 201110382222, 25 November 2011.
416. Sun, W.; Li, S.; Qu, Z.; Wang, X.; Sun, C.; Hu, X.; Lu, H.; Wang, D. Spherical Nickel Hydroxide for High-Temperature Battery Anode and Preparation Method Thereof. Chinese Patent Application No. 201010557786, 24 November 2010.
417. Li, X.; Liu, P.; Luo, M.; Xiao, Z.; Sun, W.; Li, S. Preparation Method of Spherical Nickel Hydroxide Used as Battery Cathode Material. Chinese Patent Application No. 201110180469, 30 June 2011.
418. Sun, W.; Li, S.; Wu, X.; Lu, H.; Wang, D.; Sun, C.; Jiang, H. Special Reactor for Producing Dynamic Spherical Nickel Hydroxide. Chinese Patent Application No. 201120199983, 14 June 2011.

419. Wang, D.; Sun, W.; Sun, C.; Wang, X.; Li, S.; Lu, H.; Wang, Y. Power-Type Dedicated Oxidizer for Cobalt-Coated Spherical Nickel Hydroxide Production. Chinese Patent Application No. 201120310679, 24 August 2011.
420. Lu, H.; Sun, W.; Li, S.; Wang, X.; Wang, D.; Wang, Y. Reaction Kettle Used for the Production of Coating Cobalt Hydroxide on Spherical Nickel Hydroxide. Chinese Patent Application No. 201120310734, 24 August 2011.
421. Wang, D.; Sun, W.; Sun, C.; Li, S.; Wang, Y.; Lu, H. Reaction Kettle System for Producing Cobalt-Covered Spherical Nickel Hydroxide through Continuous Method. Chinese Patent Application No. 201220510191, 8 October 2012.
422. Ding, H.; Wu, X.; Jun, W.; Sun, W. Spherical Nickel Hydroxide Microwave Drying System. Chinese Patent Application No. 201020555163, 30 September 2010.
423. Li, S.; Sun, W.; Wang, X.; Lu, H.; Wang, Y.; Wang, D.; Sun, C.; Zhang, C.; Zhang, Z. Electrochemistry-Chemistry Mixed Oxidation Tank of Preoxidized Spherical Nickel Hydroxide. Chinese Patent Application No. 201120347053, 16 September 2011.
424. Li, S.; Sun, W.; Wang, X.; Jiang, H.; Lu, H.; Wang, D.; Sun, C.; Li, X. Static Impedance Tester for Positive Powder Materials of Cobalt-Overlapped Type Spherical Nickel Hydroxide. Chinese Patent Application No. 201220048827, 13 February 2012.
425. Li, S.; Sun, W.; Ding, H.; Wang, X.; Sun, C.; Lu, H.; Wang, D. Method of Recovering and Treating Edge Scraps of Cobalt-Coated Spherical Nickel Hydroxide. Chinese Patent Application No. 201110159518, 14 June 2011.
426. Du, Y.; Lu, K.; Yang, L.; Xie, Q. Production Process for Spherical Nickel Hydroxide. Chinese Patent Application No. 201510864847, 1 December 2016.
427. Du, Y.; Lu, K.; Yang, L.; Xie, Q. Production Technology of Spherical Cobalt-Coated Nickel Hydroxide. Chinese Patent Application No. 201510917705, 14 December 2015.
428. Zhang, J.; Tao, W.; Tang, Z.; Dai, G.; Jiang, S.; He, Y.; Chen, X.; Deng, M.; Peng, W.; Zhou, X. Preparation Method of Spherical Nickel Hydroxid. Chinese Patent Application No. 200610031587, 28 April 2006.
429. Zhou, Q.; Tan, S.; Zhang, H.; Hu, Z.; Yuan, Q. Making Method of Nickel Hydroxide with Coated Gamma Hydroxy Cobalt Oxide. Chinese Patent Application No. 200710035313, 9 July 2007.
430. Tian, J.; Liu, H.; Guo, S.; Shu, Z. High Specific Capacity Discharge Platform Spherical Nickel Hydroxide. Chinese Patent Application No. 200910303136, 10 June 2009.
431. Tian, J.; Guo, S.; Liu, H.; Shu, C. Spherical Nickel Hydroxide for High-Temperature Nickel Batteries and Preparation Method Thereof. Chinese Patent Application No. 200910303135, 10 June 2009.
432. Liu, H.; Liu, L.; Liang, Z.; Tan, Y.; Shu, C.; Tian, J.; Wang, Q. Cobalt-Coated Ball Nickel Drying Unit. Chinese Patent Application No. 201120001640, 5 January 2011.
433. Tan, Y.; Li, C.; Yuan, S.; Liu, L.; Tian, J. Device for Preparing Spherical Nickel Hydroxide. Chinese Patent Application No. 201220297326, 25 June 2012.
434. Shu, C.; Li, C.; Yuan, S.; Liu, L.; Tian, J. Device for Preparing Spherical Nickel Hydroxide. Chinese Patent Application No. 201220297328, 25 June 2012.
435. Shu, C.; Li, C.; Yuan, S.; Liu, L.; Tian, J. Device for Preparing Spherical Nickel Hydroxide. Chinese Patent Application No. 201210209117, 25 June 2012.
436. Li, C.; Liu, L.; Yuan, S.; Tan, Y.; Tian, J. Reaction Kettle Device for Preparing and Coating Spherical Nickel Hydroxide. Chinese Patent Application No. 201210209131, 25 June 2012.
437. Tian, J.; Liu, L.; Liu, H.; Shu, Z.; Tang, Z. Preparation Method of Spherical Nickel Hydroxide Anode Material Coated with Gamma-Hydroxy Cobalt Oxide. Chinese Patent Application No. 201110031535, 29 January 2011.
438. Fu, C.; Yang, Z. Method for Preparing Nickel Positive Electrode of Nickel-Metal Hydride Secondary Battery by Using Cobalt-Aluminum Hydrotalcite and Application Thereof. Chinese Patent Application No. 201410726996, 3 December 2014.
439. Gao, F.; Wu, L. Synthesis Technology of Nano Cobalt Oxyhydroxide. Chinese Patent Application No. 201310375503, 26 August 2013.
440. Gao, F. Synthesis Process of Beta-Type Nanoscale Cobalt Hydroxide. Chinese Patent Application No. 201210294360, 17 August 2012.
441. Yang, X.; Chen, M. High Temperature Nickel-Hydrogen Battery. Chinese Patent Application No. 200510040591, 17 June 2005.

442. Yang, X.; Wang, H.; Yang, Y.; Xu, Y. Zirconium Added Nickel Hydroxide and its Preparing Method. Chinese Patent Application No. 200610041099, 22 July 2006.
443. Endo, T.; Satoh, K.; Suzuki, M.; Uchiyama, S. Information Processing Method and Apparatus for Finding Position and Orientation of Targeted Object. Chinese Patent Application No. 200510069367, 13 May 2005.
444. Xu, K.; Guo, X.; Nie, Z.; Lai, D. Additive of Electrode Material for Nickel-Hydrogen Cell and Preparing Method Thereof. Chinese Patent Application No. 02156516, 16 December 2002.
445. Babjak, J.; Ettel, V.A.; Paserin, V. Method of Forming Nickel Foam. U.S. Patent 4,957,543, 18 September 1990.
446. Tian, J.; Liu, H.; Guo, S.; Shu, Z. High Specific Capacity Discharge Platform Spherical Nickel Hydroxide. Chinese Patent Application No. 98230333, 10 June 2009.
447. Tian, J.; Guo, S.; Liu, H.; Shu, C. Spherical Nickel Hydroxide for High-Temperature Nickel Batteries and Preparation Method Thereof. Chinese Patent Application No. 99115542, 10 June 2009.
448. Hunan Corun Sues Vale Inco for Patent Infringement. Available online: http://www.chinaknowledge.com/Newsires/News_Detail.aspx?type=1&NewsID=19435 (accessed on 12 April 2017).
449. Xiao, J.; Hu, P.; Li, G. Nickel Foam Material with High Tensile Strength. Chinese Patent Application No. 201410589622, 29 October 2014.
450. Xiao, J.; Li, L. Electroplating Technology for Preparing High-Tensile-Strength Foamed Nickel. Chinese Patent Application No. 201410576054, 26 October 2014.
451. Zhong, F.; Tao, W. Special Foamed Nickel Material. Chinese Patent Application No. 200410022873, 6 February 2004.
452. Xiao, J.; Hu, P.; Li, L. Preparation Method of Carbon Nanotube-Coated Foam Nickel. Chinese Patent Application No. 201410566347, 23 October 2014.
453. Chen, H.; Xiao, J.; Hu, P.; Zhong, J.; Yu, X.; Zhu, J.; Yu, K. Method for Preparing Cathode Substrate Material, Foamed Nickel of Vehicle-Mounted Power Batteries. Chinese Patent Application No. 201410484828, 22 September 2014.
454. Hu, P.; Zhu, J.; Zhou, H. Multi-Stage Electroplating Device for Foamed Nickel for HEV (Hybrid Electrical Vehicle). Chinese Patent Application No. 201420072988, 20 February 2014.
455. Chen, H.; Xiao, J.; Hu, P.; Zhong, J.; Yu, X.; Zhu, J. Positive Plate of Nickel-Hydrogen Power Battery, Preparation Method Thereof and the Nickel-Hydrogen Power Battery. Chinese Patent Application No. 201410421575, 26 August 2014.
456. Xiao, J.; Li, G. Porous Foam Nickel Cobalt Material Preparation Method. Chinese Patent Application No. 201410576524, 26 October 2014.
457. Zhong, Z.; Tao, W.; Dong, X. Porous Foam Iron Alloy and Porous Foam Fe-Based Materials and their Fabrication Method. Chinese Patent Application No. 01114535, 14 June 2001.
458. Tang, Y.; He, Y.; Tao, W.; Hu, Z.; Xiao, T.; Duan, Z.; Zhu, J.; Zhou, G.; Long, W.; Zhou, X. Technology of Preparing Foamed Nickel by Earlier Stage Crystallization Treatment. Chinese Patent Application No. 03124796, 5 September 2003.
459. Cheng, H.; Zhu, J.; Zhong, J.; Xiao, J.; Hu, P.; Li, J. Combined Type Continuous Electroplating Device. Chinese Patent Application No. 201420073016, 20 February 2014.
460. Xiao, J.; Hu, P.; Li, G. Method for Preparing Microfine Nickel Powder by Using Waste Foam Nickel Material. Chinese Patent Application No. 201410566205, 23 October 2014.
461. Wang, N.; Bi, Y.; Song, X.; Huang, X.; Su, I.; Li, C.; Jiang, I.; Luo, I. Preparation of Alloy Foaming Nickel. Chinese Patent Application No. 200410035761, 21 September 2004.
462. Song, X.; Wang, N.; Bi, Y.; Jiang, I.; Luo, I.; Meng, G.; Li, C.; Su, I.; Zhang, Q. Foam Nickel for Powder Nickel-Hydrogen Cell and Preparing Method Thereof. Chinese Patent Application No. 200810237966, 4 December 2008.
463. Li, G.; Fu, L. High Efficiency Producing Method for Purified Porcine Leukocyte Interferon by Using Antibody Affinity Chromatography Technology. Chinese Patent Application No. 201310008039, 10 January 2013.
464. Wang, N.; Bi, Y.; Song, X.; Jiang, I.; Li, C. Producton of Superthick Foaming Nickel or Copper. Chinese Patent Application No. 200610044768, 14 June 2006.
465. Wang, N.; Song, X.; Li, C.; Bi, Y.; Jiang, Y.; Liu, J.; Li, W.; Su, Y.; Meng, G.; Jiang, S. Production Process for Increasing Purity of Foamed Nickel and Special Forming Press. Chinese Patent Application No. 201310742388, 30 December 2013.

466. Song, X.; Bi, Y.; Wang, N.; Jiang, Y.; Liu, J.; Li, W.; Su, Y.; Li, C.; Meng, C.; Jiang, S. High-Consistency Foam Nickel Preparation Equipment and Preparation Method. Chinese Patent Application No. 201310746234, 30 December 2013.
467. Bi, Y.; Liu, J.; Song, X.; Wang, N.; Jiang, Y.; Li, W.; Li, C.; Tian, L. Preparation Equipment of High-Consistency Nickel Foam. Chinese Patent Application No. 201320884245, 30 December 2013.
468. Song, X.; Wang, N.; Bi, Y.; Liu, H.; Jiang, Y.; Luo, Y.; Li, C.; Meng, G. Foam Nickel with Ultra-Low Surface Density and High Aperture Ratio and Manufacturing Method Thereof. Chinese Patent Application No. 201110434825, 22 December 2011.
469. Bi, Y.; Wang, N.; Liu, J.; Song, X.; Li, W.; Jiang, Y.; Meng, G.; Tian, L. Efficient Energy-Saving Vacuum Acquisition Equipment for Nickel Foam Production. Chinese Patent Application No. 201320861669, 25 December 2013.
470. Song, X.; Bi, Y.; Li, W.; Wang, N.; Jiang, Y.; Liu, J.; Su, Y.; Li, C.; Meng, G.; Jiang, S. Production Process Capable of Improving Consistency of Foamed Nickel and Used Based Material Pretreatment Device. Chinese Patent Application No. 201310742319, 30 December 2013.
471. He, F.; Ren, C.; Feng, X.; Liu, Y. Novel Foam Nickel Electroplating Groove. Chinese Patent Application No. 201520560084, 30 July 2015.
472. Liu, Y.; He, F.; Jia, L. An Ultra-High Surface Density of Nickel Foam Processing. Chinese Patent Application No. 201610885713, 11 October 2016.
473. Kong, D.; Kong, J.; Du, Y. Non-Woven Fabric for Manufacturing Ni-MH Battery Sulfonated Membrane, Ni-MH Battery Sulfonated Membrane and Manufacturing Method Thereof. Chinese Patent Application No. 201010124563, 3 March 2010.
474. Kong, D. Compound Nylon Diaphragm, and Manufacturing Method. Chinese Patent Application No. 200610086130, 1 September 2006.
475. Kong, D. Grafted Polypropylene Diaphragm and Manufacturing Method. Chinese Patent Application No. 200610088413, 23 August 2006.
476. Fang, K.; Cai, N.; Xu, J. Battery Diaphragm Sulphonation Equipment and Sulphonation Treatment Technique. Chinese Patent Application No. 200810249733, 27 May 2009.
477. Fang, K.; Xu, J. Sulfonated Battery Diaphragm. Chinese Patent Application No. 200910255811, 30 December 2009.
478. Gang, K.; Xu, J. Novel Nickel-Hydrogen Battery Diaphragm. Chinese Patent Application No. 201010589184, 15 December 2010.
479. Xu, J.; Fang, K.; Xu, Y.; Zhong, Y. Grafting Treatment Apparatus and Grafting Treatment Method for Battery Diaphragm Material. Chinese Patent Application No. 201310295941, 16 July 2013.
480. Fang, K.; Xu, J. Testing Device Used for Maximum Apertures of Diaphragms of Nickel-Metal Hydride Batteries. Chinese Patent Application No. 201020660909, 15 December 2010.
481. Xu, J.; Fang, K.; Xu, Y.; Zhou, Y. Multifunctional Battery Diaphragm Rewinding Equipment. Chinese Patent Application No. 201320419479, 16 July 2013.
482. Huang, B.; Huang, L.; Zhong, Z.; Shen, Y.; Chen-guan, F.; Li, Z. Composite Diaphragm of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201320053446, 31 January 2013.
483. Liu, Z. Method for Detecting Nickel-Hydrogen Battery Separator Wet Electric Resistance and Device Thereof. Chinese Patent Application No. 200910147639, 10 June 2009.
484. Wang, P. Preparation Method of Nickel-Hydrogen Battery Separator. Chinese Patent Application No. 201610949179, 26 October 2016.
485. Cui, G.; Cui, P.; Zhao, H. High-Power Nickel-Metal Hydride Battery Diaphragm. Chinese Patent Application No. 201610859718, 29 September 2016.
486. Gao, J. Nickel-Metal Hydride Battery Diaphragm Base Material Production Method. Chinese Patent Application No. 201310416317, 13 September 2013.
487. Wang, W. Feeding Device of Electroplating Material Filling Roller. Chinese Patent Application No. 201420333161, 20 June 2014.
488. Gu, Y.; Liu, Y. Plating Solution for Tumble-Plating and Tumble-Plating Method of Steel Battery Shell. Chinese Patent Application No. 201010185248, 26 May 2010.
489. Wang, W.; Li, D. Intermittent Type Control System of Electroplating Production Line. Chinese Patent Application No. 201320401753, 8 July 2013.

490. Sun, X.; Yang, W. Combined Type Water-Saving Cleaning Tank for Automatic Nickel Barrel Plating Production Line. Chinese Patent Application No. 201420715505, 25 November 2014.
491. Wang, W. Electroplated Battery Negative Electrode Bottom Cover Quality Detecting Plate. Chinese Patent Application No. 201420329710, 19 June 2014.
492. Sun, X. Heat Energy Recovery Device Of Nickel Plating Production Line. Chinese Patent Application No. 201520006502, 6 January 2015.
493. Liu, Y. Battery Shell Discharge Disc Barrel Plating Device. Chinese Patent Application No. 201511001904, 29 December 2015.
494. Liu, Y.; Pu, J.; Deng, X.; Le, G. Duplex Nickel Plating Technology for Steel Battery Shells and Steel Battery Shells Prepared Through Same. Chinese Patent Application No. 201510965886, 22 December 2015.
495. Liu, Y.; Pu, J.; Deng, X.; Le, G. Three-Layer Nickel Plating Process for Battery Steel Shell and Battery Steel Shell Manufactured by Process. Chinese Patent Application No. 201510965899, 27 April 2015.
496. Zhang, C. Battery Steel Shell Structure. Chinese Patent Application No. 201210438295, 6 November 2012.
497. Cai, Y. Chemical Plating Method Used for Battery Steel Shell. Chinese Patent Application No. 201610689958, 19 August 2016.
498. Li, C.; Wang, Z. Nickel-Hydrogen Battery Outer Shell Benefitting for Heat Radiation. Chinese Patent Application No. 200710021199, 3 April 2007.
499. Li, C.; Wang, Z. Heat Radiation Favourable Nickel-Hydrogen Battery Case. Chinese Patent Application No. 200720036503, 19 March 2008.
500. Hu, J.; Wang, M.; Li, Y.; Lu, K.; Jiang, X. Processing Method of Perforated Non-Ferrous Metal Band for Battery Plate. Chinese Patent Application No. 200610033972, 22 February 2006.
501. Xu, K.; Xue, J. A Punched Steel Belt for High-Power Battery Electrode. Chinese Patent Application No. 00134512, 8 December 2000.
502. Deng, G.; Li, Q.; Wang, D.; Nan, C.; Liu, D.; Guo, J. Nickel Plating Steel Strip. Chinese Patent Application No. 201320416124, 12 July 2013.
503. Deng, F.; Li, Q.; Wang, D.; Nan, C.; Liu, D.; Guo, J. Nickel-Plated Steel Strip and Preparation Method Thereof. Chinese Patent Application No. 201310294031, 12 July 2013.
504. Lei, S. Continuous Material Feeding and Electroplating Equipment for the Connector Case and its Continuous Electroplating Technique. Chinese Patent Application No. 201610909773, 19 October 2016.
505. Wang, Q.; Zhao, X. Rolling Equipment for Manufacturing Substrate Strip for Cathode of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201010297387, 30 September 2010.
506. Chen, Y.; Shen, J.; Jiang, X.; Cai, Y.; Zhao, X. High-Strength Light-Weight Conducting Base Electrode of Ni-H Battery. Chinese Patent Application No. 99121593, 9 October 1999.
507. Chen, W.; Chen, D.; Che, W.; Li, P. Damp-Proof Nickel-Metal Hydride Battery Protective Decive for Underway Beacon Lamps. Chinese Patent Application No. 201610571260, 20 July 2016.
508. Chen, D.; Chen, C.; Chen, W.; Liu, Y. Nickel-Metal Hydride Battery Power Source of Mine Lamp. Chinese Patent Application No. 201610571749, 20 July 2016.
509. Chen, D.; Chen, C.; Chen, W.; Liu, I. Mine Lamp Nickel-Hydrogen Battery Power. Chinese Patent Application No. 201620763499, 20 July 2016.
510. Fan, H.; Zhang, Z.; Dong, D.; Xin, E.; Che, B. NiMH Explosion-Sroof Power Box with Remote Monitoring Function. Chinese Patent Application No. 201420617872, 24 October 2014.
511. Chen, W.; Chen, D.; Chen, C.; Zhang, G. High-Speed Electric Tool Storage Power Supply Battery. Chinese Patent Application No. 201610571368, 20 July 2016.
512. Chen, W.; Chen, D.; Chen, C.; Zhang, G. High-Speed Electric Tool Deposit Supply Battery. Chinese Patent Application No. 201620763441, 20 July 2016.
513. Sun, L. Rechargeable Flashlight. Chinese Patent Application No. 200920200487, 23 November 2009.
514. Huang, Y. Nickel-Hydrogen Battey LED Light for Keyholes. Chinese Patent Application No. 201610536477, 8 July 2016.
515. Chen, L. Pager Without Batteries. Chinese Patent Application No. 96201763, 26 January 1996.
516. Chen, T.; Li, D.; Teng, D.; Bu, X.; Tao, J.; Sheng, J.; Luan, F.; Tan, Y.; Jiao, C.; Shan, H. Electric Power Management Circuit for Hand-Held Equipment. Chinese Patent Application No. 200520037199, 16 December 2005.

517. Liu, M. Rechargeable Active Radio Frequency Identification Card. Chinese Patent Application No. 200920277920, 10 December 2009.
518. Wu, Y. Portable Dust Collector. Chinese Patent Application No. 201310609820, 27 November 2013.
519. Wen, X. Essential Safety Type Infrared Temperature Measuring Aparatus. Chinese Patent Application No. 01265963, 7 December 2001.
520. Tan, G.; Huang, B. Wireless Humidifier. Chinese Patent Application No. 201510372005, 29 June 2015.
521. Wang, J.; Zhang, X. Wall-Climbing Robot. Chinese Patent Application No. 201010147738, 15 April 2010.
522. Cai, H.; Yu, H. Be Applied to Power Battery of Colliery Robot. Chinese Patent Application No. 201521085907, 8 June 2016.
523. Cai, H.; Yu, L. Intelligence Power Battery Group of Mining Robot. Chinese Patent Application No. 201521085823, 22 December 2015.
524. Cai, H.; Yu, L. Intelligence High Performance Power Battery Group of Mining Robot. Chinese Patent Application No. 201521085824, 22 December 2015.
525. Cai, H.; Yu, L. A Power Battery Group that Robot that is Arranged in Colliery to Carry Out Safety Inspection and Recover. Chinese Patent Application No. 201521077403, 22 December 2015.
526. Wei, J. Electric Lopping Device. Chinese Patent Application No. 200820003370, 1 February 2008.
527. Chen, M.; Yu, J.; Zheng, Y.; Ma, Z. Expandable Battery Assembly of Wearable Equipment. Chinese Patent Application No. 201310288077, 10 July 2013.
528. Zhang, B.; Xu, G.; Hou, Q. Cost Based Method for Optimizing External PHEV (Plug-in Hybrid Electric Vehicle) Power Assembly and Application Thereof. Chinese Patent Application No. 201110095690, 15 April 2011.
529. Yan, Y.; Wang, W.; Lou, Y.; Xia, B. Accumulator Battery for Mixed Motor Vehicle of Wind Cooling Forced Radiating Structure. Chinese Patent Application No. 200620047078, 25 October 2006.
530. Yang, Y.; Zhang, X.; Qin, D.; Ren, Y.; Zhou, A.; Hu, M.; Su, L.; Zhao, C. Heat Radiation System of Nickel-Hydrogen Battery Set for Hybrid Power Vehicle. Chinese Patent Application No. 200810069859, 20 June 2008.
531. Li, J.; Zhao, C.; Ren, Y.; Qiao, X. Nickel-Metal Hydride Battery Pack Heat Dissipation Device for Hybrid Electric Vehicle. Chinese Patent Application No. 200910191514, 20 November 2009.
532. Chen, X.; Huang, Q.; Wang, Q. Hybrid Electric Vehicle Battery System with Temperature Adjustment Function. Chinese Patent Application No. 200920053771, 31 March 2009.
533. Duan, Q.; He, J. Nickel Hydrogen Battery Component for Hybrid Electric Vehicle (240QNYD6). Chinese Patent Application No. 200730312745, 22 September 2007.
534. Duan, Q.; He, J. Nickel Hydrogen Battery Component for Hybrid Electric Vehicle (A21). Chinese Patent Application No. 200730315661, 25 October 2007.
535. Fei, Y. Method for Processing Negative Plate of Nickel-Hydrogen Battery. Chinese Patent Application No. 200710194192, 4 December 2007.
536. Fei, Y. Inline Method for Single Battery of Nickel-Hydrogen Battery Module. Chinese Patent Application No. 200910138016, 4 November 2009.
537. Fei, Y. Novel Nickel-Hydrogen Battery Safety Device. Chinese Patent Application No. 200920233796, 24 July 2009.
538. Fei, Y. Novel Nickel-Hydrogen Battery Air-Pressure Safety Valve. Chinese Patent Application No. 200920233795, 2 June 2010.
539. Fei, Y. Nickel-Hydrogen Battery Pressure Safety Valve. Chinese Patent Application No. 200820215927, 25 November 2008.
540. Fei, Y. Making Method of Alkalescent Accumulator Anode and Cathode Board. Chinese Patent Application No. 200710024527, 21 June 2007.
541. Feng, Y. An Inter-Linked Method for Monocase Battery of Dynamic Battery Unit. Chinese Patent Application No. 200710194193, 4 December 2007.
542. Fei, Y. Method for Modifying Spherical Nickel Hydroxide by Nano Carbon Technique. Chinese Patent Application No. 200710024530, 21 June 2007.
543. Fei, Y. Battery Module Device Capable of Balancing Air Pressure of Monomer. Chinese Patent Application No. 201020022872, 8 January 2010.

544. Chen, W.; Chen, W.; Chen, D.; Li, P. High-Volume Nickel Metal Hydride Assembly Battery of Electric Automobile. Chinese Patent Application No. 201610571145, 20 July 2016.
545. Chen, W.; Chen, W.; Chen, D.; Li, P. An Electric Car High-Capacity Nickel-Metal Hydride Battery Assembly. Chinese Patent Application No. 201620764331, 20 July 2016.
546. Zhou, X.; Chen, R.; Huang, W. High-Capacity Nickel-Hydrogen Battery. Chinese Patent Application No. 201110310096, 14 October 2011.
547. Kong, L.; Qiao, Z.; Ni, J.; Yang, T.; Feng, X. Large-Capacity Nickel Hydrogen Battery Pack Structure. Chinese Patent Application No. 201210106541, 12 April 2012.
548. Kong, L.; Qiao, Z.; Ni, J.; Yang, T.; Feng, X. Large-Capacity Nickel-Metal Hydride Battery Pack Structure. Chinese Patent Application No. 201220153590, 12 April 2012.
549. Shen, J.; Huang, J.; Xing, Z.; Ding, G.; Li, X.; Rong, R.; Cao, G.; Song, X. Nickel-Hydrogen Battery Module Structure. Chinese Patent Application No. 02286503, 4 December 2002.
550. Huang, J.; Shen, J.; Ge, J.; Rong, R.; Zhao, J. Electric Vehicle Nickel-Hydrogen Batteries Module. Chinese Patent Application No. 02286509, 4 December 2002.
551. Huang, J.; Shi, C.; Ding, G.; Ge, J.; Rong, R.; Zhao, J. Nickel-Hydrogen Batteries Assembly Structure for Electric Driven Vehicle. Chinese Patent Application No. 02286507, 26 November 2003.
552. Chen, D.; Chen, W.; Chen, W.; Liu, Y. Electric Vehicle High-Capacity Nickel Hydrogen Power Battery Overload Protector. Chinese Patent Application No. 201610571171, 20 July 2016.
553. Nie, J.; Dai, R.; Du, X.; Chen, K. A Battery Cycle Life Testing Method Using Pulse Charging for the Ni-MH Battery Used in the EV Application. Chinese Patent Application No. 201610975942, 7 November 2016.
554. Ran, J. Nickel-Hydrogen Battery Management System for Electric Vehicle. Chinese Patent Application No. 200710120418, 17 August 2007.
555. Zhang, Y.; Chen, Y.; Song, D.; Chen, J.; Cao, X.; Wong, G.; Zhou, Z. Nickel-Hydride Accumulator for Large Capacity Electric Vehicle. Chinese Patent Application No. 92112168, 19 October 1992.
556. Chen, Y. Nickel-Hydride Secondary Battery Alloy Material Storing Hydrogen for Electro Car. Chinese Patent Application No. 95100252, 27 January 1995.
557. Chen, Y.; Cai, Y.; Yu, D. Large Capacity Rectangular Nickel Hydrogen Cell for Electric Vehicle. Chinese Patent Application No. 95227246, 30 December 1995.
558. Chen, Y.; Shen, J.; Jiang, X. Electrode of Laminated Bipolar Power-Type NiMH Battery and its Manufacture. Chinese Patent Application No. 99121592, 9 October 1999.
559. Chen, Y.; You, Y.; Yu, D.; Zhao, X. Large-Volume Column-Shaped Ni-MH Battery for Electric Vehicle. Chinese Patent Application No. 200520130130, 25 October 2005.
560. Shi, H. Vehicle Nickel-Hydrogen Battery Pack. Chinese Patent Application No. 201510367973, 29 June 2015.
561. Bian, L.; Zhang, H. Circular Nickel-Metal Hydride Battery and Manufacturing Method Thereof. Chinese Patent Application No. 201410170872, 25 April 2014.
562. Bian, L.; Zhang, H. Circular Nickel-Hydrogen Battery. Chinese Patent Application No. 201420207643, 25 April 2014.
563. Peng, J.; Su, G.; Guo, W.; Hua, M. Nickel-Metal Hydride Battery Plate Structure. Chinese Patent Application No. 201320579219, 18 September 2013.
564. Peng, J.; Guo, W.; Su, G.; Lin, Q. Ni-MH (Nickel-Metal Hydride) Battery with Heat Dissipation Function. Chinese Patent Application No. 201320579328, 18 September 2013.
565. Liu, Y.; Zhou, L.; Ni, R. Nickel-Hydrogen Battery Charging Method. Chinese Patent Application No. 201410176573, 29 April 2014.
566. Zhang, M. Combined Universal Automatic Green Trimmer. Chinese Patent Application No. 02158332, 21 December 2002.
567. Liang, J.; Ye, M.; Li, S.; Wu, X.; Cao, B. Electric Forklift Running Driving Control System Having Energy Recovery. Chinese Patent Application No. 200610042604, 31 March 2006.
568. Xu, K. Endurance Type Photovoltaic-Ni-MH-Air Force Energy Power Supply Equipment (System). Chinese Patent Application No. 201010206071, 9 June 2010.
569. Xu, K. Air Power-Photovoltaic Automobile. Chinese Patent Application No. 201110083444, 25 March 2011.
570. Niu, A. Shallow-Water Miniature-Underwater Robot System. Chinese Patent Application No. 201310356205, 15 August 2013.

571. Zhao, W.; Zhang, R.; Tian, X. A Novel Nickel-Hydrogen Battery Assembly. Chinese Patent Application No. 200310107600, 18 December 2003.
572. Che, Y. Ni-MH Secondary Battery for Vehicle with Electric Power as Auxiliary Power. Chinese Patent Application No. 96105382, 7 June 1996.
573. Sheng, H. Long-Mileage Electro Mobile with Batteries of Relatively Small Size and Low Weight. Chinese Patent Application No. 201210002351, 5 January 2012.
574. Liao, B. Middle Axle and Motor Two-In-One Electric Bicycle. Chinese Patent Application No. 200620013609, 18 April 2006.
575. Chen, Y.; Cai, Y.; Yu, D. High-Performance Light-Weight Electric Bicycle. Chinese Patent Application No. 99111629, 25 August 1999.
576. Wei, Q.; Che, X.; Xie, J.; Guo, W. Fill Electronic Commodity Circulation Car of Formula Soon. Chinese Patent Application No. 201520263789, 28 April 2015.
577. Yan, Y.; Zheng, L. Self-Maintained Power Supply Type Camera Device. Chinese Patent Application No. 200620026709, 17 June 2006.
578. Cheng, L.; Chen, C.; Mu, M.; Zheng, Q.; Zheng, X. Light Sparing Device for Fire-Fighting Emergency Indicating Lamp. Chinese Patent Application No. 201210548318, 12 December 2012.
579. Liu, H.; Zhou, S.; Chen, J.; Hu, S.; Zhang, C.; Xia, M.; Wang, H. Building Energy Storage Emergence Energy-Saving System. Chinese Patent Application No. 201310387634, 31 August 2013.
580. Dong, Y.; Guan, E.; Zhao, S.; Lu, Y.; Wang, J.; Guo, X.; Wang, D.; Ge, P.; Hao, X.; Meng, X. Nickel-Metal Hydride Battery Charge-Discharge Circuit in Uninterruptible Power Supply. Chinese Patent Application No. 201310324538, 30 July 2013.
581. Zheng, F.; Wan, C. Nickel-Hydrogen Battery Charging Method for Mobile Communication Apparatus. Chinese Patent Application No. 200810013905, 11 January 2008.
582. Shang, D.; Liu, D.; Sun, S.; Chen, Y.; Liu, L.; Han, J. Novel Solar Energy Street Lighting. Chinese Patent Application No. 201520936839, 16 November 2015.
583. Yang, C. Combination Type Battery and Solar Streetlight Using the Same. Chinese Patent Application No. 200810058442, 26 May 2008.
584. Yang, W.; Wu, Z.; Sun, J.; Wei, Z.; Yuan, F.; Feng, Z.; Xu, S.; Zhou, X.; Zhou, M. Photovoltaic Secondary Battery. Chinese Patent Application No. 200810117527, 1 August 2008.
585. Yang, W.; Wu, B. Photovoltaic Secondary Battery. Chinese Patent Application No. 201110330376, 26 October 2011.
586. Sun, L.; Ning, Z. Solar Charger for Nickel-Hydrogen Rechargeable Battery or Lithium Battery. Chinese Patent Application No. 201010581978, 10 December 2010.
587. Niu, L. Solar Light Bulb. Chinese Patent Application No. 201110233216, 11 August 2011.
588. Ni, J. Solar Flashlight. Chinese Patent Application No. 201010611393, 29 December 2010.
589. Huang, C. Automotive Nickel-Metal Hydride Battery Charging Device. Chinese Patent Application No. 201010292812, 27 September 2012.
590. Yao, Y.; Zhou, Q.; Yu, Z. Distributed Electric Energy Storage and Power Supply Method for Storing Energy and Supplying Power by Utilizing Batteries of Electric Automobile. Chinese Patent Application No. 200910242313, 11 December 2009.
591. Zhang, Y.; Shen, S.; Qi, Z.; Bao, H. Ni-MH Battery Energy Storage Monitoring System. Chinese Patent Application No. 201010550710, 19 November 2010.
592. Zhou, S.; Liu, H.; Ling, J.; Dai, Q.; Wu, R. Double-Power Device and Power Supplying Method Thereof. Chinese Patent Application No. 201110235549, 17 August 2011.
593. Zhang, Y.; Shen, S.; Qi, Z.; Bao, H. Nickel-Metal Hydride Battery Energy Storage Monitor System. Chinese Patent Application No. 201020614908, 19 November 2010.
594. Liu, H.; Zhou, H.; Huang, L.; Zhou, S.; Xia, M. Microgrid Nickel-Metal Hydride Battery Energy Storage System. Chinese Patent Application No. 201310635057, 2 December 2013.
595. Guo, J.; Kuang, D.; Song, X.; Wang, B.; Yang, T. MW-Class Ni-MH Battery Energy Storage System. Chinese Patent Application No. 200910264102, 30 December 2009.
596. Liu, H.; Che, X.; Hu, S.; Zhou, H.; Huang, L.; Xu, J.; Zhong, F. Battery Pack Equalization Method for Energy Storage System Adopting Nickel-Series Storage Batteries. Chinese Patent Application No. 201510351344, 24 June 2015.

597. Wikipedia. 863 Program. Available online: https://en.wikipedia.org/wiki/863_Program (accessed on 12 April 2017).
598. Wu, F.; Wu, B.; Chen, S.; Wang, J.; Yang, K.; Mu, D.; An, W.; Gan, F. Nickelous Compound Anode Material Used in Nickel-Hydrogen Battery and Preparation Technique. Chinese Patent Application No. 200910085937, 8 June 2009.
599. Wu, F.; Wang, F.; Chen, S.; Zhang, C.; Wang, G. Additive for Reducing Nickel-Hydrogen Cell Internal Pressure. Chinese Patent Application No. 200410080263, 29 September 2004.
600. Wu, F.; Wang, F.; Chen, S.; Zhang, C.; Wang, G. Additive for Reducing Internal Pressure of NiMH Battery. Chinese Patent Application No. 200610140775, 27 September 2004.
601. Wu, F.; Li, L.; Chen, S.; Shan, Z.; Yang, K.; Wong, J.; Su, Y.; Wang, G. A Novel Method Used for Non-Destructive Battery Regeneration. Chinese Patent Application No. 200310117260, 10 December 2003.
602. Zhao, D.; Lin, H.; Yao, R.; Li, C.; Qiang, Z. Activated Graphene/Needle-Shaped Nickel Hydroxide Nanocomposite Material and Preparation Method Thereof. Chinese Patent Application No. 201610299450, 6 May 2016.
603. Xiang, X.; Tian, Z.; Li, F. Alpha-Nickel Hydroxide Nano/Micro Structure Material and Preparation Method Thereof. Chinese Patent Application No. 201010108802, 5 February 2010.
604. Sun, X.; Lu, Z.; Chang, Z.; Zhu, W.; Duan, X. Nickel Hydroxide Nanosheet Thin-Film Material as Well as Preparation Method and Application Thereof. Chinese Patent Application No. 201110205586, 21 July 2011.
605. Pan, J.; Ka, S.; Sun, Y.; Wan, P.; Wang, Z. Preparation Method of Multivariate Doping Spherical Alpha-Ni(OH)₂ with Nanometer Secondary Structure. Chinese Patent Application No. 200910237128, 11 November 2009.
606. Pan, J.; Zhang, J.; Sun, Y.; Wang, Z. Multi-Component Doped Spherical Nano Nickel Hydroxide Synthesized by Chemical-Electrochemical Combined Method. Chinese Patent Application No. 201110105234, 26 April 2011.
607. Pan, J.; Yue, X.; Sun, Y.; Wang, Z. Method for Synthesizing Spherical Nano-Structure Ni(OH)₂ through Atom Economical Method. Chinese Patent Application No. 201210201770, 19 June 2012.
608. Pan, J.; Yang, H.; Nei, Y.; Sun, Y. Nanometer Ni(OH)₂ Composite Material and Its Preparation Method. Chinese Patent Application No. 201610909487, 18 October 2016.
609. Lin, C.; Tian, G.; Chou, B.; Chen, Q.; Han, X. Method for Estimating Nickel-Hydrogen Power Battery Charged State Based on Standard Battery Model. Chinese Patent Application No. 200710064294, 9 March 2007.
610. Lin, C.; Tian, G.; Qiu, B.; Chen, Q.; Han, X. Method for Real-Time Evaluating Internal-External Temperature Difference of Nickel-Hydrogen Electro-Kinetic Cell. Chinese Patent Application No. 200710063061, 26 January 2007.
611. Pan, C.; Yu, R. Method and Apparatus for Improving High Rate Performance of Rare-Earth Series Nickel-Hydrogen Cell Minus Pole. Chinese Patent Application No. 200810224675, 23 October 2008.
612. Jiao, H.; Song, J.; Cai, S. Air Cooling Device of Nickel-Hydrogen Battery for Mixed Power Vehicle. Chinese Patent Application No. 01270981, 16 November 2001.
613. Shan, Z.; Tian, G.; Bi, X. Nickel-Hydrogen Cell Cathode Surface Treating Method. Chinese Patent Application No. 200410072718, 15 November 2004.
614. Chen, Y.; Han, Z.; Zheng, Y. Inner Pressure Measurer for Nickel-Hydrogen Battery. Chinese Patent Application No. 97228116, 9 October 1997.
615. Xu, X.; Liu, Q. Alkaline Battery Cellulose Triacetate-Metal Oxide Composite Membrane and Making Method Thereof. Chinese Patent Application No. 200510013199, 21 February 2005.
616. Tang, Z.; Liu, Y. Ball Milling Preparation Method for Alpha-Ni(OH)₂. Chinese Patent Application No. 200710057114, 10 April 2007.
617. Chen, J.; Li, S.; Tao, Z. Nickel-Hydrogen Power Battery. Chinese Patent Application No. 03130136, 18 June 2003.
618. Li, S.; Wu, F.; Yuan, H.; Zhou, W.; Han, L.; Qu, J.; Niu, G.; Gao, F.; Song, D.; Gao, Y. Apparatus for Making Negative Electrode of Nickel-Hydrogen Cell. Chinese Patent Application No. 98204215, 5 May 1998.
619. Jiao, X.; Cheng, B.; Yang, W.; Liu, Y.; Wang, X. Method for Producing Septum Substrate Cloth of Nickel-Hydrogen Battery with Sulphonation Method and Septum Substrate Cloth of Nickel-Hydrogen Battery. Chinese Patent Application No. 200610015843, 25 September 2006.

620. Chen, B.; Jiao, X.; Yang, W.; Ren, Y.; Liu, Y.; Li, J.; Geng, M. Production of nickel-hydrogen diaphragm and products thereof. Chinese Patent Application No. 200510014633, 26 July 2005.
621. Cui, W.; Wang, W. Effectively Cooling Nickel-Hydrogen Battery Structure. Chinese Patent Application No. 200810200650, 27 September 2008.
622. Wang, H.; Jin, X.; Wu, H.; Sha, C. Nickel-Metal Hydride Battery Diaphragm Material and Forming Method Thereof. Chinese Patent Application No. 201210258618, 24 July 2012.
623. Wang, H.; Jin, X.; Wu, H.; Zhang, Y. Nano-Coating Diaphragm Material and Forming Method Thereof. Chinese Patent Application No. 201210485694, 23 November 2012.
624. Yang, C.; Li, M.; Cui, R.; Chen, L.; Wen, Z.; Zhu, Y.; Zhao, M.; Li, J.; Jiang, Q. Preparation Method for Hydrogen Storage Alloy and Graphene Composite Material and Application of Composite Material. Chinese Patent Application No. 201510996700, 28 December 2015.
625. Yang, C.; Li, M.; Zhang, D.; Jing, W.; Jin, B.; Lang, X.; Jiang, Q. Method and Application for Improving Discharge Capacity and High Rate Discharge Performance of Hydrogen Storage Alloy through Co_3O_4 in-site Compounding. Chinese Patent Application No. 201610031157, 18 January 2016.
626. Yang, C.; Li, M.; Zhang, D.; Wang, C.; Wen, Z.; Zhu, Y.; Zhao, M.; Li, J.; Jiang, Q. Preparation Method of Hydrogen Storage Alloy and Nano-Porous Nickel Composite (HSAs/NPNi) and Application Thereof. Chinese Patent Application No. 201510996773, 28 December 2015.
627. Wang, C.; Yang, C.; Li, M.; Chen, L.; Wen, Z.; Zhu, Y.; Zhao, M.; Li, J.; Jiang, Q. Quick Identifying Method for Hydrogen Storage Alloy with Super Long Service Life. Chinese Patent Application No. 201610487597, 29 June 2016.
628. Yang, C.; Chen, L.; Zai, S.; Zhu, Y.; Wen, Z.; Zhao, M.; Li, J.; Jiang, Q. Method for Surface Modification on Hydrogen Storage Alloy by Molybdenum Disulfide, and Application Thereof. Chinese Patent Application No. 201610422629, 13 June 2016.
629. Han, S.; Du, W.; Liu, B. Preparation Method of PuNi_3 Type Single Phase Neodymium-Magnesium-Nickel Alloy Electrode Material. Chinese Patent Application No. 201610055742, 27 January 2016.
630. Han, S.; Shen, W.; Wang, Y.; Pei, Y. Method for Improving Electrochemical Performance of Hydrogen Storing Alloy by Using Polypyrrole. Chinese Patent Application No. 201210264478, 30 July 2012.
631. Chen, Y.; Tao, M.; Tu, M.; Wu, C. Non-Neodymium Rare-Earth System Electrode Material with Low-Temperature Hydrogen-Storage Alloy. Chinese Patent Application No. 200410040649, 9 September 2004.
632. Tu, M.; Chen, Y.; Tang, D.; Li, Q.; Li, N.; Yan, K. Hydrogen-Storage Alloy Electrode Material of Low-Co Lanthanum-Praseodymium-Cerium-Nickel Series. Chinese Patent Application No. 99115177, 28 September 1999.
633. Chen, Y.; Shen, X.; Tao, M.; Wu, C. Free Neodymium Rare-Earth Magnesium Series Low Temperature Store Hydrogen Electrode Alloy. Chinese Patent Application No. 200810045057, 26 March 2008.
634. Wang, C.; Tang, H.; Xu, B.; Chen, L. Method for Preparing Titanium Oxide Coating on Surface of Nickel Electrode of Nickel-Metal Hydride Battery. Chinese Patent Application No. 201310690581, 16 December 2013.
635. Wang, C.; Tang, H.; Xu, B.; Chen, L. Method for Preparing Aluminum Trioxide Coating on Surface of Nickel Electrode. Chinese Patent Application No. 201310687991, 16 December 2013.
636. Wang, C.; Tang, H.; Xu, B.; Chen, L. Method for Preparing Aluminum Trioxide-Nickel Oxide Ceramic Coating on Nickel Electrode Surface. Chinese Patent Application No. 201310689993, 16 December 2013.
637. Chen, C.; Chen, L.; Chen, Y.; Wang, X.; Wang, Q. Non Crystal State Hydrogen Storage Composite Material and Its Producing Method. Chinese Patent Application No. 200310122827, 21 December 2003.
638. Chen, L.; Yu, K.; Xiao, X.; Jiang, W.; Jia, Y.; Lei, Y.; Che, C.; Ying, T.; Ge, H. Amorphous State Titanium-Cuprum-Nickel-Base Hydrogen-Storing Composite Material and Preparation Method thereof. Chinese Patent Application No. 200810163647, 22 December 2008.
639. Liu, B.; Li, Z. Method for Improving Corrosion Resistance Performance of Magnesium-Based Hydrogen Storage Alloy by Using Ion Nitriding Method. Chinese Patent Application No. 201010137917, 24 August 2010.
640. Li, Z.; Liu, B. Method for Improving Corrosion Resistance of Hydrogen Storage Alloy by Surface Boronising Method. Chinese Patent Application No. 201010137919, 24 August 2010.
641. Feng, Y.; Lv, Y. Novel Nickel-Hydrogen Secondary Battery Adhesive. Chinese Patent Application No. 200810122172, 10 November 2008.
642. Lv, Y.; Chen, J.; Wang, X.; Su, H.; Feng, Y. Electrolyte Additive of Novel Nickel-Metal Hydride Secondary Battery. Chinese Patent Application No. 200910099669, 15 June 2009.

643. Lv, Y.; Feng, Y. Tartaric Acid Metal Complex-Added Anode of Nickel Hydrogen Secondary Battery. Chinese Patent Application No. 200810122171, 10 November 2008.
644. Lv, Y.; Chen, J.; Wang, X.; Su, H.; Feng, Y. Anode Provided with Mucus Acid Metal Compound for Nickel-Hydrogen Secondary Battery. Chinese Patent Application No. 200910099666, 22 December 2010.
645. Lu, Y.; Feng, Y. Nickel-Hydrogen Battery Anode Material Prepared from Glucaric Acid Metal Complex Doped Beta-Ni(OH)₂ and Method Thereof. Chinese Patent Application No. 200810062361, 19 May 2008.
646. Lei, L.; Kuang, G.; Wang, Q. Surface Treatment Method for Hydrogen Storage Alloy. Chinese Patent Application No. 201410040817, 28 January 2014.
647. Zhang, Y.; Zhuang, X.; Zhan, L.; Chen, J. High-Capacity Magnesium-Cobalt-Series Hydrogen-Storage Electrode Material and Preparation Method Thereof. Chinese Patent Application No. 201410690517, 25 November 2014.
648. Zhang, Y.; Zhan, L.; Zhuang, X.; Chen, J. Magnesium-Palladium-Cobalt Ternary Nickel-Hydrogen Battery Negative Material and Preparation Method Thereof. Chinese Patent Application No. 201410688254, 25 November 2014.
649. Lei, L.; Yu, X. Resource Separation and Recycling Production Method for Waste Nickel Hydrogen Battery Content. Chinese Patent Application No. 200810020326, 29 February 2008.
650. Liu, B.; Fan, Y.; Wang, K.; Zhang, B.; Wang, Y. Equipment and Method for Preparing Nickel-Base Hydrogen Storage Alloy Containing Rare-Earth, Magnesium and Boron. Chinese Patent Application No. 201610519616, 1 July 2016.
651. Liu, B.; Fan, Y.; Chen, Q.; Shang, X.; Zhang, B. Multi-Phase Magnesium Rare Earth Nickel Based Hydrogen Storage Alloy and Application Thereof. Chinese Patent Application No. 201610702384, 22 August 2016.
652. Feng, Z.; Wu, Y.; Peng, Z. Preparation Method of Negative Pole of Graphene-Based High-Capacity Nickel-Hydrogen Power Battery. Chinese Patent Application No. 201410452157, 5 September 2014.
653. Zhang, H.; Chen, Y.; Chen, Y.; Zhang, G. Carbon Nanometer Composite Nickel-Hydrogen Power Battery Cathode Sheet Preparation Method and Its Uses. Chinese Patent Application No. 200710030263, 17 September 2007.
654. Zhang, G.; Huang, X.; Rao, Z. Measuring Device for Heat Yield of Cylinder-Type Power Battery Material. Chinese Patent Application No. 201010101760, 25 January 2010.
655. Jian, X.; Chu, Y.; Li, W.; Feng, Z.; Zhao, T.; Zhang, W.; Luo, L. Preparation Method of Alpha Nickel Hydroxide and Application Thereof. Chinese Patent Application No. 201610552931, 12 July 2016.
656. Zhu, Y.; Huang, L.; Qiu, H.; Zhao, W.; Li, Q. Preparation Method and Application of Nanometer Nickel Hydroxide and Composite Electrode Therof. Chinese Patent Application No. 200910038501, 8 April 2009.
657. Zhang, Z.; Zhu, Y.; Zhou, C.; Bao, J.; Ye, X.; Wu, S.; Zheng, H.; Lin, X. Multi-Element Doped Nano Alpha-Ni(OH)₂ Material and Preparation Method Thereof. Chinese Patent Application No. 201010281338, 10 September 2010.
658. Zhou, Z.; Zhu, Y.; Zhang, Z.; Lin, X.; Ye, X.; Wu, S.; Zheng, H.; Bao, J. Nano Multiphase Nickel Hydroxide Containing Rare-Earth Elements and Synthetic Method of Nano Multiphase Nickel Hydroxide. Chinese Patent Application No. 201110152223, 8 June 2011.
659. Ouyang, L.; Li, L.; Zhu, M.; Min, D.; Wang, H.; Liu, J.; Chen, Y.; Xiao, F.; Sun, T.; Tang, R. A₂B₇ Nickel Hydrogen Battery Cathode Material and Preparation Method Thereof. Chinese Patent Application No. 201210444590, 8 November 2012.
660. Ouyang, L.; Wang, H.; Peng, C.; Zhu, M. Multi-Layer Film Electrode for Nickel-Hydrogen Cell and Preparation Method Thereof. Chinese Patent Application No. 200410077527, 22 December 2004.
661. Zhu, H.; Zhong, Z.; Ouyang, L.; Zeng, M.; Wang, H. Film Electrode for Nickel-Hydrogen Battery and Its Preparation Method Thereof. Chinese Patent Application No. 02115117, 22 April 2002.
662. Sun, T.; Xiao, F.; Tang, R.; Zhu, M.; Ouyang, L.; Wang, H.; Wang, Y.; Xiao, Z.; Liu, J.; Huang, L. Samarium-Containing Praseodymium and Neodymium-Free Hydrogen Storage Alloy for Nickel-Hydrogen Power Battery. Chinese Patent Application No. 201310035757, 30 January 2013.
663. Wang, Y.; Huo, H.; Xu, C. Three-Dimensional Honeycomb-Shaped Ni(OH)₂ Battery Material as Well as Preparation Method and Application Thereof. Chinese Patent Application No. 201310248778, 21 June 2013.
664. Ren, Y.; Tong, M.; Xiao, K.; Yang, K.; He, Y. Preparation Method of Nickel Foam or Nickel Foam Substrate Alloy. Chinese Patent Application No. 201410181448, 30 April 2014.

665. Qu, W.; Zhang, G.; Lou, L.; Yang, K. Electrodeposition Thick Dimension Foam Nickel and Preparation Thereof. Chinese Patent Application No. 200710158158, 15 November 2007.
666. Guo, Y.; Ye, H.; Yin, Y. Current Collector for Metal Secondary Battery Negative Electrode and Preparation Method and Application for Current Collector. Chinese Patent Application No. 201610034943, 19 January 2016.
667. Zhao, M.; Sun, C.; Wu, Y. Process for Preparing Alloy Material as Negative Electrode of Ni-H Battery. Chinese Patent Application No. 00118976, 6 September 2000.
668. Zhao, M.; Zhang, X. Process for Preparing Alloy Material as High-Power Cathode of Ni-Metal Hydride Battery. Chinese Patent Application No. 02117955, 27 May 2002.
669. Wang, D.; Wu, Y.; Wang, L.; Li, X.; Cheng, Y.; Tang, C.; Shi, Z.; Yang, Y.; Zhang, X.; Gao, S. Recarburization Negative Electrode of Metal Hydride-Nickel Battery Method for Improving Power. Chinese Patent Application No. 201210048023, 28 February 2012.
670. Jin, Y.; Wu, Y.; Zhao, D.; Wang, L.; Xiao, S.; Cheng, Y.; Sun, L.; Lin, J.; Yin, D. Polymer Application Method of Improving Safety and Capacity of Button Cell. Chinese Patent Application No. 201210570162, 25 December 2012.
671. Wang, D.; Wu, Y.; Wang, L.; Li, X.; Cheng, Y.; Tang, C.; Yang, Y.; Shi, Z.; Gao, S.; Dong, X. Method for Arranging Bar Code Type Capacitive Electrode Plate in Electrode of Alkaline Cell as Well as Mixed Negative Electrode. Chinese Patent Application No. 201210049944, 29 February 2012.
672. Xia, B.; Lou, Y.; Zhang, J.; Xu, N. Method for Improving Shelf Characteristic of Nickel-Hydrogen Battery. Chinese Patent Application No. 200710046704, 29 September 2007.
673. Feng, S.; Wu, Z.; Yu, X. High Volume Titanium-Vanadium Base Hydrogen Storage Electrode Alloy Material. Chinese Patent Application No. 200410052933, 16 July 2004.
674. Xia, B.; Xiang, Y.; Ma, L. Improved Type Double Polar Nickel-Hydrogen Battery Group. Chinese Patent Application No. 02218026, 7 June 2002.
675. Xu, F.; Qi, Y.; Sun, L.; Yang, L.; Zhang, J.; Qiu, S.; Zhang, Y. Composite Material of Conducting High Polymers/Alloy for Nickel-Hydrogen Battery and Preparation Thereof. Chinese Patent Application No. 200710011049, 20 April 2007.
676. Wei, H.; Jian, X.; Zhu, L.; Weng, Z.; Jiang, L.; Liu, X. Rare Earth-Magnesium-Nickel-Aluminum Base Hydrogen Storage Alloy for Nickel-Hydrogen Battery and Manufactured Nickel-Hydrogen Battery. Chinese Patent Application No. 201010597158, 10 December 2010.
677. Wei, H.; Jian, X.; Bai, Z.; Zhu, L.; Wang, Z.; Jiang, L. Nickel-Metal Hydride Battery and Low-Self-Discharge Rare Earth-Magnesium-Nickel-Aluminum Series Hydrogen Storage Alloy Thereof. Chinese Patent Application No. 201010286096, 17 September 2010.
678. Yuan, S.; Xin, G.; Jiang, L.; Liu, X.; Wang, M. A Pr, Nd-Free Hydrogen Storage Alloy for Long-Life Ni-MH Batteries. Chinese Patent Application No. 201510573817, 10 September 2015.
679. Zhu, L.; Wu, B.; Dong, G.; Chen, H.; Liu, M.; Jian, X.; Du, J.; Jiang, L.; Mao, C. Cathode Hydrogen-Stored Material Used for Low-Temperature Ni-H Battery and Battery Thereof. Chinese Patent Application No. 200510123747, 22 November 2005.
680. Jian, X.; Jiang, L.; Liu, X.; Wang, Z.; Wei, H.; Zhong, X.; Zhu, L. Compound Conductive Agent for Negative Pole of NiMH Power Battery. Chinese Patent Application No. 200810227091, 21 November 2008.
681. Li, H.; Lu, F.; Jiang, L.; Wang, S.; Liu, X.; Li, G. Method for Preparing Zirconium Oxide Diaphragm Material for Nickel-Hydrogen Battery. Chinese Patent Application No. 200710065078, 2 April 2007.
682. Wu, B.; Zhu, L.; Cheng, H.; Jian, X.; Liu, M.; Du, J.; Jiang, L.; Mao, C. Positive-Pole Base Material Capable of Being Ased for High-Temp. Nickel-Hydrogen Power Cell and Cell Thereof. Chinese Patent Application No. 200510126186, 1 December 2005.
683. Cheng, Y.; Xie, S.; Jian, X.; Zhu, L.; Wang, Z.; Wei, H.; Jiang, L. High Temperature/High-Capacity Nickel-Hydrogen Battery Anode Active Material and Production Method and Use Thereof. Chinese Patent Application No. 200710177037, 8 November 2007.
684. Jiang, W.; Yu, C.; Fu, Z. Active Positive Electrode Material of Composite NiMH Battery and NiMH Power Accumulator. Chinese Patent Application No. 01143468, 28 December 2001.
685. Fu, Z.; Jiang, W.; Yu, L. Nickel-Hydrogen Cell Positive-Pole Material-NiAl Double Hydrogen Oxide and Preparation Method. Chinese Patent Application No. 200410029888, 31 March 2004.

686. Fang, Q.; Jian, X.; Zhu, L.; Wei, H.; Wang, Z.; Jiang, L.; Liu, X. Additive for Positive Electrode of High-Temperature Nickel-Hydrogen Power Battery and Preparation Method Thereof as Well as Positive Electrode Substance of Battery. Chinese Patent Application No. 200910090879, 11 August 2009.
687. Wu, B.; Fang, X.; Zhu, L.; Jian, X.; Cheng, Y.; Chen, H.; Jiang, L. $\text{Ni}(\text{OH})_2$ Anode Active Materials for High Temperature NiMH Electrokinetic Cell and Preparation Method Thereof. Chinese Patent Application No. 200610165433, 20 December 2006.
688. Wang, Y.; Xiao, F.; Peng, N.; Lu, Q.; Tang, R. A Hydride Storage Alloy for Low Self Discharge Nickel-Metal Hydride Battery. Chinese Patent Application No. 200710031184, 31 October 2007.
689. Wang, Y.; Xiao, F.; Tang, R.; Peng, N.; Lu, Q. Non-Cobalt AB_5 Hydrogen Storage Alloy. Chinese Patent Application No. 200810028733, 12 June 2008.
690. Teng, R.; Wang, Y.; Xiao, F.; Lu, Q.; Peng, N. Hydrogen Storage Alloy for Low Temperature NiMH Power Cell. Chinese Patent Application No. 200810027969, 8 May 2008.
691. Yan, H.; Xiong, W.; Wang, L.; Li, B.; Li, J. Yttrium-Nickel Rare Earth-Based Hydrogen Storage Alloy. Chinese Patent Application No. 201410429202, 28 August 2014.
692. Yan, H.; Li, B.; Xiong, W.; Wang, L.; Li, J. Yttrium-Nickel Rare Earth-Based Hydrogen Storage Alloy. Chinese Patent Application No. 201410429187, 28 August 2014.
693. Yan, H.; Wang, L.; Xiong, W.; Li, B.; Li, J. Rare Earth-Yttrium-Nickel Family Hydrogen Storage Alloy, and Secondary Battery Containing Hydrogen Storage Alloy. Chinese Patent Application No. 201410427259, 28 August 2014.
694. Wang, L.; Yan, H.; Xiong, W.; Li, B.; Li, J. Zirconium and Titanium-Doped AB_3 Type Earth-Yttrium-Nickel Family Hydrogen Storage. Chinese Patent Application No. 201410427179, 28 August 2014.
695. Xiong, W.; Yan, H.; Li, B.; Wang, L.; Li, J. Zirconium and Titanium-Doped A_2B_7 Type Rare Earth-Yttrium-Nickel Family Hydrogen Storage Alloy. Chinese Patent Application No. 201410427220, 28 August 2014.
696. Li, B.; Yan, H.; Wang, L.; Xiong, W.; Li, J. A_5B_{19} Type Rare Earth-Yttrium-Nickel System Hydrogen Storage Alloy Added with Zirconium and Titanium Elements. Chinese Patent Application No. 201410427199, 28 August 2014.
697. Wang, L.; Yan, H.; Chen, G.; Yu, B.; Xiong, W.; Li, B.; Li, J.; Zhao, X. A Fabrication Method for Y, Ni-Containing Hydrogen Storage Alloy. Chinese Patent Application No. 201611134225, 10 December 2016.
698. Zeng, H. Method for Recognizing Different-Phase Cross-Line Ground Fault of Double-Circuit Lines Based on Actual Measurement of Voltage of Different-Phase Cross-Line Grounding Point. Chinese Patent Application No. 201510096986, 4 March 2015.
699. Kong, F.; Yan, H.; Xiong, W.; Li, B. Method for Improving Magnesium-Based Hydrogen-Storage Electrode Capacity Attenuation for Nickel-Hydrogen Battery. Chinese Patent Application No. 200510096984, 30 August 2005.
700. Wang, D.; Wang, B.; Jin, C.; He, D. Superlattice Hydrogen Storage Alloy Material for Nickel Hydrogen Battery and Preparation Method Thereof. Chinese Patent Application No. 201010220084, 6 July 2010.
701. Li, Z.; Huang, T.; Cheng, L.; Sheng, X.; Liu, R.; Wang, R.; He, D. Method for Preparing Nickel-Hydrogen Battery Cathode. Chinese Patent Application No. 200810038898, 12 June 2008.
702. Qin, H.; Lv, Z.; Liu, W.; Lin, F.; Zhang, Z.; Zhang, J.; Lei, X.; Lu, A.; Meng, G.; Su, Y. Cathode Paste for Manufacturing Cathode of Nickel-Metal Hydride Battery, Cathode of Nickel-Metal Hydride Battery as Well as Nickel-Metal Hydride Battery. Chinese Patent Application No. 201310606368, 26 November 2013.
703. Zhang, H.; Zhou, Q.; Gan, S.; Xu, H.; Hu, Z.; Sun, Z.; Tan, S.; Zhang, Z.; Peng, H. Cerium-Cobalt-Coated Nickel Hydroxide Composite Material and Preparation Method and Application Thereof. Chinese Patent Application No. 201410351399, 23 July 2014.
704. Zhang, J.; Wang, L.; Zhang, X.; Fan, L.; Li, J. Nickelous Hydroxide in Positive Pole Material of Alkaline Secondary Cell and Producing Method Thereof. Chinese Patent Application No. 200710059995, 24 October 2007.
705. Zhang, J. Nickel-Hydrogen Cell with Temperature Control Device. Chinese Patent Application No. 200520123630, 30 November 2005.
706. Li, R.; Wu, J.; Zhou, S. Cathode Material in Use for Nickel-Hydrogen Battery in High Capacity. Chinese Patent Application No. 200510073051, 31 May 2005.

707. Li, R.; Wu, J.; Zhou, S. Negative Pole Material for High-Temp Nickel-Hydrogen Battery with Long-Service Life. Chinese Patent Application No. 200410004750, 3 March 2004.
708. Li, R.; Wu, J.; Zhou, S. Negative Pole Material for High-Temperature NiH and its Preparation Process. Chinese Patent Application No. 03153957, 25 August 2003.
709. Cheng, J.; Xu, D.; Wang, X. Manufacture of Alkaline Secondary Nickel-Hydrogen Cell and its Positive and Negative Pole. Chinese Patent Application No. 98125274, 15 December 1998.
710. Wu, J.; Li, R. Apparatus for Preparing Negative-Electrode Hydrogen-Storage Alloy Powder for Nickel-Hydrogen Cell. Chinese Patent Application No. 98201981, 16 March 1998.
711. Zhang, H. Process for Preparing Mixed Rare-Earth Metals. Chinese Patent Application No. 99121650, 12 October 1999.



© 2017 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).