

Table S1. List of peltate species among vascular plants. The species are sorted by clade and order/family (alphabetically). Further information shown: distribution, habit, habitat, floristic zone and kingdom, peltation. Abbreviations: in Clade: F (ferns), ANA (ANA grade), MAG (magnoliids), MON (monocots), EUD (eudicots), EUD-C (core eudicots), in Distribution: N (Northern), E (Eastern), S (Southern), W (Western), C (Central), in Habit: h (herbaceous), l (lignified), a (annual), p (perennial), in Habitat: a (aquatic), t (terrestrial), in Floristic kingdom: Hol (Holarctic), Pal (Palaeotropics), Neo (Neotropics), Aus (Australis), Cap (Capensis), Ant (Antarctic), circpol (all continents in the floral zone), in Floral zone: arct (arctic), b (boreal), temp (temperate), sm (submeridional), m (meridional), boreostrop (boreo-subtropical), strop (subtropical), austrostrop (austro-subtropical), trop (tropical), austr (austral), antarct (antarctic), in peltation: e (eccentric), c (central).

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
Fern	Salviniales	Marsileaceae	<i>Marsilea aegyptiaca</i> Willd.	Africa, Asia, Europe	N Africa, S Africa, Arabian Peninsula, E Russia, China, India	h	p	a	t, sm, m, boreostrop, austrostrop	Hol, Pal, Cap	c
Fern	Salviniales	Marsileaceae	<i>Marsilea ancylopoda</i> A. Braun	North America, South America	Tropical America, Subtropical America	h	p	a	boreostrop, trop, austrostrop, austr	Neo	c
Fern	Salviniales	Marsileaceae	<i>Marsilea batardae</i> Launert	Europe	Portugal, Spain	h	p	a	sm, m	Hol	c
Fern	Salviniales	Marsileaceae	<i>Marsilea macrocarpa</i> C. Presl	Africa	C Africa, S Africa, Madagascar	h	p	a	trop, austrostrop	Pal	c
Fern	Salviniales	Marsileaceae	<i>Marsilea oligospora</i> Goodd.	North America	USA	h	p	a	t, sm, m	Hol	c
Fern	Salviniales	Marsileaceae	<i>Marsilea strigosa</i> Willd.	Europe	Mediterranean region, Russia, Kazakhstan	h	p	a	sm	Hol	c
ANA	Nymphaeales	Cabombaceae	<i>Brasenia schreberi</i> J.F.Gmel.	Africa, South America, Asia	worldwide	h	p	a	austr, strop, trop, m, sm, temp	Hol, Pal, Neo, Aus	c
ANA	Nymphaeales	Cabombaceae	<i>Cabomba aquatica</i> Aubl.	South America	South America	h	p	a	strop, trop	Neo	c
ANA	Nymphaeales	Nymphaeaceae	<i>Euryale ferox</i> Salisb. ex K.D.Koenig & Sims	Asia	Asia	h	a, p	a	boreostrop, m	Pal	c
ANA	Nymphaeales	Nymphaeaceae	<i>Nymphaea colorata</i> Peter	Africa	Tanzania	h	p	a	trop	Pal	e
ANA	Nymphaeales	Nymphaeaceae	<i>Nymphaea gigantea</i> Hook.	Australia and Oceania	Australia	h	p	a	austrostrop	Aus	e
ANA	Nymphaeales	Nymphaeaceae	<i>Nymphaea lotus</i> L.	Africa	Africa	h	p	a	strop, trop	Pal	e
ANA	Nymphaeales	Nymphaeaceae	<i>Victoria amazonica</i> (Poepp.) J.C. Sowerby	South America	S America	h	p	a	trop	Neo	c
ANA	Nymphaeales	Nymphaeaceae	<i>Victoria cruziana</i> Orb.	South America	S America	h	p	a	austrostrop	Neo	c
MAG	Laurales	Hernandiaceae	<i>Hernandia nymphaeifolia</i> (C.Presl) Kubitzki	Asia, Africa	SE Asia, Madagascar	l	p	t	trop	Pal	e
MAG	Laurales	Hernandiaceae	<i>Hernandia sonora</i> L.	North America	Mexico, Caribbean	l	p	t	boreostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia albonervosa</i> G.Mathieu	South America	SW Mexico	h	p	t	boreostrop	Neo	c
MAG	Piperales	Piperaceae	<i>Peperomia argyreia</i> E.Morr.	South America	Brazil	h	p	t	austrostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia arifolia</i> Miq.	South America	Argentina, Bolivia, Brazil, Paraguay	h	-	t	austr, austrostrop, trop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia bracteata</i> A.W.Hill	South America	Guatemala, Mexico	h	p	t	boreostrop	Neo	c
MAG	Piperales	Piperaceae	<i>Peperomia claytonioides</i> Kunth	North America	Mexico, C America	h	p	t	boreostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia cotyledon</i> Benth.	South America	Colombia, Ecuador	h	p	t	trop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia cyclaminoides</i> A.W. Hill	South America	Bolivia	h	-	t	boreostrop	Neo	c
MAG	Piperales	Piperaceae	<i>Peperomia fugax</i> C. DC.	North America	Mexico	h	-	t	boreostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia gracillima</i> S. Watson	North America	Mexico	h	p	t	boreostrop	Neo	c
MAG	Piperales	Piperaceae	<i>Peperomia hernandiifolia</i> (Vahl) A. Dietr.	North America, South America	C America, S America	h	p	t	strop, trop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia macrandra</i> C. DC.	South America	Mexico, Guatemala	h	-	t	boreostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia monticola</i> Miq.	South America	Mexico	h	p	t	boreostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia polybotrya</i> Kunth	South America	S America	h	p	t	trop	Neo	e
MAG	Piperales	Piperaceae	<i>Peperomia schizandra</i> Trel.	South America	Mexico	h	p	t	boreostrop	Neo	c
MAG	Piperales	Piperaceae	<i>Peperomia sodiroi</i> C.DC.	South America	Ecuador	h	p	t	trop	Neo	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
MAG	Piperales	Piperaceae	<i>Peperomia tuerckheimii</i>	North America	C America	h	-	t	boreostrop	Neo	e
MAG	Piperales	Piperaceae	<i>Piper fragile</i> Benth.	Asia	C Malesia, W Pacific	-	-	t	trop	Pal, Aus	e
MAG	Piperales	Piperaceae	<i>Piper peltatifolium</i> C.Y. Hao, H.S. Wu, Y.H. Tan	Asia	China	l	p	t	boreostrop	Pal	e
MAG	Piperales	Piperaceae	<i>Piper peltatum</i> L.	South America	S America, C America	h,l	-	t	strop, trop	Neo	e
MON	Alismatales	Araceae	<i>Alocasia acuminata</i> Schott	Asia	Bangladesh, China, India, Nepal, SE Asia	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia baginda</i> Kurniawan & P.C. Boyce	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia chaili</i> P.C. Boyce	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia cuprea</i> K.Koch	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia fallax</i> Schott	Asia	Bangladesh, India	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia fornicata</i> (Kunth) Schott	Asia	India, Bangladesh, India, Sri Lanka, SE Asia	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia infernalis</i> P.C. Boyce	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia longiloba</i> Miq.	Asia	SE Asia	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia melo</i> A. Hay, P.C. Boyce & K.M. Wong	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia navicularis</i> (K. Koch & C.D. Bouché) K. Koch & C.D. Bouché	Asia	Bangladesh, China, India, Nepal, SE Asia	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia peltata</i> M. Hotta	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia perakensis</i> Hemsl.	Asia	Malaysia, Thailand	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia reginula</i> A.Hay	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Alocasia reversa</i> N.E. Br.	Asia	Borneo	h	p	t	trop	Pal	e
MON	Alismatales	Araceae	<i>Amorphophallus konjac</i> K.Koch	Asia	China, SE Asia	h	p	t	m	Hol	c
MON	Alismatales	Araceae	<i>Anthurium forgetii</i> N.E.Br.	South America	Colombia	h	p	t	trop	Neo	e
MON	Alismatales	Araceae	<i>Anthurium jureianum</i> Cath. & Olaió	South America	Brazil	h	p	t	austrostrop	Neo	e
MON	Alismatales	Araceae	<i>Ariopsis peltata</i> Nimmo	Asia	India	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Ariopsis proanthera</i> N.E. Br.	Asia	Bangladesh, India, Myanmar, Nepal, Thailand	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Arisaema caudatum</i> Engl.	Asia	India	h	p	t	boreostrop, trop	Pal	c
MON	Alismatales	Araceae	<i>Arisaema ciliatum</i> H.Li	Asia	China	h	p	t	m	Hol	c
MON	Alismatales	Araceae	<i>Arisaema concinnum</i> Schott.	Asia	Bhutan, China, India, Myanmar, Nepal, Tibet	h	p	t	m, boreostrop, trop	Hol, Pal	c
MON	Alismatales	Araceae	<i>Arisaema fischeri</i> Manudev & Nampy	Asia	India	h	p	t	boreostrop, trop	Pal	c
MON	Alismatales	Araceae	<i>Arisaema leschenaultii</i> Blume	Asia	India, Nepal, Sri Lanka	h	p	t	m, boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Arisaema nilamburens</i> Sivad.	Asia	India	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Arisaema peltatum</i> C.E.C. Fisch.	Asia	India	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Arisaema subulatum</i> Manudev & Nampy	Asia	India	h	p	t	boreostrop, trop	Pal	c
MON	Alismatales	Araceae	<i>Caladium bicolor</i> Vent.	South America	C America, S America	h	p	t	boreostrop, trop	Neo	e
MON	Alismatales	Araceae	<i>Caladium clavatum</i> Hett., Bogner & J. Boos	South America	Ecuador	h	p	t	trop	Neo	e
MON	Alismatales	Araceae	<i>Caladium humboldtii</i> (Raf.) Schott	South America	Brazil, Venezuela	h	p	t	trop	Neo	e
MON	Alismatales	Araceae	<i>Caladium smaragdinum</i> K. Koch & C.D. Bouché	South America	Colombia, Venezuela	h	p	t	trop	Neo	e
MON	Alismatales	Araceae	<i>Caladium steudnerifolium</i> Engl.	South America	Bolivia, Colombia, Ecuador, Peru	h	p	t	trop, austrostrop	Neo	e
MON	Alismatales	Araceae	<i>Caladium steyermarkii</i> G.S. Bunting	South America	Venezuela	h	p	t	trop	Neo	e
MON	Alismatales	Araceae	<i>Colocasia affinis</i> Schott	Asia	Bangladesh, China, Myanmar, Nepal	h	p	t	boreostrop, m	Pal	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
MON	Alismatales	Araceae	<i>Colocasia boyceana</i> Gogoi & Borah	Asia	India	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Colocasia esculenta</i> (L.) Schott	Asia	SE Asia	h	p	t	trop, boreostrop, m	Pal	e
MON	Alismatales	Araceae	<i>Colocasia fallax</i> Schott	Asia	SE Asia	h	p	t	m, boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Colocasia hassanii</i> H. Ara	Asia	Bangladesh	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Colocasia lihengiae</i> C.L. Long & K.M. Liu	Asia	Bangladesh, China, India, Vietnam	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Colocasia mannii</i> Hook. f.	Asia	India, Bangladesh	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Colocasia mengalensis</i> J.T. Yin & H. Li & Z.F. Xu	Asia	China, Laos, Myanmar, Thailand, Vietnam	h	p	t	m, boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Colocasia oresbia</i> A. Hay	Asia	Bangladesh, Borneo, India	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Remusatia hookeriana</i> Schott	Asia	China, India, Myanmar, Nepal, Thailand	h	p	t	m, boreostrop, trop	Hol, Pal	e
MON	Alismatales	Araceae	<i>Remusatia pumila</i> (D.Don) H.Li & A.Hay	Asia	China, Bangladesh, Nepal, Thailand	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Remusatia vivipara</i> (Roxb.) Schott	Africa, Asia, Australia and Oceania	Africa , Australia, SE Asia	h	p	t	strop, trop	Pal, Aus	e
MON	Alismatales	Araceae	<i>Remusatia yunnanensis</i> (H. Li & A. Hay) A. Hay	Asia	China, Taiwan	h	p	t	m, boreostrop	Hol, Pal	e
MON	Alismatales	Araceae	<i>Steudnera assamica</i> Hook. f.	Asia	India	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Steudnera capitellata</i> Hook. f.	Asia	Myanmar	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Steudnera colocasiifolia</i> K.Koch	Asia	SE Asia, China	h	p	t	m, boreostrop	Hol, Pal	e
MON	Alismatales	Araceae	<i>Steudnera colocasioides</i> Hook. f.	Asia	Bangladesh, India, Myanmar	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Steudnera discolor</i> W. Bull	Asia	India, Bangladesh, Myanmar, Thailand	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Steudnera griffithii</i> (Schott) Hook. f.	Asia	China, India, Myanmar	h	p	t	m, boreostrop, trop	Hol, Pal	e
MON	Alismatales	Araceae	<i>Steudnera henryana</i> Engl.	Asia	China, Laos, Vietnam	h	p	t	m, boreostrop, trop	Hol, Pal	e
MON	Alismatales	Araceae	<i>Steudnera kerrii</i> Gagnep.	Asia	China, Laos, Thailand, Vietnam	h	p	t	boreostrop	Pal	e
MON	Alismatales	Araceae	<i>Steudnera virosa</i> (Roxb.) Prain	Asia	Bangladesh, India	h	p	t	boreostrop, trop	Pal	e
MON	Alismatales	Araceae	<i>Xanthosoma peltatum</i> G.S. Bunting	South America	Venezuela	h	p	t	trop	Neo	e
EUD	Proteales	Nelumbonaceae	<i>Nelumbo lutea</i> Willd.	North America	S USA	h	p	a	boreostrop, m	Hol	c
EUD	Proteales	Nelumbonaceae	<i>Nelumbo nucifera</i> Gaertn.	Asia	India	h	p	a	boreostrop	Pal	c
EUD	Ranunculales	Berberidaceae	<i>Podophyllum aurantiocaula</i> Hand.-Mazz.	Asia	China	h	p	t	m	Hol	c
EUD	Ranunculales	Berberidaceae	<i>Podophyllum delavayi</i> Franch.	Asia	China	h	p	t	m	Hol	e
EUD	Ranunculales	Berberidaceae	<i>Podophyllum difforme</i> Hemsl. & E.H.Wilson	Asia	China, Vietnam	h	p	t	m, boreostrop	Hol, Pal	c
EUD	Ranunculales	Berberidaceae	<i>Podophyllum glaucescens</i> J.M.H.Shaw	Asia	China	h	p	t	m	Hol	e
EUD	Ranunculales	Berberidaceae	<i>Podophyllum hemsleyi</i> J.M.H. Shaw & Stearn	Asia	China	h	p	t	m, boreostrop	Hol, Pal	c
EUD	Ranunculales	Berberidaceae	<i>Podophyllum peltatum</i> L.	North America	N America	h	p	t	b, temp, sm, m	Hol	c
EUD	Ranunculales	Berberidaceae	<i>Podophyllum pleianthum</i> Hance	Asia	China, Taiwan	h	p	t	m	Hol	c
EUD	Ranunculales	Berberidaceae	<i>Podophyllum versipelle</i> Hance	Asia	China, Vietnam	h	p	t	boreostrop	Pal	c
EUD	Ranunculales	Menispermaceae	<i>Cissampelos glaberrima</i> A. St.-Hil.	South America	Tropical S America	h,l	p	t	trop, austrostrop	Neo	e
EUD	Ranunculales	Menispermaceae	<i>Cissampelos grandifolia</i> Triana & Planch.	North America, South America	C America, Tropical S America	h,l	p	t	boreostrop, trop, austrostrop	Neo	e
EUD	Ranunculales	Menispermaceae	<i>Cissampelos hispida</i> Forman	Asia	Thailand	l	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cissampelos owariensis</i> P. Beauv. ex DC.	Africa	Tropical Africa	h,l	p	t	boreostrop, trop	Pal	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD	Ranunculales	Menispermaceae	<i>Cissampelos rigidifolia</i> (Engl.) Diels	Africa	C African Republic, Sudan, Tanzania, Uganda, Zambia	l	p	t	boreostrop, trop, austrostrop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cissampelos sympodialis</i> Eichler	South America	Brazil	h,l	p	t	trop, austrostrop	Neo	e
EUD	Ranunculales	Menispermaceae	<i>Cosciniium blumeianum</i> Miers ex Hook.f. & Thomson	Asia	Malaysia, Thailand, Vietnam	l	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea cauliflora</i> Merr.	Asia	Philippines, Sulawesi	h,l	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea debiliflora</i> Miers	Asia	China, India, Vietnam	h,l	p	t	m, boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea fissicalyx</i> Dunn	Asia	India	h,l	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea hypoglauca</i> (Schauer) Diels	Asia	China, Vietnam	h,l	p	t	m, boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea laxiflora</i> Miers	Asia	Borneo, Malaysia, Sumatra, Tahiland	h,l	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea peltata</i> (Lam.) Hook. f. & Thomson	Asia	SE Asia, India	h,l	p	t	boreostrop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Cyclea varians</i> Craib	Asia	Thailand	h,l	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Disciphania calocarpa</i> Standl.	North America	C America	l	p	t	boreostrop	Neo	e
EUD	Ranunculales	Menispermaceae	<i>Disciphania contraversa</i> Barneby	South America	Brazil	-	p	t	austrostrop	Neo	e
EUD	Ranunculales	Menispermaceae	<i>Disciphania hernandia</i> (Vell.) Barneby	South America	Brazil	h, l	p	t	trop, austrostrop	Neo	e
EUD	Ranunculales	Menispermaceae	<i>Menispermum dauricum</i> DC.	Asia	China, Mongolia, Russia, Japan, Korea	h, l	p	t	b, temp, sm, m, boreostrop	Hol, Pal	e
EUD	Ranunculales	Menispermaceae	<i>Perichasma laetificata</i> Miers	Africa	midwest Africa	-	p	t	trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania abyssinica</i> (Quart.-Dill. & A.Rich.) Walp.	Africa	Africa	h	p	t	strop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania brevipes</i> Craib	Asia	Thailand, Vietnam	h	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania capitata</i> (Blume) Spreng.	Asia	Borneo, Jawa, Sunda Islands, Malaysia, Sumatra, Thailand	h	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania delavayi</i> Diels	Asia	China, Myanmar	h	p	t	boreostrop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania formanii</i> Kundu & S. Guha	Australia and Oceania	New Guinea	h	p	t	trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania japonica</i> (Thunb.) Miers	Asia, Australia and Oceania	Tropical Asia, Subtropical Asia, Australia	h	p	t	boreostrop, trop, austrostrop	Pal, Aus	e
EUD	Ranunculales	Menispermaceae	<i>Stephania oblata</i> Craib	Asia	Thailand, Cambodia	h	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania pierrei</i> Diels	Asia	Cambodia, Laos, Thailand, Vietnam	h	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania rotunda</i> Lour.	Asia	India, Western SE Asia	h	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania suberosa</i> Forman	Asia	Cambodia, Thailand	h	p	t	trop	Pal	e
EUD	Ranunculales	Menispermaceae	<i>Stephania venosa</i> Spreng.	Asia	SE Asia	h	p	t	boreostrop, trop	Pal	e
EUD	Ranunculales	Ranunculaceae	<i>Peltocalathos baurii</i> (MacOwan) Tamura	Africa	South Africa, Lesotho, Eswatini	h	p	t	austr	Cap	c
EUD	Ranunculales	Ranunculaceae	<i>Ranunculus clypeatus</i> (Ulbr.) Lourteig	South America	Peru	h	p	t	trop	Neo	e
EUD	Ranunculales	Ranunculaceae	<i>Ranunculus lyallii</i> Hook.f.	Australia and Oceania	New Zealand	h	p	t	austr	Ant	c
EUD	Ranunculales	Ranunculaceae	<i>Thalictrum ichangense</i> Lecoy. ex Oliv.	Asia	China, Korea, Vietnam	h	p	t	boreostrop, m	Hol, Pal	e
EUD	Ranunculales	Ranunculaceae	<i>Thalictrum pringlei</i> S. Watson	North America	Mexico	h	p	t	boreostrop	Neo	e
EUD	Ranunculales	Ranunculaceae	<i>Thalictrum pseudoichangense</i> Q.E. Yang & G.H. Zhu	Asia	China	h	p	t	m, boreostrop	Hol, Pal	e
EUD	Ranunculales	Ranunculaceae	<i>Thalictrum roseanum</i> B.Boivin	North America	Mexico	h	p	t	boreostrop	Neo	e
EUD	Ranunculales	Ranunculaceae	<i>Asteropyrum cavaleriei</i> H.Lév. & Vaniot	Asia	China	h	p	t	m	Hol	e
EUD	Ranunculales	Ranunculaceae	<i>Asteropyrum peltatum</i> (Franch.) J.R.Drumm. & Hutch.	Asia	China, Myanmar	h	p	t	boreostrop	Pal	e
EUD-C	Apiales	Apiaceae	<i>Klotzschia brasiliensis</i> Cham.	South America	Brazil	h	-	t	austrostrop	Neo	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD-C	Apiales	Apiaceae	<i>Klotzschia glaziovii</i> Urb.	South America	Brazil	l	p	t	austrostrop	Neo	e
EUD-C	Apiales	Apiaceae	<i>Klotzschia rhizophylla</i> Urb.	South America	Brazil	h	-	t	austrostrop	Neo	e
EUD-C	Apiales	Apiaceae	<i>Petagnaea gussonei</i> (Spreng.) Rauschert	Europe	Sicilia	h	p	t	m	Hol	c
EUD-C	Apiales	Araliaceae	<i>Hydrocotyle bonariensis</i> Lam.	South America	C America, S America	h	p	t	boreostrop, trop	Neo	c
EUD-C	Apiales	Araliaceae	<i>Hydrocotyle pusilla</i> R.Br. ex Rich.	South America	C America, S America	h	p	t	boreostrop, trop	Neo	c
EUD-C	Apiales	Araliaceae	<i>Hydrocotyle umbellata</i> L.	South America	C America, S America	h	p	t	boreostrop, trop	Neo	c
EUD-C	Apiales	Araliaceae	<i>Hydrocotyle verticillata</i> Thunb.	Africa, South America, North America	N America, S America, S Africa	h	p	a	strop, trop, m	Hol, Neo, Pal	c
EUD-C	Apiales	Araliaceae	<i>Hydrocotyle vulgaris</i> L.	Europe	Europe	h	p	a	m, sm, temp, b	Hol	c
EUD-C	Apiales	Araliaceae	<i>Hydrocotyle yanghuangensis</i> (Hieron.) Mathias	South America	Ecuador	h	p	t	trop	Neo	e
EUD-C	Apiales	Araliaceae	<i>Oplopanax japonicus</i> Nakai	Asia	Japan	l	p	t	t, sm	Hol	e
EUD-C	Apiales	Araliaceae	<i>Schefflera actinophylla</i> (Endl.) Harms	Australia and Oceania	Australia, New Guinea	l	p	t	trop, austrostrop	Pal, Aus	e
EUD-C	Apiales	Araliaceae	<i>Schefflera arboricola</i> (Hayata) Merr.	Asia	Taiwan	l	p	t	m	Hol	e
EUD-C	Apiales	Araliaceae	<i>Schefflera digitata</i> J.R. Forst. & G. Forst.	Australia and Oceania	New Zealand	l	p	t	austrostrop, austr	Aus	e
EUD-C	Asterales	Asteraceae	<i>Ligularia nelumbifolia</i> Hand.-Mazz.	Asia	China	h	p	t	sm, m, boreostrop	Hol, Pal	e
EUD-C	Asterales	Asteraceae	<i>Prenanthes subpeltata</i> Stebbins	Africa	Ethiopia, Kenya, Rwanda, Democratic Republic of Congo	h	p	t	boreostrop, trop	Pal	e
EUD-C	Asterales	Asteraceae	<i>Psacalium laxiflorum</i> Benth.	North America	Mexico	h	p	t	boreostrop	Neo	c
EUD-C	Asterales	Asteraceae	<i>Psacalium megaphyllum</i> Rydb.	North America	Mexico	h	p	t	boreostrop	Neo	e
EUD-C	Asterales	Asteraceae	<i>Senecio oxyriifolius</i> DC.	Africa	C Africa, S Africa	h	p	t	austr, austrostrop, trop	Cap, Pal	e
EUD-C	Asterales	Asteraceae	<i>Syneilesis aconitifolia</i> (Bunge) Maxim.	Asia	China, Japan, Korea, Russia	h	p	t	t, sm, m, boreostrop	Hol, Pal	c
EUD-C	Asterales	Asteraceae	<i>Syneilesis palmata</i> (Thunb.) Maxim.	Asia	Korea, Japan	h	p	t	sm	Hol	c
EUD-C	Asterales	Asteraceae	<i>Psacalium pachyphyllum</i> (Sch.Bip.) H.Rob. & Brettell	North America	Mexico	h	p	t	boreostrop	Neo	e
EUD-C	Asterales	Asteraceae	<i>Psacalium peltatum</i> Cass.	North America	Mexico	h	p	t	boreostrop	Neo	c
EUD-C	Asterales	Asteraceae	<i>Psacalium pinetorum</i> (Standl. & Steyerf.) Cuatrec.	North America	Guatemala	h	p	t	boreostrop	Neo	e
EUD-C	Asterales	Asteraceae	<i>Psacalium putlanum</i> B.L. Turner	North America	Mexico	h	p	t	boreostrop	Neo	e
EUD-C	Asterales	Asteraceae	<i>Roldana chapalensis</i> (S. Watson) H. Rob. & Brettell	North America	Mexico	l	p	t	boreostrop	Neo	e
EUD-C	Asterales	Asteraceae	<i>Roldana heterogama</i> (Benth.) H.Rob. & Brettell	North America	Costa Rica, Guatemala, Mexico, Panama	h, l	p	t	boreostrop	Neo	e
EUD-C	Asterales	Asteraceae	<i>Roldana subpeltata</i> (Sch. Bip.) H. Rob. & Brettell	North America	Mexico	h, l	p	t	boreostrop	Neo	e
EUD-C	Brassicales	Caricaceae	<i>Jacaratia digitata</i> (Poepp. & Endl.) Solms	South America	Bolivia, Brazil, Ecuador, Venezuela	l	p	t	strop, trop	Neo	e
EUD-C	Brassicales	Caricaceae	<i>Jacaratia spinosa</i> (Aubl.) A.DC.	South America	C America, S America	l	p	t	strop, trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum brachyceras</i> Hook. & Arn.	South America	Chile	h	p	t	austrostrop	Neo, Ant	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum ciliatum</i> Ruiz & Pav.	South America	Chile	h	p	t	austrostrop	Neo, Ant	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum cirrhipes</i> Hook.	South America	Peru	h	-	t	trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum lindenii</i> Wallis	South America	Colombia, Ecuador	h	-	t	trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum majus</i> L.	South America	Peru	h	p	t	austrostrop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum minus</i> L.	South America	Ecuador, Peru	h	a	t	austrostrop, trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum pentagonum</i> Hughes	South America	Bolivia, Venezuela	h	-	t	trop	Neo	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum pentaphyllum</i> Lam.	South America	Argentina, Brazil, Paraguay, Uruguay	h	p	t	austro trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum smithii</i> DC.	South America	N South America	h	p	t	strop, trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum stipulatum</i> Buchenau & Sodiro	South America	Ecuador, Peru	h	-	t	trop	Neo	e
EUD-C	Brassicales	Tropaeolaceae	<i>Tropaeolum tuberosum</i> Ruiz & Pav.	South America	Bolivia, Colombia, Ecuador, Peru	h	p	t	austro trop, trop	Neo	e
EUD-C	Caryophyllales	Polygonaceae	<i>Coccoloba acapulcensis</i> Standl.	North America	C America	l	p	t	boreostrop	Neo	e
EUD-C	Caryophyllales	Polygonaceae	<i>Coccoloba tiliacea</i> Lindau	South America	Argentina, Bolivia	l	p	t	trop, austro trop, austr	Neo	e
EUD-C	Caryophyllales	Polygonaceae	<i>Persicaria perfoliata</i> (L.) Gross	Europe, Asia	Turkey, India, E Asia, SE Asia	h	a	t	b, temp, sm, m, boreostrop, trop	Hol, Pal	e
EUD-C	Cornales	Loasaceae	<i>Nasa peltata</i> (Spruce ex Urb. & Gilg) Weigend	South America	Ecuador, Peru	h	-	t	trop	Neo	e
EUD-C	Cornales	Loasaceae	<i>Nasa peltiphylla</i> (Weigend) Weigend	South America	Colombia, Ecuador	-	-	t	trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia adpressa</i> Sosef	Africa	Cameroon	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia atroglandulosa</i> Sosef	Africa	Congo, Gabon, Democratic Republic of Congo	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia caroliniifolia</i> Regel	North America	Mexico, Guatemala, Honduras	h	p	t	boreostrop	Neo	c
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia clypeifolia</i> Hook. f.	Africa	WC Africa	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia conchifolia</i> A.Dietr.	South America	Costa Rica, El Salvador, Panamá	h	p	t	trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia dodsonii</i> L.B.Sm. & Wassh.	South America	Ecuador	h,l	p	t	trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia egregia</i> N.E.Br.	South America	Brazil	-	-	t	austro trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia ferramica</i> N.Hallé	Africa	Gabon	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia geminiflora</i> L.B.Sm. & Wassh.	South America	Ecuador	-	-	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia goegoensis</i> N.E.Br.	Asia	Sumatra	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia hitchcockii</i> Immsch.	South America	Ecuador	h,l	p	t	trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia josephi</i> A.DC.	Asia	Myanmar, Nepal, Tibet, S China	h	p	t	boreostrop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia kellermannii</i> C.DC.	South America	S America	h	p	t	trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia lacunosa</i> Warb.	Africa	Cameroon, Congo, Zaïre	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia lubbersii</i> É.Morren	South America	Brazil	h,l	p	t	austro trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia marojejensis</i> Humbert	Africa	Madagascar	-	-	t	trop, austro trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia microsperma</i> Warb.	Africa	Cameroon, Equatorial Guinea	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia nelumbiifolia</i> Cham. & Schltdl.	South America	South America	h	p	t	austro trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia peltata</i> Otto & Dietr.	South America	Guatemala, Honduras, Mexico	h,l	p	t	boreostrop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia quadrialata</i> Warb.	Africa	midwest Africa	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia rhizocaulis</i> (Klotzsch) A. DC.	South America	S America	h	p	t	trop	Neo	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia scapigera</i> Hook.f.	Africa	midwest Africa	l	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia sudjanae</i> C.-A. Jansson	Asia	Sumatra	h	p	t	trop	Pal	e
EUD-C	Cucurbitales	Begoniaceae	<i>Begonia thiemei</i> C.DC.	North America	Mexico, Honduras, Guatemala	h	p	t	boreostrop	Neo	e
EUD-C	Ericales	Balsaminaceae	<i>Impatiens begonioides</i> Eb. Fisch. & Raheliv.	Africa	Madagascar	h	-	t	trop, austro trop	Pal	e
EUD-C	Fabales	Fabaceae	<i>Lupinus albifrons</i> Benth.	North America	USA	h,l	p	t	sm, m, boreostrop	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus angustifolius</i> L.	Europe	Mediterranean area	h	a	t	sm, m	Hol, Pal	e
EUD-C	Fabales	Fabaceae	<i>Lupinus arboreus</i> Sims	North America	USA	h,l	p	t	sm, m	Hol	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD-C	Fabales	Fabaceae	<i>Lupinus cosentinii</i> Guss.	Europe	Mediterranean area	h	p,a	t	m	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus digitatus</i> Forssk.	Africa	Algeria, Egypt, Libya	h	a	t	m, boreostrop	Hol, Pal	e
EUD-C	Fabales	Fabaceae	<i>Lupinus elegans</i> Kunth	North America		h,l	p	t	boreostrop	Neo	e
EUD-C	Fabales	Fabaceae	<i>Lupinus gussoneanus</i> J.Agardh	Europe	Mediterranean area	h	a	t	sm, m	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus leucophyllus</i> Douglas ex Lindl.	North America	USA	h	p	t	temp, sm, m	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus luteus</i> L.	Europe	Italy, Portugal, Spain	h	a	t	sm, m	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus mutabilis</i> Sweet	South America	Bolivia, Colombia, Ecuador	h,l	p	t	trop	Neo	e
EUD-C	Fabales	Fabaceae	<i>Lupinus palaestinus</i> Boiss.	Europe	Israel, Egypt	h	a	t	m, boreostrop	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus perennis</i> L.	North America	USA	h	p	t	b, temp, sm	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus polyphyllus</i> Lindl.	North America	USA	h	p	t	b, temp, sm, m	Hol	e
EUD-C	Fabales	Fabaceae	<i>Lupinus subcarnosus</i> Hook.	North America	USA, Mexico	h	a	t	boreostrop	Hol, Neo	e
EUD-C	Fabales	Fabaceae	<i>Lupinus succulentus</i> Douglas ex K.Koch	North America	USA, Mexico	h	a	t	boreostrop, m	Hol, Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Hoya imbricata</i> Decne.	Asia	Philippines, Sulawesi	h	p	t	boreostrop, trop	Pal	c
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx abnorma</i> J.F. Morales, M.E. Endress & Liede	South America	Peru	h, l	p	t	trop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx colombiana</i> (Woodson) J.F. Morales, M.E. Endress & Liede	South America	Colombia, Venezuela	h, l	p	t	trop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx conflictiva</i> (J.F. Morales) J.F. Morales, M.E. Endress & Liede	South America	Peru	h, l	p	t	trop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx gigantea</i> (Woodson) J.F. Morales, M.E. Endress & Liede	South America	Peru, Bolivia	h, l	p	t	trop, austrostrop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx isthmica</i> (Woodson) J.F. Morales, M.E. Endress & Liede	North America, South America	Colombia, Costa Rica, Panamá, Venezuela	h, l	p	t	boreostrop, trop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx macrocalyx</i> (Müll. Arg.) J.F. Morales, M.E. Endress & Liede	South America	Brazil, Paraguay	h, l	p	t	trop, austrostrop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx peltata</i> (Vell.) J.F. Morales, M.E. Endress & Liede	South America	Argentina, Brazil, Paraguay	h, l	p	t	trop, austrostrop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx peruviana</i> (Woodson) J.F. Morales, M.E. Endress & Liede	South America	Peru	h, l	p	t	trop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx pulchra</i> (Miers) J.F. Morales, M.E. Endress & Liede	South America	Brazil	h, l	p	t	trop, austrostrop	Neo	e
EUD-C	Gentianales	Apocynaceae	<i>Macropharynx venusta</i> (J.F. Morales) J.F. Morales, M.E. Endress & Liede	South America	Ecuador	h, l	p	t	trop	Neo	e
EUD-C	Gunnerales	Gunneraceae	<i>Gunnera antioquiensis</i> L.E. Mora	South America	Colombia	h	p	t	trop	Neo	e
EUD-C	Gunnerales	Gunneraceae	<i>Gunnera brephogea</i> Linden & André	South America	Colombia, Ecuador, Peru	h	p	t	trop	Neo	c
EUD-C	Gunnerales	Gunneraceae	<i>Gunnera peltata</i> Phil.	South America	Juan Fernández Is.	h	p	t	austr	Ant	c
EUD-C	Gunnerales	Gunneraceae	<i>Gunnera quitoensis</i> L.E. Mora	South America	Ecuador	h	p	t	trop	Neo	e
EUD-C	Gunnerales	Gunneraceae	<i>Gunnera silvioana</i> L.E. Mora	South America	Colombia, Ecuador	h	p	t	trop	Neo	e
EUD-C	Lamiales	Gesneriaceae	<i>Cyrtandra toviana</i> F. Br.	Australia and Oceania	Marquesas	l	p	t	trop	Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Cyrtandra wawrae</i> C.B. Clarke	Australia and Oceania	Hawaii	-	-	t	trop	Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Drymonia peltata</i> (Oliv.) H.E. Moore	North America	Costa Rica	-	-	t	boreostrop	Neo	e
EUD-C	Lamiales	Gesneriaceae	<i>Metapetrocosmea peltata</i> (Merr. & Chun) W.T. Wand	Asia	China	h	p	t	boreostrop	Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Paraboea peltifolia</i> D. Fang & L. Zeng	Asia	China	h	p	t	m, boreostrop	Hol, Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Paraboea yunfuensis</i> F. Wen & Y.G. Wie	Asia	China	h	p	t	m, boreostrop	Hol, Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Petrocosmea huanjiangensis</i> Yan Liu & W.B. Xu	Asia	China	h	p	t	m, boreostrop	Hol, Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Petrocosmea pubescens</i> D.J. Middleton & Triboun	Asia	Thailand	h	p	t	boreostrop, trop	Pal	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD-C	Lamiales	Gesneriaceae	<i>Sinningia tuberosa</i> (Mart.) H.E. Moore	South America	Brazil	h	p	t	austro trop	Neo	e
EUD-C	Lamiales	Gesneriaceae	<i>Streptocarpus mandrerensis</i> Humbert	Africa	Madagascar	h	-	t	trop, austro trop	Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Streptocarpus peltatus</i> Randrian., Phillipson, Lowry & Mich. Möller	Africa	Madagascar	h	p	t	trop, austro trop	Pal	e
EUD-C	Lamiales	Gesneriaceae	<i>Trichodrymonia peltatifolia</i> (J.L. Clark & M.M. More) M.M. Mora & J.L. Clark	North America	Panamá	h	-	t	boreo trop	Neo	e
EUD-C	Lamiales	Lentibulariaceae	<i>Utricularia nelumbifolia</i> Gardn.	South America	Brazil	h	p	a	austro trop	Neo	c
EUD-C	Lamiales	Lentibulariaceae	<i>Utricularia pubescens</i> Sm.	Africa, South America, Asia	S America, Africa, India	h	a	t	strop, trop	Neo, Pal	c
EUD-C	Malpighiales	Euphorbiaceae	<i>Endospermum moluccanum</i> (Teijsm. & Binn.) Kurz	Asia, Australia and Oceania	Indonesia, New Guinea, Solomon Islands	l	p	t	trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Jatropha podagrica</i> Hook.	South America	C America	h, l	p	t	trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Macaranga bancana</i> (Miq.) Müll.Arg.	Asia	Thailand, Malesia	l	p	t	boreo trop, trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Macaranga cuspidata</i> Boivin ex Baill.	Africa	Madagascar	l	p	t	trop, austro trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Macaranga magna</i> Turrill	Australia and Oceania	Fiji	l	p	t	austro trop	Aus	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Macaranga tanarius</i> (L.) Mull.Arg.	Asia, Australia and Oceania	SE Asia, Australia	l	p	t	strop, trop	Pal, Aus	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Macaranga thompsonii</i> Merr.	Asia	S Asia	l	p	t	trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Mallotus floribundus</i> (Blume) Müll. Arg.	Asia	SE Asia	l	p	t	boreo trop, trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Mallotus lackeyi</i> Elmer	Asia	Borneo, Philippines	l	p	t	trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Mallotus peltatus</i> (Geiseler) Müll. Arg.	Asia	China, India, SE Asia	l	p	t	m, boreo trop, trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Mallotus surculosus</i> P.I. Forst.	Australia and Oceania	Australia	l	p	t	austro trop	Aus	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Mallotus thorelii</i> Gagnep.	Asia	Cambodia, China, Laos, Thailand, Vietnam	l	p	t	m, boreo trop, trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Manihot fabianae</i> M. Mend.	South America	Bolivia	l	p	t	trop, austro trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Manihot mirabilis</i> Pax	South America	Paraguay	l	p	t	trop, austro trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Manihot peltata</i> Pohl	South America	Brazil	l	p	t	trop, austro trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Megistostigma peltatum</i> (J.J. Sm.) Croizat	Asia	Jawa, Sumatra	l	p	t	trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Meineckia peltata</i> (Hutch.) G.L. Webster	Africa	Madagascar	l	p	t	trop, austro trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Ricinus communis</i> L.	Africa	Eritrea, Ethiopia, Somalia	h, l	a, p	t	boreo trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Endospermum peltatum</i> Merr.	Asia	South East Asia	l	p	t	trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Homalanthus grandifolius</i> Ridl.	Asia	Borneo, Sumatra	l	p	t	trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Homalanthus macradenius</i> Pax & K. Hoffm.	Asia	Philippines	l	p	t	boreo trop, trop	Pal	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Jatropha hernandiifolia</i> Vent.	North America	Dominican Republic, Haiti, Puerto Rico	l	p	t	boreo trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Jatropha nudicaulis</i> Benth.	South America	Colombia, Ecuador	l	p	t	trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Jatropha peltata</i> Sessé	North America	Mexico	h, l	p	t	boreo trop	Neo	e
EUD-C	Malpighiales	Euphorbiaceae	<i>Jatropha weberbaueri</i> Pax & K. Hoffm.	South America	Peru	-	-	t	trop	Neo	e
EUD-C	Malpighiales	Passifloraceae	<i>Adenia penangiana</i> (Wall. ex G. Don) W.J. de Wilde	Asia	SE Asia	h	p	t	boreo trop, trop	Pal	e
EUD-C	Malpighiales	Passifloraceae	<i>Passiflora coriacea</i> Juss.	South America	C America, S America	h	p	t	boreo trop, trop	Neo	e
EUD-C	Malpighiales	Passifloraceae	<i>Passiflora guatemalensis</i> S. Watson	North America, South America	C America, Colombia, Venezuela	h	p	t	boreo trop, trop	Neo	e
EUD-C	Malpighiales	Passifloraceae	<i>Passiflora rubrotincta</i> Killip	South America	Bolivia	h	p	t	trop, austro trop	Neo	e
EUD-C	Malpighiales	Passifloraceae	<i>Passiflora spectabilis</i> Killip	South America	Peru	h	p	t	trop	Neo	e
EUD-C	Malpighiales	Phyllanthaceae	<i>Astrocasia peltata</i> Standl.	North America	Costa Rica, Mexico	l	p	t	boreo trop	Neo	e
EUD-C	Malpighiales	Salicaceae	<i>Xylosma peltata</i> (Sleumer) Lescot	Australia and Oceania	New Caledonia	l	p	t	austro trop	Aus	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD-C	Malvales	Dipterocarpaceae	<i>Shorea peltata</i> Symington	Asia	Borneo, Malaysia, Sumatra	l	p	t	Trop	Pal	e
EUD-C	Malvales	Malvaceae	<i>Brownlowia ferruginea</i> Kosterm.	Asia	Borneo	l	p	t	trop	Pal	e
EUD-C	Malvales	Malvaceae	<i>Brownlowia havilandii</i> Stapf	Asia	Borneo	l	p	t	trop	Pal	e
EUD-C	Malvales	Malvaceae	<i>Brownlowia helferiana</i> Pierre	Asia	Malaysia, Myanmar, Thailand	l	p	t	boreostrop, trop	Pal	e
EUD-C	Malvales	Malvaceae	<i>Brownlowia peltata</i> Benth.	Asia	Borneo, Myanmar, Thailand, Vietnam	l	p	t	boreostrop, trop	Pal	e
EUD-C	Malvales	Malvaceae	<i>Brownlowia stipulata</i> Kosterm.	Asia	Borneo	l	p	t	trop	Pal	e
EUD-C	Malvales	Malvaceae	<i>Pterospermum acerifolium</i> (L.) Willd.	Asia	India, SE Asia	h	p	t	boreostrop, trop	Pal	e
EUD-C	Myrtales	Melastomataceae	<i>Catanthera peltata</i> M.P. Nayar	Asia	Borneo	-	-	t	trop	Pal	e
EUD-C	Myrtales	Melastomataceae	<i>Conostegia peltata</i> (Almeda) Kriebel	North America	Panama	l	p	t	trop	Neo	e
EUD-C	Myrtales	Melastomataceae	<i>Gravesia peltata</i> H. Perrier	Africa	Madagascar	h	p	t	trop, austrostrop	Pal	e
EUD-C	Myrtales	Melastomataceae	<i>Leandra peltata</i> Wurdack	South America	Peru	l	p	t	trop	Neo	e
EUD-C	Myrtales	Melastomataceae	<i>Phyllagathis beccariana</i> (Cogn.) M.P. Nayar	Asia	Borneo	h	p	t	trop	Pal	e
EUD-C	Myrtales	Melastomataceae	<i>Phyllagathis peltata</i> Stapf ex Ridl.	Asia	Borneo	h	p	t	trop	Pal	e
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis adenophylla</i> Gillies ex Hook. & Arn.	South America	Argentina, Chile	h	p	t	austrostrop, austr	Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis articulata</i> Savigny	South America	Argentina, Brazil, Uruguay	h	p	t	austrostrop	Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis bowiei</i> W.T.Aiton ex G.Don	Africa	South Africa	h	p	t	austr	Cap	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis carolina</i> J. Suda & Sudová	Africa	South Africa	h	p	t	austr	Cap	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis corniculata</i> L.	South America	C America	h	a	t	trop	Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis decaphylla</i> Kunth	North America	Mexico	h	p	t	boreostrop	Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis latifolia</i> Kunth	North America, South America	USA, Mexico, C America, N South America	h	p	t	m, boreostrop, trop, austrostrop	Hol, Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis leucolepis</i> Diels	Asia	China, Nepal	h	p	t	boreostrop, m	Pal	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis nelsonii</i> (Small) R. Kunth	North America	Honduras, Mexico	h	p	t	boreostrop	Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis stricta</i> L.	Asia, North America	N America, E Asia	h	a	t	m, sm, temp	Hol	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis triangularis</i> A.St.-Hil.	South America	S America	h	p	t	austrostrop, trop	Neo	c
EUD-C	Oxalidales	Oxalidaceae	<i>Oxalis tuberosa</i> Molina	South America	Argentina, Bolivia, Colombia, Ecuador, Peru	h	p	t	trop, austrostrop, austr	Neo	c
EUD-C	Rosales	Moraceae	<i>Dorstenia belizensis</i> C.C. Berg	North America	Belize	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia erythrandra</i> C. Wright ex Griseb.	North America	Cuba, Dominican Republic, Haiti	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia flagellifera</i> Urb. & Ekman	North America	Haiti	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia jamaicensis</i> Britton	North America	Jamaica	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia nummularia</i> Urb. & Ekman	North America	Cuba	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia peltata</i> Spreng.	North America	Cuba, Dominican Republic	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia petrae</i> C. Wright ex Griseb.	North America	Cuba	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Moraceae	<i>Dorstenia roigii</i> Britton	North America	Cuba	h	p	t	boreostrop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia albicans</i> Trécil	South America	Peru	l	p	t	trop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia distachya</i> Huber	South America	N South America	l	p	t	trop, austrostrop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia elongata</i> Rusby	South America	Bolivia	l	p	t	trop, austrostrop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia ficifolia</i> Warb. ex Snethl.	South America	N South America	l	p	t	trop, austrostrop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia latiloba</i> Miq.	South America	N South America	l	p	t	trop, austrostrop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia obtusifolia</i> Bertol.	North America, South America	C America, Colombia, Ecuador	l	p	t	boreostrop, trop	Neo	e

Clade	Order	Family	Species	Continent	Distribution	Habit		Habitat	Floral zone	Floristic kingdom	Peltation
EUD-C	Rosales	Urticaceae	<i>Cecropia palmata</i> Willd.	South America	N South America	l	p	t	trop, austro trop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia peltata</i> L.	South America	C America	l	p	t	boreotrop, trop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Cecropia virgusa</i> Cuatrec.	South America	Colombia, Ecuador, Panamá	l	p	t	boreotrop, trop	Neo	e
EUD-C	Rosales	Urticaceae	<i>Dendrocnide moroides</i> (Wedd.) Chew	Asia, Australia and Oceania	Australia, Lesser Sunda Islands, Vanuatu	l	p	t	trop, austro trop, austr	Pal, Aus	e
EUD-C	Rosales	Urticaceae	<i>Dendrocnide peltata</i> (Blume) Miq.	Asia, Australia and Oceania	New Guinea, Malesia	l	p	t	trop	Pal	e
EUD-C	Rosales	Urticaceae	<i>Elatostema muluense</i> Rodda & A.K. Monro	Asia	Borneo	h	p	t	trop	Pal	e
EUD-C	Rosales	Urticaceae	<i>Elatostema peltifolium</i> (Ridl.) H.J.P. Winkl.	Australia and Oceania	New Guinea	h	-	t	trop	Pal	e
EUD-C	Rosales	Urticaceae	<i>Musanga cecropioides</i> R. Br. ex Tedlie	Africa	W and C Africa	l	p	t	trop	Pal	c
EUD-C	Rosales	Urticaceae	<i>Musanga leo-errerae</i> Hauman & J. Léonard	Africa	C Africa	l	p	t	trop	Pal	c
EUD-C	Rosales	Urticaceae	<i>Pilea nonggangensis</i> Y.G. Wei, L.F. Fu & A.K. Monro	Asia	China	h	p	t	m, boreotrop	Hol, Pal	e
EUD-C	Rosales	Urticaceae	<i>Pilea panzhihuaensis</i> C.J. Chen, A.K. Monro & L. Chen	Asia	China	h	p	t	m, boreotrop	Hol, Pal	e
EUD-C	Rosales	Urticaceae	<i>Pilea peltata</i> Hance	Asia	China, Vietnam	h	p	t	m, boreotrop, trop	Hol, Pal	e
EUD-C	Rosales	Urticaceae	<i>Pilea peperomioides</i> Diels	Asia	China	h	p	t	m	Hol	e
EUD-C	Rosales	Rosaceae	<i>Rubus peltatus</i> Maxim.	Asia	China, Japan	h	p	t	sm	Hol	e
EUD-C	Saxifragales	Crassulaceae	<i>Kalanchoe beharensis</i> Drake	Africa	Madagascar	h	p	t	trop, austro trop	Pal	e
EUD-C	Saxifragales	Crassulaceae	<i>Kalanchoe nyikae</i> Engl.	Africa	Kenya, Tanzania	h	p	t	trop	Pal	e
EUD-C	Saxifragales	Crassulaceae	<i>Umbilicus botryoides</i> Hochst. ex A.Rich.	Africa	Africa	h	p	t	boreotrop, trop	Pal	c
EUD-C	Saxifragales	Crassulaceae	<i>Umbilicus horizontalis</i> DC.	Africa, Europe	S Europe, N Africa	h	p	t	m	Hol	c
EUD-C	Saxifragales	Crassulaceae	<i>Umbilicus luteus</i> Webb & Berthel.	Europe	Mediterranean region	h	p	t	m, sm	Hol	c
EUD-C	Saxifragales	Crassulaceae	<i>Umbilicus rupestris</i> (Salisb.) Dandy	Africa, Europe	Europe, Africa	h	p	t	m, sm	Hol	c
EUD-C	Saxifragales	Saxifragaceae	<i>Astilboides tabularis</i> Engl.	Asia	China	h	p	t	sm, temp	Hol	c
EUD-C	Saxifragales	Saxifragaceae	<i>Chrysosplenium peltatum</i> Turcz.	Asia	Mongolia, Russia	h	p	t	t, sm, m	Hol	e
EUD-C	Saxifragales	Saxifragaceae	<i>Darmera peltata</i> (Torr.) Voss	North America	USA	h	p	t	m	Hol	c
EUD-C	Saxifragales	Saxifragaceae	<i>Peltoboykinia tellimoides</i> (Maxim.) H. Hara	Asia	China, Japan	h	p	t	t, sm, m	Hol, Pal	e
EUD-C	Saxifragales	Saxifragaceae	<i>Peltoboykinia watanabei</i> (Yatabe) H. Hara	Asia	Japan	h	p	t	t, sm, m	Hol	e
EUD-C	Saxifragales	Saxifragaceae	<i>Rodgersia aesculifolia</i> Batalin	Asia	China, Mongolia	h	p	t	sm, m, boreotrop	Hol, Pal	c
EUD-C	Saxifragales	Saxifragaceae	<i>Rodgersia podophylla</i> A.Gray	Asia	Japan, Korea	h	p	t	sm	Hol	c
EUD-C	Solanales	Convolvulaceae	<i>Decalobanthus elmeri</i> (Merr.) A.R. Simoes & Staples	Asia	Borneo	l	p	t	trop	Neo	e
EUD-C	Solanales	Convolvulaceae	<i>Decalobanthus peltatus</i> (L.) A.R. Simoes & Staples	Asia, Australia and Oceania	SE Asia, Australia, Madagascar	l	p	t	trop, austro trop	Pal, Aus	e
EUD-C	Solanales	Solanaceae	<i>Nothocestrum peltatum</i> Skotts.	Australia and Oceania	Hawaii	l	p	t	trop	Pal	e