

# From Sensing Technology towards Digital Twin in Applications

Jianxiong Zhu <sup>1,2,3,\*</sup>, Bairong Sun <sup>1,3</sup>, Luyu Jia <sup>4,\*</sup> and Haibing Hu <sup>5,\*</sup>

<sup>1</sup> School of Mechanical Engineering, Southeast University, Nanjing 211189, China; 230228048@seu.edu.cn

<sup>2</sup> State Key Laboratory of Virtual Reality Technology and Systems, Beihang University, Beijing 100191, China

<sup>3</sup> School of Mechanical Engineering, Southeast University, Suzhou Campus, Suzhou 215125, China

<sup>4</sup> Sustainable Development Research Group, School of Accounting, Chongqing University of Technology, Chongqing 400054, China

<sup>5</sup> School of Instrument Science and Optoelectronics Engineering, Hefei University of Technology, Hefei 230009, China

\* Correspondence: mezhujx@seu.edu.cn (J.Z.); jialy@cqut.edu.cn (L.J.); huhb@hfut.edu.cn (H.H.)

Sensing technology drives innovation in digital technology, especially in data acquisition [1], machine learning [2], digital twins [3], sustainable material-based electronics [4], and human–machine interaction. With the aid of these new technologies in industry [5], a researchers need to reach a general consensus on their use going forward.

A digital twin refers to the multiphysical, multiscale, and probabilistic simulation mapping of complex products in the physical world and virtual environments, with the aim of reproducing their real-world applications [6]. With the help of various types of sensors, building digital twins has wider applications, ranging from satellites and manufacturing to smart homes [7–10]. On the one hand, the development of these sensors is significant for data collecting and distribution in a digital twin [11–13]. Sensor data serve as the foundation for establishing and maintaining a digital twin model; their integration with the digital twin concept allows for the synchronization of physical objects with their corresponding virtual representations. On the other hand, creating a digital twin enables gaining a comprehensive understanding of the physical entity’s behavior and characteristics, even under changing conditions, which facilitates the real-time monitoring and analysis of the object [14]. Once massive sensors with a variety of functions are integrated into the real scene, the digital twin creates a virtual world that can be controlled by the Internet of Things and used to monitor physical objects [15–18]. This is a useful framework for representing and simulating how physical objects interact in target environments [19,20]. Therefore, sensing integrated into digital twin technology has been studied and extensively applied in many traditional industrial fields, such as automatic driving [21], smart cities [22], medical care [23], intelligent robots [24], etc.

This Special Issue features eight research and review articles demonstrating the most recent advances in physical sensing in machine learning, human–machine interfaces, data confusion, and various potential applications of sensors within digital twin innovation, which should give readers a glimpse of the challenges, opportunities, and development trends in this area.

Five research articles explore novel sensing technologies and detecting approaches for equipment and systems. Constantinoiu et al. (contribution 1) present several techniques for evaluating shallow-water bathymetry, employing marine unmanned systems (MUSs) equipped with cutting-edge and creative sensors such as Light Detection and Ranging (LiDAR) and multibeam echosounder (MBES). Through comparing the accuracy, precision, speed, and operational efficiency of each satellite-derived bathymetry (SDB) technique, the authors enable the reader to easily understand the effectiveness and utilization of these approaches. To enhance sensing performance in magnetic induction

**Citation:** Zhu, J.; Sun, B.; Jia, L.; Hu, H. From Sensing Technology towards Digital Twin in Applications. *Inventions* **2024**, *9*, 43. <https://doi.org/10.3390/inventions9020043>

Received: 23 March 2024

Accepted: 11 April 2024

Published: 17 April 2024



**Copyright:** © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

switches, Zhang et al. (contribution 2) designed a core unit consisting of a magnetic sensing component and a signal conditioning circuit; it has the capacity to precisely determine the direction of magnetic fields using a permalloy layer with the anisotropic magnetoresistance (AMR) effect. An interface circuit based on a trans-impedance amplifier (TIA) was also designed for measuring and controlling the output signal of the sensing device. To preserve and effectively utilize SERS substrates, Song et al. (contribution 3) proposed a novel technique that uses 3D printing and a ballpoint pen to create them on different kinds of paper. This method ensured a high enhancement factor, maximizing the utilization of the substrate and demonstrating excellent SERS sensitivity and spectral reproducibility. To reduce the impact of gear component malfunction or failure, Lee et al. (contribution 4) implemented an outlier detection approach to detect and classify defects. This study focused on the autoencoder long short-term memory (AE-LSTM) model for abnormality identification, which achieved an accuracy rate of 94.42% in recognizing malfunctioning gearboxes within an extruder machine system. Meanwhile, Patel et al. (contribution 5) described a non-destructive technique that uses K-mer frequency encoding to detect cable flaws. The method of detection combines magnetic leakage detection equipment with artificial intelligence, including cable signal acquisition, K-mer frequency encoding, and artificial intelligence-based identification, achieving an identification accuracy rate of 91% through repeated sampling.

As for innovative applications of sensing technology in digital twins, Lin et al. (contribution 6) used ZigBee web technology to develop a monitoring system for intensive care units (ICUs) that can create an interface based on user needs. The suggested GUI makes it possible to monitor a patient's many vital signs, effectively reducing the required costs and time so that patients can achieve timely and appropriate treatment. To reduce the spread of disinformation, Shushkevich et al. (contribution 7) proposed a method to tackle fake-news detection (FND) in practical scenarios, using multiclass classification to analyze a corpus including unknown themes: true, false, partially false, and other categories. The contributions of this study include exploring three BERT-based models, enhancing results via ChatGPT-generated artificial data for class balance, and improving outcomes using a two-step binary classification procedure, with experimental results demonstrating superior performance compared to existing methods. Wu et al. (contribution 8) analyzed the mapping form of both teaching and cue data on users' cognitive abilities using an experimental method. The findings demonstrated the substantial influence that distinct cue display designs and instructional content have on users' learning outcomes, which is of great significance for virtual education research in digital twins.

We would like to thank every one of the authors and reviewers who contributed to this Special Issue. Furthermore, we hope that the articles showcased here are interesting and helpful for readers and inspire new innovations in the field.

**Funding:** This study was supported by the "University-Industry Collaborative Education Program by Ministry of Education" with grant no. 220903844181929, Ministry of Education Chunhui Plan International Cooperation Project with grant no. HZKY20220130, and National Natural Science Foundation of Jiangsu Province with grant no. BK20221456. It was also supported by the Open Project Program of the State Key Laboratory of Virtual Reality Technology and Systems, Beihang University (VRLAB2022C03), research on cutting-edge technology of Suzhou (SYG202314), and the Chongqing University of Technology National "Two Gold" cultivation project (2022PYR15).

**Acknowledgments:** The Guest Editor would like to express their sincere appreciation to the writers for submitting their superb works to this Special Issue. Furthermore, the present Special Issue would not have been possible without the expert reviewers who gave the articles a thorough evaluation and offered insightful recommendations for improvements. Also, a special thank you goes to the editors and the MDPI team for their outstanding management of this issue.

**Conflicts of Interest:** The authors declare no conflicts of interest.

### List of Contributions

1. Constantinoiu, L.-F.; Tavares, A.; Cândido, R.M.; Rusu, E. Innovative Maritime Uncrewed Systems and Satellite Solutions for Shallow Water Bathymetric Assessment. *Inventions* **2024**, *9*, 20. <https://doi.org/10.3390/inventions9010020>.
2. Zhang, S.; Jiang, Q.; Jiang, Y. Design of a Novel Magnetic Induction Switch with a Permalloy Film and a Trans-Impedance Amplifier Circuit. *Inventions* **2024**, *9*, 4. <https://doi.org/10.3390/inventions9010004>.
3. Song, Z.; Li, Z.; Zhan, W.; Zhao, W.; Chui, H.-C.; Li, R. A Surface-Enhanced Raman Spectroscopic Sensor Pen. *Inventions* **2023**, *8*, 156. <https://doi.org/10.3390/inventions8060156>.
4. Lee, J.-H.; Okwuosa, C.N.; Hur, J.-W. Extruder Machine Gear Fault Detection Using Autoencoder LSTM via Sensor Fusion Approach. *Inventions* **2023**, *8*, 140. <https://doi.org/10.3390/inventions8060140>.
5. Patel, B.; Huang, Z.F.; Yeh, C.-H.; Shih, Y.-R.; Lin, P.T. K-mer Frequency Encoding Model for Cable Defect Identification: A Combination of Non-Destructive Testing Approach with Artificial Intelligence. *Inventions* **2023**, *8*, 132. <https://doi.org/10.3390/inventions8060132>.
6. Lin, K.-F.; Lin, S.-S.; Chen, P.-N. Low-Cost Systematic Methodology for Rapidly Constructing a Physiological Monitoring Interface in ICU. *Inventions* **2023**, *8*, 50. <https://doi.org/10.3390/inventions8020050>.
7. Shushkevich, E.; Alexandrov, M.; Cardiff, J. Improving Multiclass Classification of Fake News Using BERT-Based Models and ChatGPT-Augmented Data. *Inventions* **2023**, *8*, 112. <https://doi.org/10.3390/inventions8050112>.
8. Wu, W.-Y.; Guo, J.-Y.; Li, Y.-J.; Sun, Y.-L. Research on the Design of Virtual Reality Online Education Information Presentation Based on Multi-Sensory Cognition. *Inventions* **2023**, *8*, 63. <https://doi.org/10.3390/inventions8020063>.

### References

1. Yin, Y.; Guan, L.; Zheng, C. An approach to dynamic sensing data fusion. *Sensors* **2019**, *19*, 3668.
2. Zhu, J.; Ji, S.; Yu, J.; Shao, H.; Wen, H.; Zhang, H.; Xia, Z.; Zhang, Z.; Lee, C. Machine learning-augmented wearable triboelectric human-machine interface in motion identification and virtual reality. *Nano Energy* **2022**, *103*, 107766.
3. Suhail, S.; Hussain, R.; Jurdak, R.; Hong, C.S. Trustworthy digital twins in the industrial internet of things with blockchain. *IEEE Internet Comput.* **2021**, *26*, 58–67.
4. Yang, H.; Fan, F.R.; Xi, Y.; Wu, W. Bio-derived natural materials based Triboelectric devices for self-powered ubiquitous wearable and implantable intelligent devices. *Adv. Sustain. Syst.* **2020**, *4*, 2000108.
5. Darvishi, H.; Ciunzo, D.; Eide, E.R.; Rossi, P.S. Sensor-fault detection, isolation and accommodation for digital twins via modular data-driven architecture. *IEEE Sens. J.* **2020**, *21*, 4827–4838.
6. Priyanka, E.; Thangavel, S.; Gao, X.-Z.; Sivakumar, N. Digital twin for oil pipeline risk estimation using prognostic and machine learning techniques. *J. Ind. Inf. Integr.* **2022**, *26*, 100272.
7. Mortlock, T.; Muthirayan, D.; Yu, S.-Y.; Khargonekar, P.P.; Al Faruque, M.A. Graph learning for cognitive digital twins in manufacturing systems. *IEEE Trans. Emerg. Top. Comput.* **2021**, *10*, 34–45.
8. Lu, Y.; Liu, C.; Kevin, I.; Wang, K.; Huang, H.; Xu, X. Digital Twin-driven smart manufacturing: Connotation, reference model, applications and research issues. *Robot. Comput.-Integr. Manuf.* **2020**, *61*, 101837.
9. Gopinath, V.; Srija, A.; Sravanthi, C.N. Re-design of smart homes with digital twins. *J. Phys. Conf. Ser.* **2019**, *1228*, 012031.
10. Chen, J.; Wang, W.; Fang, B.; Liu, Y.; Yu, K.; Leung, V.C.M.; Hu, X. Digital twin empowered wireless healthcare monitoring for smart home. *IEEE J. Sel. Areas Commun.* **2023**, *41*, 3662–3676.
11. Zhu, J.; Liu, X.; Shi, Q.; He, T.; Sun, Z.; Guo, X.; Liu, W.; Bin Sulaiman, O.; Dong, B.; Lee, C. Development trends and perspectives of future sensors and MEMS/NEMS. *Micromachines* **2019**, *11*, 7.
12. Zhu, J.; Ren, Z.; Lee, C. Toward healthcare diagnoses by machine-learning-enabled volatile organic compound identification. *ACS Nano* **2020**, *15*, 894–903.
13. Zhu, J.; Wang, H.; Zhang, Z.; Ren, Z.; Shi, Q.; Liu, W.; Lee, C. Continuous direct current by charge transportation for next-generation IoT and real-time virtual reality applications. *Nano Energy* **2020**, *73*, 104760.
14. Zhang, Z.; Wen, F.; Sun, Z.; Guo, X.; He, T.; Lee, C. Artificial intelligence-enabled sensing technologies in the 5G/internet of things era: From virtual reality/augmented reality to the digital twin. *Adv. Intell. Syst.* **2022**, *4*, 2100228.
15. Lohan, V.; Singh, R.P. Home automation using internet of things. In *Advances in Data and Information Sciences: Proceedings of ICDIS 2017*; Springer: Singapore, 2019; Volume 2, pp. 293–301.

16. Zhou, B.; Li, W.; Chan, K.W.; Cao, Y.; Kuang, Y.; Liu, X.; Wang, X. Smart home energy management systems: Concept, configurations, and scheduling strategies. *Renew. Sustain. Energy Rev.* **2016**, *61*, 30–40.
17. Lobaccaro, G.; Carlucci, S.; Löfström, E. A review of systems and technologies for smart homes and smart grids. *Energies* **2016**, *9*, 348.
18. Schroeder, G.N.; Steinmetz, C.; Pereira, C.E.; Espindola, D.B. Digital twin data modeling with automationml and a communication methodology for data exchange. *IFAC-PapersOnLine* **2016**, *49*, 12–17.
19. Minerva, R.; Lee, G.M.; Crespi, N. Digital twin in the IoT context: A survey on technical features, scenarios, and architectural models. *Proc. IEEE* **2020**, *108*, 1785–1824.
20. Minerva, R.; Awan, F.M.; Crespi, N. Exploiting digital twins as enablers for synthetic sensing. *IEEE Internet Comput.* **2021**, *26*, 61–67.
21. Yang, M.; Wang, Y.; Wang, C.; Liang, Y.; Yang, S.; Wang, L.; Wang, S. Digital twin-driven industrialization development of underwater gliders. *IEEE Trans. Ind. Inform.* **2023**, *19*, 9680–9690.
22. Allam, Z.; Jones, D.S. Future (post-COVID) digital, smart and sustainable cities in the wake of 6G: Digital twins, immersive realities and new urban economies. *Land Use Policy* **2021**, *101*, 105201.
23. Liu, Y.; Zhang, L.; Yang, Y.; Zhou, L.; Ren, L.; Wang, F.; Liu, R.; Pang, Z.; Deen, M.J. A novel cloud-based framework for the elderly healthcare services using digital twin. *IEEE Access* **2019**, *7*, 49088–49101.
24. Sun, Z.; Zhu, M.; Zhang, Z.; Chen, Z.; Shi, Q.; Shan, X.; Yeow, R.C.H.; Lee, C. Artificial Intelligence of Things (AIoT) enabled virtual shop applications using self-powered sensor enhanced soft robotic manipulator. *Adv. Sci.* **2021**, *8*, 2100230.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.