



Abstract

Analysis of the Cytotoxic Effects of Achillea millefolium L. Extracts on MCF7 Cell Line ⁺

Esra Köngül *, Ömer Taş, Leyla Paşayeva and Gökçe Şeker Karatoprak

Department of Pharmacognosy, Faculty of Pharmacy, Erciyes University, Kayseri 38039, Turkey

- * Correspondence: eczesr@gmail.com; Tel.: +90-352-207-6666-28178
- † Presented at the 2nd International Conference on Natural Products for Cancer Prevention and Therapy, Kayseri, Turkey, 8–11 November 2017.

Published: 13 November 2017

Abstract: *Achillea millefolium* L. an herbaceous perennial plant from Asteraceae family which has antitumor, anti-inflammatory and antioxidant activity. Breast cancer is the most common cancer in woman. Therefore, in this study we aimed to investigate the effects of the different extracts of *A. millefolium* on breast cancer with *in vitro* cytotoxicity assay. Within the scope of this study, the compositions of extracts prepared with water, 30% ethanol, 60% ethanol, 90% ethanol and absolute ethanol obtained from the above-ground parts of *A. millefolium*, was investigated by Folin-Ciocalteu method for total phenolics, AlCl₃ colorimetric method for total flavonoid content. Cytotoxic effects on MCF7 (human breast cancer cell line) cell line were studied with MTT assay. It has been elucidated that 60% ethanol extract is rich in total phenolics content and 90% ethanol extract is rich in total flavonoid content. Water extract was found to be most cytotoxic extract with 30.67 \pm 2.27 μ g/mL IC₅₀ value on MCF7 cell line.

Keywords: Asteraceae; *Achillea millefolium*; cytotoxicity; MCF7; MTT



© 2017 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).