



Abstract Molecularly Imprinted Polymers for TNT Analogues. Development of Electrochemical TNT Biosensors *

Anna Herrera-Chacon, Inmaculada Campos, Lourdes Bottone and Manel del Valle *

Department of Chemistry, Universitat Autònoma de Barcelona, Edifici Cn, 08193 Bellaterra (Barcelona), Spain; anna.herrera@uab.cat (A.H.-C.); Inmaculada.campos@uab.cat (I.C.); Lourdes.Bottone@uab.cat (L.B.)

- * Correspondence: manel.delvalle@uab.es
- Presented at the 5th International Symposium on Sensor Science (I3S 2017), Barcelona, Spain, 27–29 September 2017.

Published: 6 December 2017

Trinitrotoluene (TNT) is a widely employed explosive compound; for that reason, an electrochemical sensor able to perform on-field measurements could be an interesting tool. In this work, a molecularly imprinted polymer using the TNT analogue DNP as a template is developed. Next, the obtained MIP is chemically characterized towards DNP and TNT.

MIPs synthesis was done following the protocol by co-precipitation using methacrylic acid (MAA) as a monomer, ethylene glycol ethylene glycol dimethylacrylate (EGDMA) as a crosslinker, azobisisobutyronitrile (AIBN) as a radical indiciator and ethanol as a solvent. Template removal was performed with a Soxhlet using MeOH:HAc. Control non-imprinted polymers (NIPs) were also synthesized for the purpose of comparison.

Microscopy studies were performed to confirm similar morphologies among these polymers; the material was also characterized by a Scatchard plot to calculate the Kb (the affinity constant) and Bmax (maximum amount bound) values.

The presented work reports a polymeric material able to capture TNT and DNP and its preliminary results once implemented as a recognition element in a voltammetric biosensor.



© 2017 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).