## Acetylation of Alcohols, Amines, Phenols, Thiols under Catalyst and Solvent-Free Conditions

Nagaraj Anbu<sup>1</sup>, Nagarathinam Nagarjun<sup>1</sup>, Manju Jacob<sup>2</sup>, J. Mary Vimala Kumari Kalaiarasi<sup>2</sup> and Amarajothi Dhakshinamoorthy<sup>1,\*</sup>

<sup>1</sup>School of Chemistry, Madurai Kamaraj University, Madurai-625 021, Tamil Nadu, India.

<sup>2</sup>Department of Advanced Zoology and Biotechnology, Loyola College, Chennai 600 034, Tamil Nadu, India.

\*Correspondence: admguru@gmail.com (AD); Tel.: +91 99764 73669



Fig. S1. GC-MS trace of benzyl acetate.



Fig. S2. GC-MS trace of 4-methylbenzyl acetate.



Fig. S3. GC-MS trace of 4-methoxybenzyl acetate.



Fig. S4. GC-MS trace of 4-chlorobenzyl acetate.



Fig. S5. GC-MS trace of 4-nitrobenzyl acetate.



Fig. S6. GC-MS trace of furan-2-ylmethyl acetate.



Fig. S7. GC-MS trace of octyl acetate.



Fig. S8. GC-MS trace of 1-phenylethyl acetate.



Fig. S9. GC-MS trace of benzhydryl acetate.



Fig. S10. GC-MS trace of phenyl acetate.



Fig. S11. GC-MS trace of *p*-tolyl acetate.



Fig. S12. GC-MS trace of 3-bromophenyl acetate.



Fig. S13. GC-MS trace of 4-nitrophenyl acetate.



Fig. S14. GC-MS trace of naphthalen-1-yl acetate.



Fig. S15. GC-MS trace of naphthalen-2-yl acetate.



Fig. S16. GC-MS trace of N-phenylacetamide.



Fig. S17. GC-MS trace of *N*-(*p*-tolyl)acetamide.



Fig. S18. GC-MS trace of *N*-(4-bromophenyl)acetamide.



Fig. S19. GC-MS trace of N-(4-nitrophenyl)acetamide.



Fig. S20. GC-MS trace of *N*-cyclohexylacetamide.



Fig. S21. GC-MS trace of S-phenyl ethanethioate.



Fig. S22. GC-MS trace of *S*-(4-methoxyphenyl) ethanethioate.



Fig. S23. GC-MS trace of S-(2-chlorophenyl) ethanethioate.