chemistry proceedings

MDPI

Proceeding Paper

Patentability of Biopolymer-Based Hydrogels †

Ahmed Fatimi [1,2]

[1] Department of Chemistry, Polydisciplinary Faculty of Beni-Mellal (FPBM), Sultan Moulay Slimane University, P.O. Box 592 Mghila, Beni-Mellal 23000, Morocco; a.fatimi@usms.ma
[2] ERSIC, Polydisciplinary Faculty of Beni-Mellal (FPBM), Sultan Moulay Slimane University, P.O. Box 592 Mghila, Beni-Mellal 23000, Morocco

† Presented at the 25th International Electronic Conference on Synthetic Organic Chemistry, 15–30 November 2021; Available online: https://ecsoc-25.sciforum.net/.

Abstract: The most of the scientific literature shows that the studies on biopolymer-based hydrogels have a bright future. This work, in the form of a patentability study, englobes information present within patents (i.e., patent applications and granted patents) related to biopolymer-based hydrogels. The patentability study describes the state of the art by introducing what has been patented in relation to biopolymer-based hydrogels regarding the preparation methods/process, formulations and applications. A detailed analysis is then given regarding the publication year, international patent classifications, inventors, applicants, owners, and jurisdiction. Furthermore, this work gives a competitive analysis of the past, present, and future trends in the biopolymer-based hydrogels and leads to various recommendations that could help one to plan and innovate a research strategy. The classification of patents reveals that most inventions intended for medicinal preparations characterized by special physical form, as well as materials characterized by their function or physical properties, such as hydrogels or hydrocolloids.

Keywords: biopolymers; hydrogels; formulation; innovation; patent; intellectual property

check for updates

Citation: Fatimi, A. Patentability of Biopolymer-Based Hydrogels. *Chem. Proc.* **2022**, *8*, 39. https://doi.org/10.3390/ecsoc-25-11653

Academic Editor: Julio A. Seijas

Published: 13 November 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Copyright: © 2021 by the author. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

1. Introduction

Biopolymers consist of biologically derived polymers synthesized by living organisms such as animals, plants, algae and microorganisms [1]. Owing to their chemical and biological in addition to their superior mechanical and thermal properties, biopolymers have become "the material of choice" in different applications, such as health care and biomedical sciences [2].

Biopolymer-based hydrogels are used in the field of tissue engineering in the form of a matrix capable of sustaining the life of differentiated and non-differentiated cells in a three-dimensional (3D) structure that they can develop there and produce all the compounds for which they are programmed [3]. Moreover, the elasticity of these structures and the presence of a large amount of water and flexibility allow a resemblance to different living biological human/animal tissues [4]. The similarity to tissues and their ability to form scaffolds for various tissues allow them to be employed in health care and in many biomedical applications (Table 1).

Biopolymer-based hydrogels can be created by supramolecular chemistry from a large number of water-soluble biologically derived polymers, including proteins (e.g., collagen [5], gelatin [6], fibrin [7], etc.) and polysaccharides (e.g., cellulose [8], alginate [9], chitosan [10], etc.). The 3D structure of these hydrogels is due to crosslinking that forms an insoluble macromolecular network in the biofluid of the environment [11]. Furthermore, the network remains in equilibrium in an aqueous medium due to the balance of the elastic forces of the crosslinked polymer and the osmotic forces of the liquid [12]. The chemical composition and the crosslink density determine the swelling rate and the permeability of the structure. In addition, the crosslinking of hydrogels, which can either be covalent, ionic, or physical, gives them an elastic response to a given stress request [13].

Table 1. Properties and applications of some natural biopolymer-based hydrogels used in tissue engineering and regenerative medicine.

Hydrogel	Properties	Application
Collagen	Low immune response, good substrate for cell adhesion, chemotactic. Easily remodeled and degraded by cells. Chemical crosslinking decreases degradation and improves long-term mechanical properties.	Corneal substitutes; Wound healing; Bone tissue engineering.
Gelatin	Irreversibly hydrolyzed form of collagen. Presence of amino acidic sequences in the structure. Water soluble, non-toxic, inexpensive, and non-immunogenic material. Highly biocompatible and biodegradable in a physiological environment.	Drug and cell delivery; Cell encapsulation; Wound healing; Skin substitute; Nerve regeneration; Bone repair.
Fibrin	Stimulates cell migration, osteoconduction and vascularization. Fibrinolytic inhibitors, such as aprotinin or aminocaproic acid, reduce in vitro degradation rates.	Skin regeneration; Cardiac tissue engineering; Growth factors encapsulation.
Silk	Low enzymatic degradation rate controlled by crystallinity and some concerns arise on potential cytotoxic effects. Intrinsic mechanical properties. Mechanics tailored by modifying concentration, crystallization, molecular weight, and scaffold size.	Skin regeneration; Cardiac tissue engineering; Growth factors encapsulation.
Alginate	Degradation through ionic exchange with surrounding media. Variations in local mechanical properties controlled by concentration of divalent cation (e.g., calcium ions).	Microencapsulation of cells; Wound healing; Drug and cell delivery; Pulposous nucleus regeneration.
Hyaluronic Acid	Minimal immune response and chemotactic combined with the adequate agents. Osteo-inductive and angiogenesis in combination with growth factors.	Corneal wound healing; Bone and cartilage reparation; Spinal cord injury repair; Tumor models.
Chitosan	Soluble only in acidic conditions and insoluble in neutral and basic conditions. Hemostatic stimulates osteo-conduction and wound healing. Degradability and shape-ability to fit the defect site.	Wound dressing; Drug delivery systems; Skin regeneration; Cartilage tissue engineering; Blood vessels embolization.
Cellulose	Non-toxic and non-irritant material. Chemical crosslinking improves solubility and long-term mechanical properties. 3D interconnected structure suitable for cell maintenance and differentiation. Poor degradability.	Wound dressing and transdermal patches; Ophthalmic preparations; Cartilage tissue engineering.
Agarose	Slow degradation profile and the low mechanical properties. 3D scaffolds exhibiting soft and flexible structure suitable for cell maintenance and differentiation.	Wound healing; Cell culture; Cartilage tissue engineering; Drug release.
Carrageenan	Thermally, pH, and cation concentration responsive material, inexpensive, and easy to manipulate. Effectiveness in maintaining the proliferative and chondrogenic potential of encapsulated cells.	Controlled drug release; Tissue engineering; Skin regeneration; wound healing; Cartilage scaffold.

The first patent application concerning biopolymer-based hydrogels was filled in 1935 and then granted in 1936 [14]. Through this patent, Julius has invented a chemical process to synthetize a protein-based hydrogel. The inventor has proposed and then proved the concept by treating fresh milk proteins with lactic acid cultures to induce partial decomposition. The obtained protein-based hydrogel has been therefore proposed for the preparation of disinfectants, pest-exterminating agents, lubricants, and other industrial dispersions [14].

To solve specific biological and medical difficulties, actual research on biopolymer-based hydrogels is based on the synthesis of new polymers or on the modification of existing ones [15]. More specifically, as a remarkable class of biomaterials, research on biopolymer-based hydrogels is developing rapidly through the innovation and improvement of raw

materials (proteins or polysaccharides), synthesis and methods of preparation, formulations and fabrication process, as well as applications. This is evident also from the elevation in the number of patent applications filed each year worldwide in this area of biopolymer-based hydrogels research and development. For example, during the period from 2015 to 2020, patent applications related to biopolymer-based hydrogels have increased from 5331 to 8910, respectively, with more than 1000 organizations (universities, academic institutions, companies, foundations, governing bodies, etc.) around the world are currently involved in the biopolymer-based hydrogels patent activity and filing [16]. Moreover, most of the scientific literature shows that the studies on biopolymer-based hydrogels have a bright future [13].

This work, in the form of a patent analysis, which is a family of techniques for studying the information present within and attached to patents, describes the state of the art by introducing what has been patented in relation to biopolymer-based hydrogels regarding materials, methods/process, formulations, and applications. Furthermore, this patentability study gives a competitive analysis of the past, present, and future trends in the biopolymer-based hydrogels, leading to various recommendations that could help one to plan and innovate research strategy.

2. Resources and Research Methods

The supported field codes used in this study were based on the Patentscope search service of the World Intellectual Property Organization (WIPO) [16,17] and The Lens patent data set [18]. During the search, different keywords and related terms (i.e., biopolymer hydrogel, polysaccharide hydrogel, protein hydrogel) were used, and patents were searched according to title, abstract, and claims. The search was then filtered to include only documents with the application date until 2020.

3. Analysis of the Patentability of Biopolymer-Based Hydrogels

After the search, 11,895 patent documents were found. Generally, it encompasses patent applications and granted patents. Related to biopolymer-based hydrogels, the found patent documents are classed as: 8910 patent applications and 2985 granted patents.

Hereinafter, we will review the state of the art by introducing what has been patented in relation to biopolymer-based hydrogels. We then provide a detailed analysis of the patentability of the raw materials (proteins or polysaccharides), synthesis and methods of preparation, formulations and fabrication process, as well as applications, following these sections: publication year, patent classification, inventors, applicants, owners, and jurisdiction.

3.1. Publication Year

Based on definitions of the terms used generally in the world of patent information, the publication is the step when the patent document (patent application, granted patent, etc.) is made available to the public, to which a publication number and a publication date are assigned by a patent authority. In other words, the publication date is the date on which a patent document is published, thereby making it part of the state of the art. On the contrary, the filing date is the date when a patent application is first filed at a patent office [19].

For biopolymer-based hydrogels, 11,895 patent documents have been found until 2020. The year 1995 saw the registration of 51 patent documents only, with 25 patent applications and 26 granted patents; however, the year 2020 recorded 934 patent documents, with 698 patent applications and 236 granted patents. Further, the year 2017 was the year with the maximum granted patents, with 254 (Figure 1).




Figure 1. Evolution of patent documents (patent applications and granted patents) as a function of published date of biopolymer-based hydrogels.

3.2. International Patent Classification

The International Patent Classification (IPC) is a hierarchical system in the form of codes, which divides all technology areas into a range of sections, classes, subclasses, groups, and subgroups. It is an international classification system that provides standard information to categorize inventions and evaluate their technological uniqueness [20,21].

For biopolymer-based hydrogels, the top 10 IPC codes until 2020 are presented in Figure 2. The most common IPC code corresponds to A61K9/00, which is a group of preparations for medical, dental, or toilet purposes. More specifically, medicinal preparations characterized by a special physical form. This group alone recorded 1331 patent documents. The subgroups A61L27/52 (hydrogels or hydrocolloids) and A61K47/36 (polysaccharides and derivatives thereof) recorded 1179 and 743 patent documents, respectively. For more details concerning the top 10, a description of each IPC code is shown in Table 2.




Figure 2. Top 10 of IPC codes of the resulting patents as a function of patent documents of biopolymer-based hydrogels.

Table 2. Meaning of IPC codes (top 10) concerning the resulting patents of biopolymer-based hydrogels [20].

IPC	Description
A61K9/00	Preparations for medical, dental, or toilet purposes. More specifically, medicinal preparations characterized by special physical forms.
A61L27/52	Materials characterized by their function or physical properties, such as hydrogels or hydrocolloids.
A61K47/36	Medicinal preparations characterized by the non-active ingredients used. More specifically, macromolecular organic or inorganic compounds, such as polysaccharides and derivatives thereof (e.g., gums, starch, alginate, dextrin, hyaluronic acid, chitosan, inulin, agar or pectin).
A61L27/54	Materials characterized by their function or physical properties, such as biologically active materials (e.g., therapeutic substances).
A61K9/06	Preparations for medical, dental, or toilet purposes. More specifically, medicinal preparations characterized by special physical forms, such as ointments.
C08J3/075	Processes of treating or compounding macromolecular substances. More specifically, making solutions, dispersions, lattices, or gels in aqueous media, such as macromolecular gels, by other methods than by solution, emulsion, or suspension polymerization techniques.
A61L27/20	Macromolecular materials for prostheses or for coating prostheses, such as polysaccharides.
A61F2/00	Filters implantable into blood vessels and prostheses (i.e., artificial substitutes or replacements for parts of the body), such as stents, artificial nails, dental prostheses, artificial kidneys, and artificial hearts.
A61L27/38	Materials for prostheses or for coating prostheses containing ingredients of undetermined constitution or reaction products thereof, such as animal cells.
A61K47/42	Medicinal preparations characterized by the non-active ingredients used. More specifically, macromolecular organic or inorganic compounds, such as proteins and derivatives thereof (e.g., albumin, gelatin, oligopeptides or polyamino acids).

3.3. Inventors

Based on definitions of the terms used generally in the world of patent information, the inventor is the natural person designated for a patent application. In several cases, the inventor can also be the applicant, or there may be more than one inventor per patent application [19].

For biopolymer-based hydrogels, the top 10 inventors until 2020 are presented in Figure 3. Langer Robert from the United States is ranked as the first inventor who has recorded 92 patent documents. In the second place, the inventor Trieu Hai from the United States has recorded 68 patent documents, and thirdly, the inventor Mooney David from the United States has recorded 65 patent documents.

3.4. Applicants

Based on definitions of the terms used generally in the world of patent information, the applicant is the person (i.e., anatural person) or the organization (i.e., alegal entity) that has filed a patent application. In several cases, the applicant can also be the inventor, and there may be more than one applicant per patent application [19].

For biopolymer-based hydrogels, the top 10 applicants until 2020 are presented in Figure 4. Massachusetts Institute of Technology (Cambridge, MA, United States), as a legal entity, is ranked as the top applicant, which has recorded 211 patent documents. In the second place, the University of California (Los Angeles, CA, United States), as a legal entity, has recorded 162 patent documents. On the podium in third place, Harvard College (Cambridge, MA, United States), as a legal entity, has recorded 129 patent documents.




Figure 3. Top 10 inventors of the resulting patents as a function of patent documents of biopolymer-based hydrogels.




Figure 4. Top 10 applicants of the resulting patents as a function of patent documents of biopolymer-based hydrogels.

3.5. Owners

The assignee, or patent owner, is the person (i.e., a natural person) or the organization (i.e., a legal entity) to whom the inventor or applicant assigned the right to a patent. The patent owner has the right for a period limited to the duration of the patent term to protect his brainchild. The patent system stops others from making, using, or selling the invention without his permission or requires others to use the invention under agreed terms with the inventor [22].

For biopolymer-based hydrogels, the top 10 owners are presented in Figure 5. Massachusetts Institute of Technology (Cambridge, MA, United States), as a university, is ranked as the first owner which has recorded 130 patent documents. In the second place, Covidien LP (Mansfield, TX, United States), as a company, has recorded 112 patent documents, and thirdly, the Regents of the University of California (Los Angeles, CA, United States), as a government body, has recorded 72 patent documents.




Figure 5. Top 10 owners of the resulting patents as a function of patent documents of biopolymer-based hydrogels.

3.6. Jurisdiction

An applicant, or the first-mentioned applicant in the case of joint applicants, may file a patent application with the appropriate Patent Office (e.g., European Patent Office (EPO), United States Patent and Trademark Office (USPTO), China National Intellectual Property Administration (CNIPA), etc.) under whose jurisdiction he normally resides or has his domicile, has a place of business, or where the invention actually originated.

For biopolymer-based hydrogels, the top 10 jurisdictions of filed patents in 2020 are presented in Table 3. The United States, through the USPTO, encompasses 5865 patent documents, with a higher patent contribution per total of 49.31%. On the other hand, the global system for filing patent applications, known as Patent Cooperation Treaty (PCT) and administered by WIPO, encompasses 3266 patent documents, with a patent contribution per total of 27.46%. Finally, the EPO, through which patent applications are filed regionally (Europe), encompasses 1412 patent documents, with a patent contribution per total of 11.87%.

Table 3. Patent contribution (%) as a function of the jurisdiction (top 10) of filed patent applications and granted patents of biopolymer-based hydrogels.

Jurisdiction	Patent Documents	Patent Contribution (%)
United States	5865	49.65
PCT [1]	3266	27.65
Europe [2]	1412	11.95
China	681	5.77
Canada	166	1.41
Japan	137	1.16
Republic of Korea	137	1.16
Australia	85	0.72
Russia	43	0.36
Mexico	20	0.17

[1] International patents administered by WIPO through the Patent Cooperation Treaty. [2] European patents through the EPO.

4. Conclusions

This analysis of the patentability concerned only the innovation and improvement of biopolymer-based hydrogels up to 2020. We provided a detailed analysis of the patentability of hydrogels based on both proteins and polysaccharides, regarding the publication year,

patent classification, inventors, applicants, owners, and jurisdiction. During the search, 11,895 patent documents were found, comprising 8910 patent applications and 2985 granted patents. The United States was ranked first with 5865 patent documents, and 2017 was the year with the maximum granted patents (254).

The innovation and improvement of biopolymer-based hydrogels concerned raw materials (proteins or polysaccharides), synthesis and methods of preparation, formulations, and fabrication processes, as well as applications. Based on the patent classification codes and areas, all filed patents and most of the inventions were intended for medicinal preparations characterized by special physical forms, as well as materials characterized by their function or physical properties, such as hydrogels or hydrocolloids. Knowledge clusters and expert driving factors indicate that the research based on the following areas was most common: (i) Processes of treating or compounding macromolecular substances; (ii) macromolecular organic or inorganic compounds, such as polysaccharides and derivatives thereof (e.g., gums, starch, alginate, dextrin, hyaluronic acid, chitosan, cellulose, agar, pectin, etc.) or proteins and derivatives thereof (e.g., collagen, gelatin, fibrin, oligopeptides, polyamino acids, etc.); (iii) materials for prostheses or for coating prostheses; (iv) prostheses and artificial substitutes or replacements for parts of the body.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The data presented in this study are available within this article's content.

Acknowledgments: The author acknowledges the World Intellectual Property Organization for the Patentscope search service and the Cambia Institute for The Lens patent data set used in this study.

Conflicts of Interest: The author declares that this article content has no conflict of interest. The author has no relevant affiliations or financial involvement with any organization or entity with a financial interest in or financial conflict with the subject matter or materials discussed in this article.

References

1. Kabasci, S. Biobased plastics. In *Plastic Waste and Recycling*; Letcher, T.M., Ed.; Academic Press: Oxford, UK, 2020; pp. 67–96.
2. Ruso, J.M.; Messina, P.V. Preface. In *Biopolymers for Medical Applications*, 1st ed.; Ruso, J.M., Messina, P.V., Eds.; CRC Press: Boca Raton, FL, USA, 2016; p. 372.
3. Van Vlierberghe, S.; Dubruel, P.; Schacht, E. Biopolymer-Based Hydrogels as Scaffolds for Tissue Engineering Applications: A Review. *Biomacromolecules* **2011**, *12*, 1387–1408. [CrossRef] [PubMed]
4. Mantha, S.; Pillai, S.; Khayambashi, P.; Upadhyay, A.; Zhang, Y.; Tao, O.; Pham, H.M.; Tran, S.D. Smart Hydrogels in Tissue Engineering and Regenerative Medicine. *Materials* **2019**, *12*, 3323. [CrossRef] [PubMed]
5. Hesse, E.; Hefferan, T.E.; Tarara, J.E.; Haasper, C.; Meller, R.; Krettek, C.; Lu, L.; Yaszemski, M.J. Collagen type I hydrogel allows migration, proliferation, and osteogenic differentiation of rat bone marrow stromal cells. *J. Biomed. Mater. Res. Part A* **2010**, *94A*, 442–449. [CrossRef] [PubMed]
6. Qiao, Y.; Liu, X.; Zhou, X.; Zhang, H.; Zhang, W.; Xiao, W.; Pan, G.; Cui, W.; Santos, H.A.; Shi, Q. Gelatin templated polypeptide co-cross-linked hydrogel for bone regeneration. *Adv. Healthc. Mater.* **2020**, *9*, 1901239. [CrossRef] [PubMed]
7. Park, K.-H.; Kim, H.; Moon, S.; Na, K. Bone morphogenic protein-2 (BMP-2) loaded nanoparticles mixed with human mesenchymal stem cell in fibrin hydrogel for bone tissue engineering. *J. Biosci. Bioeng.* **2009**, *108*, 530–537. [CrossRef] [PubMed]
8. Fatimi, A.; Tassin, J.F.; Turczyn, R.; Axelos, M.A.; Weiss, P. Gelation studies of a cellulose-based biohydrogel: The influence of pH, temperature and sterilization. *Acta Biomater.* **2009**, *5*, 3423–3432. [CrossRef]
9. Tapan Kumar, G.; Deepa, T.; Amit, A.; Ajazuddin, A.; Hemant, B.; Dulal Krishna, T. Alginate based Hydrogel as a Potential Biopolymeric Carrier for Drug Delivery and Cell Delivery Systems: Present Status and Applications. *Curr. Drug Deliv.* **2012**, *9*, 539–555. [CrossRef]
10. Fatimi, A. Chitosan-based embolizing hydrogel for the treatment of endoleaks after endovascular aneurysm repair. *Int. J. Polym. Mater. Polym. Biomater.* **2019**, *68*, 107–114. [CrossRef]
11. Fatimi, A.; Tassin, J.F.; Quillard, S.; Axelos, M.A.; Weiss, P. The rheological properties of silated hydroxypropylmethylcellulose tissue engineering matrices. *Biomaterials* **2008**, *29*, 533–543. [CrossRef] [PubMed]
12. Horkay, F. Polyelectrolyte Gels: A Unique Class of Soft Materials. *Gels* **2021**, *7*, 102. [CrossRef] [PubMed]
13. Hennink, W.E.; van Nostrum, C.F. Novel crosslinking methods to design hydrogels. *Adv. Drug Deliv. Rev.* **2002**, *54*, 13–36. [CrossRef]

14. Julius, B. A Process for Converting Acids into Stable Colloidal Systems. GB Patent 457769 A, 30 November 1936.
15. Ma, S.; Yu, B.; Pei, X.; Zhou, F. Structural hydrogels. *Polymer* **2016**, *98*, 516–535. [CrossRef]
16. World Intellectual Property Organization. Patentscope. Available online: https://patentscope.wipo.int (accessed on 2 September 2021).
17. World Intellectual Property Organization. Patentscope Fields Definition. Available online: https://patentscope.wipo.int/search/en/help/fieldsHelp.jsf (accessed on 2 September 2021).
18. Cambia Institute. The Lens Patent Data Set. Version 8.0.14. Available online: https://www.lens.org (accessed on 2 September 2021).
19. European Patent Office. Espacenet Glossary. Version 1.24.1. Available online: https://worldwide.espacenet.com/patent (accessed on 2 September 2021).
20. World Intellectual Property Organization. IPC Publication. IPCPUB v8.5. Available online: https://www.wipo.int/classifications/ipc/ipcpub (accessed on 2 September 2021).
21. World Intellectual Property Organization. Guide to the International Patent Classification (IPC). Available online: https://www.wipo.int/edocs/pubdocs/en/wipo_guide_ipc_2020.pdf (accessed on 2 September 2021).
22. World Intellectual Property Organization. What Is Intellectual Property? Frequently Asked Questions: Patents. Available online: https://www.wipo.int/patents/en/faq_patents.html (accessed on 2 September 2021).