

A Washable Silver-Printed Textile Electrode for ECG Monitoring [†]

Abreha Bayrau Nigusse ^{1,2,*}, Benny Malengier ¹, Desalegn Alemu Mengistie ^{2,3} and Lieva Van Langenhove ¹


¹ Department of Materials, Textiles and Chemical Engineering, Ghent University, 9000 Ghent, Belgium; Benny.Malengier@UGent.be (B.M.); Lieva.VanLangenhove@UGent.be (L.V.L.)

² Ethiopian Institute of Textile and Fashion Technology, Bahir Dar University, Bahir Dar 6000, Ethiopia; dmengist@calpoly.edu


³ Materials Engineering, California Polytechnic State University, San Luis Obispo, CA 93401, USA

* Correspondence: AbehaBayrau.BayrauNigusse@UGent.be; Tel.: +32-465-66-8911

[†] Presented at the 8th International Symposium on Sensor Science, 17–26 May 2021; Available online: <https://i3s2021dresden.sciforum.net/>.




(a)



(b)

Figure S1. (a) Four-point method sheet resistance measurement setup (b) Block diagram for ECG measurement.



(a)

(b)

Figure S2. (a) SEM image of silver printed polyester; and (b) Effect of stretching on surface resistance of printed fabric.




Figure S3. Signals collected in walking condition: (a) for printed textile electrode and (b) for Ag/AgCl electrodes.