conservation

MDPI

Review

Charting the Future of Conservation in Arizona: Innovative Strategies for Preserving Its Natural Resources

Matteo Bodini

Dipartimento di Economia, Management e Metodi Quantitativi, Università degli Studi di Milano, Via Conservatorio 7, 20122 Milan, Italy; matteo.bodini@unimi.it

Abstract: The article explores future directions toward the conservation of the state of Arizona, aiming to preserve its multiple natural resources, including landscapes, wildlife, flora, unique ecosystems, and water resources. We evaluate the current governmental plans and laws focused on conservation, highlighting their impacts and identifying the existing gaps. Then, by analyzing such gaps, we uncover the main open conservation challenges within the state, such as urban expansion, climate change, water resource management, spreading of invasive species, and uranium mining and related activities, discussing their potential impact on future conservation efforts. Finally, the article introduces targeted strategies to enhance conservation outcomes, focusing on the importance of collaborative governance, innovative conservation technologies, multidisciplinary solutions, and law revisions. By adopting a forward-looking and multidisciplinary approach, we outline multiple prospective pathways for ensuring the long-term sustainability of Arizona's natural resources, contributing to the wide global discussion on environmental conservation.

Keywords: Arizona; conservation; urban expansion; climate change; water resource management; invasive species; collaborative governance; innovative conservation technologies; multidisciplinary solutions; law revisions

check for updates

Citation: Bodini, M. Charting the Future of Conservation in Arizona: Innovative Strategies for Preserving Its Natural Resources. *Conservation* **2024**, *4*, 402–434. https://doi.org/10.3390/conservation4030027

Academic Editor: Antoni Margalida

Received: 19 June 2024
Revised: 2 August 2024
Accepted: 6 August 2024
Published: 9 August 2024

Copyright: © 2024 by the author. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

1. Introduction

Arizona, located in the southwestern region of the United States (U.S.), boasts a rich ensemble of natural resources [1]. The state's unique and varied geographical features lead to a wide range of climate conditions. Such conditions give rise to a wide variety of distinct biomes, each containing a unique collection of ecosystems [2].

Indeed, Arizona's multiple landscapes provide proper habitats for several plant and animal species. For instance, among the most striking landscapes in the state, we may find the San Francisco Mountains. Such lofty peaks, with the highest point at Humphreys Peak reaching 3851 m, provide a suitable habitat for species like the Elk and the Ponderosa Pine, representing part of the state's remarkable ecological diversity [3]. In contrast, the arid expanse of the Sonoran Desert, one of the most extensive and thermally extreme regions in North America, covering approximately 260,000 square kilometers, hosts a unique collection of wildlife and plant species, such as the Saguaro Cactus and the Gila Monster, that have adapted to its harsh conditions [4].

The wide variety of animal species and plant life contributes to the biotic composition and ecological dynamics of their respective ecosystems within the state. Indeed, several interactions are found, such as pollination carried out by bees and other insects, nutrient cycling facilitated by decomposers, and the regulation of predator/prey populations from a top-down perspective. Together, the latter roles and interactions enhance the exceptional biodiversity within Arizona, highlighting the state's ecological wide and intricate interconnections within its natural ecosystems [3,4].

To provide a more comprehensive understanding of the distribution and diversity of distinct biomes present within the considered state, a comprehensive schematic map showcasing Arizona's several biomes is presented in Figure 1.




Figure 1. The map reports a visual representation of Arizona's ecological diversity, showcasing the locations of different biomes, i.e., tundra, forests, woodland, chaparral, desert grasslands, and desert, highlighted with different colors. The correspondence between the employed color for the kind of represented biome is reported in the map legend under the section "COLOR KEYS". Similarly, the most spread plant species within each biome are noted on the map by respective letters, reported in the map legend under the section "PICTURE KEYS". Courtesy for the Figure: Arizona Geographic Alliance, School of Geographical Sciences and Urban Planning. Address: Discovery Hall, Room 213C | P.O. Box 875302, Tempe AZ 85287-5302. E-mail address: azga@asu.edu. Online URL of the resource: https://www.geoalliance.asu.edu/sites/default/files/maps/AZ_biomes_web.pdf (accessed on 18 June 2024).

Within the present biomes, Arizona's forests and woodlands represent a vital natural resource, since they cover approximately 25.4% of Arizona's total land area, providing habitat for several tree species [5,6]. Among them, pines are particularly prominent (in particular, Ponderosa Pines and Pinyon Pines), constituting around 82% of Arizona's forested lands [5,6]. Moreover, these wide forests support a rich level of biodiversity, by hosting thousands of species of plants and animals [5,6]. Finally, it must also be remarked that the timber harvested from such forests contributes significantly to the state's economy, with the timber industry generating approximately USD 2.4 billion in economic output annually [7]. Hence, forests in Arizona are crucial not only for maintaining the ecological balance of the state, but also in supporting several critical sectors, such as construction industries, furniture manufacturers, and companies depending on paper products [5–7].

Arizona's river systems play a vital role in the state's ecology and economy, and the Colorado River, the most prominent among them, stretches approximately 2330 km [8].

These rivers are essential hydrological resources, supplying water for various purposes. For instance, just the Colorado River alone provides water to over 40 million people in the Southwestern U.S. [8,9]. Indeed, Arizona's agriculture heavily depends on such rivers, with approximately 74% of the state's water usage allocated for agricultural activities [10]. In addition to supporting human activities, these river systems also sustain diverse ecosystems: Arizona's rivers are home to numerous species of fish, birds, and other wildlife, contributing to the state's biodiversity [3]. Thus, protecting waterways is crucial for maintaining ecological balance and ensuring sustainable development [3,8,10].

Finally, it must be noted that Arizona's natural resources extend far beyond its multiple ecosystems, diverse wildlife and flora, and river systems. Indeed, the state leads in copper production and is a major producer of crude perlite, molybdenum, silver, and zeolites [11–13]. Moreover, uranium mining in the state of Arizona has taken place since 1918, with significant activities in several state regions such as the Carrizo Mountains, Monument Valley, Lukachukai Mountains, and the Cameron district [14]. Indeed, the state has seen a variety of mining methods and deposits, including breccia pipe uranium mining near the Grand Canyon. In relation to its rich uranium mining history, it must be noted that Arizona is also home to the Palo Verde Nuclear Generating Station, located to the west of Phoenix, which is the nation's largest facility by annual energy production [15]. The latter fact not only underscores the state's pivotal role in the energy sector but also brings to light significant implications for conservation efforts, given the potential environmental impact of both uranium mining and nuclear power generation.

The above-mentioned activities have not only bolstered the state's mineral wealth and energy production but have also significantly influenced its historical trajectory and economic development [11–13]. According to the Mineral Commodity Summaries 2024, in the year 2023, the state of Arizona had USD 9.5 billion worth of nonfuel mineral commodities production [16]. Moreover, Arizona placed in the second position within the top 10 ranked U.S. states (based on total value including withheld values). In particular, the mentioned U.S. states were, in descending order of production value, Texas, Arizona, Nevada, Minnesota, California, Florida, Alaska, Michigan, Wyoming, and Missouri. Detailed data on Arizona's mineral activities for the year can be found in Table 1.

Table 1. The table reports nonfuel mineral commodity production data for the state of Arizona. The data contained in the table were extracted from the "Mineral Commodity Summaries 2024" report and the 2020, 2022, and 2022 editions of the "Minerals Yearbook" report ("Metals and minerals" volume I and "Area reports—Domestic" volume II). Reports are provided and updated yearly by the U.S. Geological Survey, part of the U.S. Department of the Interior [16–19].

Mineral Commodity	Units	Quantity	Value (USD 1000)	Year
Copper [1]	1000 metric tons (1000 t)	880	NA	2020
Gemstones, natural [a]		NA	2230	2019
Lead [1]	Metric tons	0	0	2019
Sand and gravel, construction	1000 t	49,200	690,000	2022
Silver [1]	Kilograms	79,900	NA	2021
Stone, crushed	1000 t	11,200	131,000	2022
Stone, dimension	1000 t	44	5980	2019

Table 1. *Cont.*

Mineral Commodity	Units	Quantity	Value (USD 1000)	Year
Combined values of cement, clay (Bentonite and common), gold, gypsum (crude), helium (Grade-A), lime, molybdenum mineral concentrates, perlite (crude), rhenium, salt, sand and gravel (industrial), zeolites		XX	883,000	2019

Notice: The production is reported as measured by mine shipments, sales, or marketable production (including consumption by producers). Mine output measured as sold or used by producers is primarily shown in the table, because values can be assigned. Where sold or used data are not available, actual mine output is used as the production measurement and value is estimated average price of the mineral commodity for that year. Data are reported in gross weight unless otherwise specified. The provided data are rounded to no more than three significant digits; may not add to totals shown. [a] Estimated; NA: not available; XX: not applicable; [1] recoverable content of ores and concentrates.

In the past paragraphs, we understood that Arizona showcases multiple natural resources, including unique landscapes, wildlife, flora, unique ecosystems, water resources, and mineral resources. However, such wide resources are facing growing pressures: rapid urban expansion, driven by the state's increasing population, is encroaching upon previously untouched lands [20,21]; climate change poses another significant issue, with rising temperatures and shifting precipitation patterns threatening to disrupt delicate ecosystems [20,22]; water resource management is a particularly pressing issue in the arid state of Arizona, with competing demands from agricultural, industrial, and residential sectors [23,24]; invasive species are posing a significant threat to Arizona's ecosystems, since they are spreading through them, endangering the distinctive native flora [25–27]; and lastly, uranium mining and related activities, including energy production with nuclear-generating stations, are also representing a major concern as they can lead to environmental contamination and health risks, while also posing threats to natural landscapes and ecosystems [14,28]. Thus, the importance of conservation within the state of Arizona cannot be understated. Conservation efforts are vital not only for preserving the state's natural resources and biodiversity but also for ensuring the long-term sustainability of its environment. Moreover, ensuring conservation has significant implications for the state's economy, which heavily relies on the mentioned natural resources [20–27].

The present article aims to address the main conservation challenges within the state of Arizona by exploring multiple potential future directions. Specifically, the objective is to outline prospective conservation strategies for preserving the state's diverse natural resources, considering the various factors at play. Towards this aim, the article is organized as follows: First, we will review the existing governmental conservation plans and laws, evaluating their impacts on conservation and existing gaps. Then, by analyzing the latter ones, we draw the main challenges that are facing conservation efforts in Arizona, such as urban expansion, climate change, water resource management, invasive species, and uranium mining and related activities. In particular, we will discuss the latter issues focusing on their implications in relation to potential conservation strategies. Finally, we will outline multiple prospective strategies to enhance conservation outcomes within the state of Arizona. Among such strategies, we will focus on: (1) Collaborative governance approaches, involving a wide number of stakeholders—from government agencies and non-profit organizations to local communities and individuals. (2) The potential of innovative technologies in aiding conservation, from remote sensing tools for monitoring wildlife populations to data analytics for optimizing water use. (3) Multidisciplinary approaches, capable of integrating knowledge from various disciplines, allowing to address conservation challenges comprehensively by exploiting the advantages of each involved discipline. (4) Law revisions to reshape the legal and regulatory landscape, influencing

how natural resources are managed, protected, and employed. By considering the four previously suggested strategies, we aim not only to outline future directions for conservation within the state of Arizona but also to contribute to the global discussion on environmental conservation, even providing valuable insights for other states and world regions facing similar challenges.

2. Current State of Conservation in Arizona

The state of Arizona showcases a wide ensemble of natural resources. In the context of Section 1, we understood that it is essential to put the maximum effort into preserving such resources, not only to safeguard the state's biodiversity but even to ensure the long-term sustainability of its environment. Moreover, effective conservation efforts have significant implications for Arizona's economy, which heavily relies on natural assets.

In the present Section 2, we introduce and discuss the current state of conservation in the state of Arizona. First, Section 2.1 provides an overview of federal and state plans and laws devoted to conservation. The effectiveness and existing gaps related to each governmental initiative will be analyzed. Then, Section 2.2 will be focused on the main challenges faced in preserving Arizona's natural environment. Such challenges, addressed by the main conservation plans and laws, include the issue of urban development encroaching on natural habitats, the impact of climate change on ecosystems, water scarcity and its related management, disruption caused by invasive species, and contamination and health risks due to uranium mining and related activities.

2.1. Governmental Conservation Plans and Laws

The federal government of the U.S. and the state of Arizona developed a comprehensive set of governmental plans dedicated to conserving its wide ensemble of natural resources. Among those conservation plans, we may find the Natural Resources Conservation Service, the Arizona Department of Water Resources, and the Arizona Wildlife Conservation Strategy.

The Natural Resources Conservation Service (NRCS) is a U.S. federal agency that provides technical assistance to farmers and landowners in implementing the U.S. Department of Agriculture conservation programs [29]. As of 2023, more than 140 million acres of farmland in the U.S. are receiving conservation-related financial and technical assistance from the NRCS agency to install resource and wildlife preservation practices [30]. Such practices have played a crucial role in conserving rangelands [30,31], improving soil health [32], and ensuring water quality [33]. Indeed, it was reported that conservation practices supported by the NRCS on private working lands have helped in maintaining soil fertility and productivity: recently, over 80% of participating landowners in NRCS soil preservation programs have reported improvements in soil health and resilience [32]. Regarding forest conservation, between 2015 and 2022, NRCS invested over USD 215 million to restore forest health and productivity, reduce wildfire risk, and improve wildlife habitat on nearly 816,000 acres of private forest land [34]. The agency's support for watershed improvement projects has also led to the protection and restoration of more than 2500 km of streams and rivers, entailing huge benefits for aquatic ecosystems and improved water availability for communities and farming [33]. Finally, the NRCS has been actively working to mitigate the impact of non-native invasive species across the U.S. and the considered states. For instance, within Arizona, the NRCS has implemented several programs to control the spread of Buffelgrass, a non-native grass plant that increases fire risks and threatens native plant species [35]. As a result, by providing resources and support for Buffelgrass removal, the NRCS is helping to protect Arizona's unique ecosystems, such as the Sonoran Desert [4]. Overall, the multiple NRCS conservation programs have shown huge benefits both for managing natural resources and promoting agricultural sustainability in the U.S. and the state of Arizona.

Despite the remarkable conservation efforts reported in the above paragraph, the NRCS still faces significant open challenges and gaps when implementing its conservation

programs. First, the increasing demand for agricultural products due to population growth and urban expansion has put immense pressure on natural resources [36,37]. Indeed, according to the data reported by the U.S. Census Bureau, the population of Arizona increased from 6,634,690 residents in 2013 to 7,431,344 in 2023, thus increasing by 12%. Furthermore, within the same latter period, the average annual population change has been reported as +1.15%, confirming the constant continued increase in the resident population within the state in almost the last 80 years [38,39]. For the sake of completeness, in Figure 2 it is reported the evolution of the total population of the state of Arizona within the last 120 years. It must be noted that the last negative annual change, noticeable in Figure 2, was observed in the years from 1943 to 1945. Indeed, during the Second World War, Arizona's population decreased as residents migrated to the Northeast and Midwest for industrial jobs related to wartime production. Post-war, part of the latter group of people returned to Arizona, attracted by new economic opportunities, advancements in air-conditioning, improved infrastructure, and growing industries in technology and defense. Such reverse migration made Arizona a popular destination for both returning migrants and new residents [40,41].




Figure 2. The graph displays both the total population of the state of Arizona and its annual change as a percentage, reported year by year. The total population and respective annual change are conveniently reported in two separate subgraphs. In both the subgraphs, the x-axis spans the years from 1900 to 2023, while the y-axis reports the unit of interest (total population or annual change). In particular, in the upper subgraph, a line plot displays the total population of the state of Arizona for each considered year. On the other hand, in the lower subgraph, the annual population change is displayed year by year. Original source: U.S. Census Bureau—Population Estimates [39]. Online URL of the resource: https://www.macrotrends.net/global-metrics/states/arizona/population (accessed on 18 June 2024).

According to Li et al. [42], between 1985 and 2015, the state of Arizona's existing urbanized areas expanded by following an accelerated growth pattern, by approximately 20%. Overall, it was found that vegetation, i.e., cropland, forest, grass, and shrub, was the dominant conversion land employed for urbanized areas over all the analyzed years [42,43]. In particular, cropland was the most predominant source used for increased urbanized areas, accounting for 46% of the total increased urbanized areas during 1992–2015 [42]. Hence, the occurring urban sprawl not only threatens native wildlife populations and disrupts ecological processes, but even reduces the available farmland [42,43].

Additionally, climate change further exacerbates the described challenges. Indeed, according to the 2022 version of the State Climate Summaries prepared by the U.S. National Oceanic and Atmospheric Administration (NOAA), Arizona's average temperature has risen by approximately 2.5 °F since the early 20th century [44]. Furthermore, according to NOAA, the recent upward trends in average temperatures and extreme heat are projected to continue, thus leading to more frequent and severe weather events such as droughts and floods [37,44,45]. Last, but not least, there was a significant lack of coordination among governmental agencies involved in natural resource conservation, which led to regulatory fragmentation representing a persistent barrier to natural conservation [46,47]. Such fragmentation arises from the patchwork of laws and regulations imposed by different jurisdictions referring to each natural resource, which often results in inefficiencies and inconsistencies in implementing conservation programs. Incidentally, in addition to the context of Arizona, Camacho et al. [46] reported that overlapping jurisdictions among federal agencies usually led to delays and conflicts in the implementation of conservation programs in several U.S. states. However, despite the introduced challenges, the NRCS in the state of Arizona remains committed to delivering conservation solutions: through continuous innovation and adaptation of the designed strategies, the NRCS aims to address the presented issues and ensure the protection of natural resources [29,47].

The Arizona Department of Water Resources (ADWR) plays a crucial role in managing and safeguarding water resources in the state of Arizona. Established in 1980, the department monitors groundwater levels, regulates water rights, develops water management policies, and promotes water conservation efforts across the state [23,48]. In particular, the comprehensive water conservation strategy promoted by the ADWR is centered around three key objectives [48,49]: (1) Reducing per capita water consumption, which involves efforts to decrease the amount of water used by each individual on a daily basis; (2) Encouraging the usage of the best available water conservation practices, which includes promoting and implementing the most effective and efficient methods and technologies for conserving water; (3) Maximizing the efficient use of water supplies, which involves ensuring that all available water resources are used in the most efficient and sustainable manner possible. Regarding the presented aims, the ADWR and most municipal water utilities succeeded in optimizing the per capita water usage, even if the populations of Arizona's major cities have been growing steadily in the last years [41,42,49]. For instance, the per capita water usage in Phoenix has decreased from 267 gallons per day in 1984 to 202 gallons per day in 2015 [49,50]. Similarly, in Tucson, the per capita water use has dropped from 168 gallons per day in 1984 to 130 gallons per day in 2015 [49,50]. This gradual decrease in municipal water consumption can be attributed to several factors [49]: The first one is the adoption of municipal landscaping programs, such as "xeriscaping", which promotes the usage of drought-resistant plants and efficient irrigation techniques. The second one is the implementation of plumbing ordinances that mandate the installation of reduced-flow plumbing fixtures. Last, but not least, extensive information and education campaigns about drought and conservation have been carried out within the state of Arizona since the 1990s [51,52]. Such campaigns played a pivotal role in raising public awareness about the importance of water conservation and encouraging the adoption of water-saving practices. Indeed, it must be noted that to achieve the presented objectives, the role of public information and education programs is crucial, since the success of urban water conservation programs largely hinges on the effective dissemination of information and education about the importance and methods of water conservation to the public [49,50].

Despite the remarkable efforts towards water conservation, the ADWR faces several open challenges and existing gaps that limit its ability to fully address complex water management issues within Arizona. One significant challenge is the growing demand for water amidst the increasing population [36,37,49]: population growth and resulting urban expansion, stress the limited available water supplies, exacerbating competition for water resources and escalating conflicts over allocation and usage. In particular, the ADWR struggles to adequately address issues related to groundwater depletion, specifically in

rural areas where reliance on groundwater is fundamental [53,54]. Indeed, it must be noted that groundwaters are an important water source in Arizona, accounting for about 41% of water use in this mostly arid-to-semiarid state in the Southwestern U.S. [49,50]. As a result, the availability of groundwater resources in the majority of the state is becoming a true concern: in particular, Tillman et al. [50] recently analyzed depth-to-groundwater (DTG) level measurements of 828 Arizona wells within the decade of 2013–2022. Linear trend results were computed for the latter period, and they indicated an amount of 436 wells (53%) with falling DTG levels, 241 wells (29%) with rising DTG levels, and 151 wells (18%) with nearly stable DTG levels. For the sake of completeness, the linear trends in the observed DTG levels in wells during the considered 2013–2022 period are reported in Figure 3. Incidentally, regarding the positive impacts obtained by the ADWR, as described in the previous paragraph, it must be noted that significant rising DTG level trends are evident in the surroundings of Phoenix and Tucson. However, the evolution of DTG levels of the majority of the analyzed wells within Arizona suggested a stable or falling level, thus leading to a total percentage of the two latter categories of 71%. As a result, it must be stressed the existence of the still open issue related to groundwater resource management in the majority of the state.




Figure 3. The figure contains a map reporting the linear trends in observed DTG levels in wells during the 2013–2022 period. Trends in DTG levels in the reported sites on the map are classified based on the trend slope (groundwater-level change over time) as "rising" (DTG levels rising > 0.15 m/year), "falling" (DTG levels falling < −0.15 m/year), or "nearly stable" (slope between rising and falling, i.e., −0.15 m/year to +0.15 m/year). Trend categories are represented on maps using modified Thiessen polygons around well locations [55]. Source of the Figure: Tillman et al. [50]. License: the figure is reported under a Creative Commons Attribution 4.0 International License (to view a copy of this license, visit the following URL: http://creativecommons.org/licenses/by/4.0/). Online resource accessed on 18 June 2024.

Regarding climate change, as we mentioned above in the present Section 2.1, Arizona's average temperature has risen by approximately 2.5 °F since the early 20th century [35]. As a result, it was measured a 23% decrease in the average annual snowpack in the state, thereby reducing the dependence on natural groundwater reservoirs [44,56]. Furthermore, according to NOAA, such recent upward trend in average temperatures yielding to extreme heat is projected to continue, thus leading to more frequent and severe weather events such as droughts that could potentially reduce DTG levels within the whole state of Arizona [35,44,45]. Moreover, the ADWR faces a multitude of institutional and political challenges that obstruct the path to efficient water management and related decision-making processes [57]. The intricate web of legal frameworks related to water management encompasses a wide array of rules and regulations that can be difficult to navigate, often leading to confusion and inefficiency. Indeed, governance within the water sector is characterized by regulatory fragmentation, with multiple entities holding overlapping jurisdictions, which can result in conflicting agendas and priorities. As a result, such fragmentation complicates the pursuit of a unified approach to water management across the state [47,58]. Furthermore, stakeholders in the water sector, including agricultural, industrial, municipal, and environmental groups, frequently have divergent interests, which can lead to disputes and impede consensus-building. As a result, such competing interests make it challenging to foster cooperative efforts, which are essential for the development and implementation of effective water policies and regulations [57,59]. Last, but not least, the ADWR often grapples with limited financial resources, which can hinder its operational capabilities. The resulting financial strain can affect the agency's ability to monitor and enforce compliance with water laws and regulations, potentially leading to non-compliance and undermining the effectiveness of water management strategies [60]. In conclusion, while the Arizona Department of Water Resources has made significant strides in promoting water conservation and nature conservation efforts, it must address still open challenges and gaps to achieve sustainable water management in the state.

The Arizona Wildlife Conservation Strategy (AWCS) is a comprehensive conservation framework released by the Arizona Game and Fish Department that serves as a roadmap for wildlife conservation within the state [61]. The AWCS provides a strategic approach to on-the-ground conservation efforts, ensuring that these efforts are targeted and effective. In particular, the AWCS identifies actions that benefit a wide range of conservation targets, including individual Species of Greatest Conservation Need (SGCN), specific habitats, entire taxonomic groups, and the majority of Arizona's wildlife [61,62]. By focusing on the mentioned multiple targets, the AWCS ensures that conservation efforts are comprehensive and inclusive, addressing the needs of a wide number of species [61]. Regarding wildlife conservation, it must be noted Arizona is home to more than 550 SGCN [61], including Sonoran pronghorn [63], pale Townsend's big-eared bat [64], and relict leopard frog [65], which are at risk due to factors such as habitat loss and climate change [63–65]. Specifically, the AWCS identifies SGCN species and outlines specific actions to promote their conservation, including habitat restoration, research, monitoring, and public education [61,66,67]. On the other hand, the AWCS addresses the issue of invasive species by implementing control and eradication measures [61,68], targeting threats such as the Africanized Honey Bee [69] and the Red Imported Fire Ant [70].

However, despite its comprehensive structure, the AWCS often faces several challenges in prioritizing and allocating resources effectively across such a wide range of conservation targets it addresses [61]. Moreover, there may be limitations in the implementation of such conservation actions due to limited funding and resources [68,71]. Regarding wildlife conservation, while the AWCS outlines specific actions for conserving SGCN and protecting habitats, there may be challenges in effectively monitoring and evaluating the outcomes of such actions. Indeed, effectively monitoring invasive species can be difficult due to their rapid spread and adaptability [72,73]. A concrete example of the latter issue is the case of the Africanized Honey Bee, which at the beginning of the 1990s was present just in the southern region of Texas, and in less than two decades it spread to almost nine

other Southern U.S. states [69,73]. Details about the spread of the Africanized Honey Bee through the years and across U.S. states are available in Figure 4. Last, but not least, coordinating efforts with multiple stakeholders and agencies to address invasive species can be complex and resource-intensive [46,47,68]. Despite these challenges, the AWCS continues to innovate to face the challenges of Arizona's wildlife conservation.




Figure 4. The figure contains a color-coded map of the U.S., showcasing the spread of Africanized honey bees from 1990 to 2008. A gradient of colors, ranging from light yellow to dark red, represents the first year in which Africanized honey bees were observed in various states or regions. Each color fills different counties across the states depicted on the map, highlighting the wide geographical expansion of Africanized honey bees into new areas over a 21-year period. Notice that Africanized honey bees were first detected in the U.S. in 1990 in South Texas and have spread across southern states due to the region's mild winters and long foraging seasons. However, their spread is limited in Northern U.S. due to colder winters, shorter foraging seasons, and the presence of European honey bee populations [69]. * Denotes cumulated data collected between the years 1990–2000. Source of the Figure: U.S. Department of Agriculture—Agricultural Research Service. Website: https://www.ars.usda.gov/news-events/news/research-news/2007/usda-map-of-africanized-honey-bee-spread-updated/. Online resource accessed on 18 June 2024.

As reported in the Introduction, uranium mining has had a long and contentious history in the state of Arizona, particularly in relation to the Native American lands [14,28]. Indeed, mining activities were often conducted without adequate consideration for environmental protection or for the rights of indigenous communities, thus leading to significant and lasting impacts. The exploitation of uranium resources in the mentioned areas has resulted in widespread environmental degradation and severe health issues among local populations. Contamination of water sources with heavy metals such as uranium, arsenic, and lead has been documented in the past literature, leading to increased cancer rates and other health problems among the affected indigenous populations [28,74]. Nowadays, the legacy of uranium mining continues to pose substantial challenges to conservation efforts in the state of Arizona due to persistent soil and water contamination. As a result, the Navajo Nation is particularly affected, with several abandoned mines leaving behind a toxic legacy that threatens the land, water, and people. The latter mines have contributed to the contamination of the surrounding environment with hazardous substances, impacting the health and well-being of residents and wildlife [75,76]. Indeed, for decades, residents have reported health problems linked to exposure to radioactive materials, and the struggle to remediate these areas is ongoing. Efforts from the U.S. government to remediate the contaminated sites are still underway, but the scale of the problem is immense, and the

challenges faced are considerable. The complexity of cleaning up such widespread contamination, combined with the need for ongoing monitoring and maintenance, makes the latter a daunting task. Despite the substantial resources being allocated for remediation efforts, progress has been slow, and the communities continue to suffer from the effects of historical mining practices [76]. To partially address the reported issues, the U.S. Geological Survey (USGS) is currently conducting research on uranium-bearing breccia pipe deposits to fill data gaps regarding the potential impacts of uranium exploration and mining in several sites, including the Grand Canyon watershed [77]. The latter research aims to enhance the understanding of how mining activities could affect the area's ecosystems, communities, and water resources. Such studies are crucial for developing effective conservation strategies and ensuring that future mining activities do not repeat the mistakes made in the past. In relation to uranium mining activities, it must be noted that the state of Arizona is home to the Palo Verde Nuclear Generating Station, the largest commercial nuclear power plant in the U.S. by annual energy production [28]. While nuclear power is recognized as a significant energy source, providing a substantial portion of the state's electricity, it also presents environmental risks that must be carefully managed [78]. The management of radioactive waste is a critical concern, as improper handling can lead to contamination of both soil and water, with long-term consequences for the surrounding environment. Furthermore, the potential for contamination in the event of severe accidents, though rare, cannot be ignored. The presence of such a facility necessitates stringent safety and environmental protocols to protect the nearby ecosystems. Moreover, the station's operations, which require substantial amounts of cooling water, can stress the already limited water supplies in the region, impacting both human and ecological water needs [78]. Finally, the environmental justice issues associated with nuclear power, particularly concerning indigenous communities, must be addressed [76,79]. The latter populations often disproportionately bear the burdens of energy production, including exposure to environmental hazards and disruptions to their traditional lands and lifestyles. Ensuring that indigenous voices are heard, and their rights are respected is essential for equitable energy development. Efforts must be made to balance energy production needs with the protection of vulnerable communities and the preservation of Arizona's unique ecosystem.

The conservation measures implemented by NRCS, ADWR, AWCS, and USGS, have significantly impacted in a positive manner the proper conservation of natural resources in the state of Arizona: The NRCS has successfully delivered conservation solutions that protect natural resources and support agricultural producers; The ADWR has effectively promoted the wise and efficient use of water through various conservation programs; The AWCS has been instrumental in guiding on-the-ground conservation of Arizona's wildlife; The USGS investigated on the potential impacts of uranium exploration and mining within the state. However, despite the remarkable efforts, the analyzed open challenges related to conservation still remain strong, and strategies are continually being adapted to address these pressing issues. For the sake of readability, Table 2 reports the role, positive impacts, and identified open gaps of each governmental plan presented in the above paragraphs.

Table 2. Role, positive impacts, and identified open gaps for NRCS, ADWR, and AWCS.

Plan	Role	Positive Impacts	Identified Open Gaps
NRCS	Assisting private landowners in implementing the U.S. Department of Agriculture conservation programs.	• Conservation of rangelands. • Preservation of healthy soil. • Improvement of water quality. • Restoration of forests. • Protection of watersheds. • Limitation of invasive species.	• Overexploitation of resources due to urban expansion. • Severe weather events caused by climate change. • Lack of coordination among governmental agencies.

Table 2. *Cont.*

Plan	Role	Positive Impacts	Identified Open Gaps
ADWR	It manages and safeguard water resources, ensuring sustainable usage and conservation.	• Monitoring of groundwater levels. • Regulation of water rights. • Developing of water management policies. • Promotion of education programs related to water conservation.	• Growing demand for water amidst population growth. • Falling groundwater level trends. • Institutional and political barriers. • Funding constraints and resource limitations.
AWCS	It provides a strategic framework for conserving Arizona's wildlife.	• Focus on a wide range of conservation targets (SGCN, habitats, taxonomic groups). • Specific actions taken for several SGCN. • Control and eradication of several invasive species.	• Challenges in allocating resources effectively. • Implementation limitations due to limited funding and resources. • Difficulty in monitoring and evaluating outcomes of taken conservation actions. • Complexity in coordinating efforts among different stakeholders.
USGS		• Research on the environmental impact of several uranium-bearing deposits. • Enhanced understanding of uranium impacts on the state.	• Limited remediation efforts from the U.S. government. • Environmental stress due to the operating nuclear generating stations. • Environmental justice issues still to be addressed.

In addition to the described government plans, several acts and laws have been enacted in Arizona to conserve its natural resources. Among the main ones, we may find:

1. Endangered Species Act (ESA) of 1973: The ESA authorizes the identification and listing of species as either endangered (at risk of extinction) or threatened (likely to become endangered in the near future). In particular, the act mandates the conservation of the habitats upon which these species depend [80]. Such a process includes measures to protect and restore critical habitats, often involving significant collaboration between federal, state, and local governments, as well as private landowners and conservation organizations [81,82]. The ESA's impact is evident within the considered state, with approximately 72 threatened species listed and thus preserved in Arizona. Indeed, within Arizona, the ESA has been vital for species such as the Mexican gray wolf, the humpback chub, and the southwestern willow flycatcher. Efforts to protect the mentioned species have involved habitat restoration projects, captive breeding and reintroduction programs, and stringent regulations on land and water management [82,83]. It must be finally noted that nationwide, ESA has been credited with preventing the extinction of 99% of listed species, showcasing its effectiveness in wildlife conservation [84].
2. Modification of the "Use it or Lose it" Water Policy: Historically, the "use it or lose it" policy required water rights holders to continuously use their water allotments or risk forfeiting their rights. As a result, the latter overexploitation of water resources often led to wasteful water use, as users were incentivized to use their water inefficiently to retain their rights [85,86]. To prevent the resulting waste of water resources, in 2021 an act signed by Governor Doug Ducey changed the existing water policy within Arizona by allowing users to leave water in rivers and streams without penalty, hence promoting conservation. Such change is especially important in the semi-arid state of Arizona, where water scarcity is a significant issue [85,87]. The introduced policy

change encourages better water management practices, helping to preserve aquatic ecosystems and maintain stream flows. Indeed, it was estimated that the introduced policy will ensure clean water in nearly 800 Arizona streams, lakes, and rivers that are critical for drinking, fishing, and recreation, thus representing a substantial contribution to the state's water resources [85,88]. As a final result, it is expected that, over time, this shift is expected to lead to healthier river ecosystems, improved water quality, and more sustainable water use practices, benefiting both the resident population and present ecosystems [87,88].

3. Taylor Grazing Act (TGA) of 1934: The TGA was designed to prevent overgrazing and soil degradation on public lands. It established grazing districts and required permits for grazing on these lands, thereby introducing controlled and sustainable grazing practices. Moreover, the act also created the Grazing Service (later merged into the U.S. Bureau of Land Management), which oversees grazing permits and ensures that grazing activities do not exceed the land's carrying capacity [89]. The law initially permitted 80 million acres (32 million hectares) of previously unreserved public lands in the United States to be placed into grazing districts to be administered by the U.S. Department of the Interior. As amended, the law now sets no limit on the number of lands in grazing districts. Currently, there are approximately 162 million acres (66 million ha) inside grazing allotments [90]. In the context of Arizona, this act has been crucial for managing the state's vast rangelands. By preventing overgrazing, it helps maintain soil health, water quality, and biodiversity. These measures are essential for sustaining the productivity and ecological balance of these lands [91].
4. Arizona Groundwater Management Act (GMA) of 1980: The GMA established five AMAs, each with specific groundwater management goals and regulations. Such areas are subject to strict controls on groundwater pumping to prevent over-extraction and ensure long-term sustainability [92]. One key element of the GMA is the restriction on the expansion of irrigated farmland: only lands that were legally irrigated between 1975 and 1980 are allowed to continue using groundwater for irrigation, preventing new agricultural developments from further depleting groundwater resources [93]. Within Arizona, since the GMA's implementation in 1980, significant progress has been made in stabilizing groundwater levels. Indeed, the AMAs nowadays include 80% of Arizona's population and 70% of the state's groundwater overdraft, hence demonstrating the effectiveness of the act in promoting water conservation [93,94]. The GMA has played a critical role in Arizona's overall water management strategy, helping to balance water use among agricultural, municipal, and industrial users while protecting the state's vital groundwater resources [93,94].
5. Radioactive Materials Transportation Act (RMTA) of 2012: It is a significant law as it bans the transportation of uranium within the Navajo Nation reservation, which extends into Arizona, New Mexico, and Utah states [95]. The latter law had positive impacts as it protects the health of the Navajo people by reducing exposure to uranium and it preserves the environment by preventing the transportation of uranium ore. However, the law still faces open challenges such as enforcement due to jurisdictional issues and economic implications for the Navajo Nation due to the potential loss of mining jobs.
6. Antiquities Act of 1906: It was signed into law by President T. Roosevelt and it was leveraged by President J. Biden to create Baaj Nwaavjo I'tah Kukveni to protect the Grand Canyon from uranium mining, after decades of exploitation [96]. The act has had positive impacts on the environment as it protects historical and cultural sites from uranium mining activities, and it preserves the natural beauty and biodiversity of the Grand Canyon. Moreover, the law also faced relevant challenges such as the need to balance resource extraction with environmental and cultural preservation, and the potential economic implications due to restrictions on mining activities.

For the sake of readability, Table 3 reports the purpose, positive impacts, and identified open challenges of each of the four acts presented in the above points. Moreover, Table 4

summarizes the data source, collecting period, and geographical location of the data leveraged in the context of the present article.

Table 3. Purpose, positive impacts, and identified open challenges of the acts and laws addressed in the context of Section 2.2.

Act	Purpose	Positive Impacts	Open Challenges
ESA	It protects and recovers threatened species and the ecosystems upon which they depend.	• Identification of endangered and threatened species. • Approximately 72 threatened species preserved in Arizona. • It prevented the extinction of 99% of listed species in the U.S.	• It needs significant collaboration between institutions. • Restoration and reintroduction programs are complex and resource-intensive.
Modified "Use it or Lose it" Water Policy	It allows water rights holders to use only the required water quantity without wasting it.	• It promotes water conservation. • It ensures clean water in nearly 800 Arizona lakes and rivers.	• Addressing potential resistance from stakeholders • Ensuring compliance and monitoring water use.
TGA	It prevents overgrazing on public lands by establishing sustainable grazing practices.	• It maintains soil health, water quality, and biodiversity. • It sustains productivity and ecological balance of rangelands.	• Ensuring compliance with grazing permits. • Balancing grazing needs with land conservation.
GMA	It prevents water over-extraction and ensure long-term sustainability of groundwater resources.	• It stabilizes groundwater levels in Arizona's AMAs. • It balances water use among different sectors (agricultural, municipal, industrial).	• Balancing farmers needs with conservation goals. • Managing evolving water demands and climate variability.
RMTA	It banned the transportation of uranium within the Navajo Nation reservation.	• It protects the health of the Navajo people by reducing the exposure to uranium. • It preserves the environment by preventing the transportation of uranium ore.	• Enforcement of the law can be challenging due to jurisdictional issues. • Economic implications for the Navajo Nation due to the potential loss of mining jobs.
Antiquities Act	It aimed to protect the Grand Canyon from uranium mining, after decades of exploitation.	• It protects historical and cultural sites. • Conservation of biodiversity. • It recognizes indigenous rights advocacy.	• Balancing resource extraction and preservation. • Potential economic impact due to restrictions on mining activities.

Table 4. Data source, collecting period, and geographical location of the data leveraged in the context of the present article.

Data Source	Collecting Period	Geographical Location
Mineral Commodity Summaries 2024	2023	United States
Minerals Yearbook (Metals and Minerals Volume I, Area Reports—Domestic Volume II)	2020, 2022, 2023	United States
U.S. Census Bureau—Population Estimates	1900–2023	Arizona
U.S. Department of Agriculture Agricultural Research Service	1990–2011	Southern United States
State Climate Summaries by NOAA	Early 20th century—2022	United States

2.2. Primary Challenges to Conservation in Arizona

By analyzing the major governmental plans and laws dedicated to conservation, it is possible to summarize here below the major conservation challenges for Arizona:

1. Urban Expansion: Arizona's rapid urban expansion exerts significant pressure on natural habitats and ecosystems. As cities grow and spread, natural areas become increasingly fragmented, leading to extensive habitat loss and degradation. This urban sprawl not only threatens native wildlife populations by reducing their living space and resources but also disrupts essential ecological processes such as migration, pollination, and natural water filtration. The encroachment of urban areas into natural landscapes makes it challenging to maintain biodiversity and the health of ecosystems, which are crucial for the overall environmental balance.
2. Climate Change: The recent evolution of climate exacerbates environmental stressors in Arizona, including higher temperatures, prolonged droughts, and altered precipitation patterns. These changes adversely affect ecosystems by altering plant and animal distributions, disrupting breeding and migration patterns, and increasing the frequency and intensity of wildfires. Additionally, water resources are strained as reduced snowpack and altered river flows impact water availability. Wildlife populations face increased risks from habitat loss and food scarcity, leading to declines in biodiversity and the health of various species.
3. Water Resource Management: Water scarcity is a significant concern in Arizona, where the demand for water often exceeds the natural supply. The state's heavy reliance on groundwater extraction, coupled with prolonged droughts and increasing water demands from urbanization and agriculture, poses substantial challenges for sustainable water management. Over-extraction of groundwater threatens aquatic ecosystems, worsens water shortages, and compromises long-term water security.
4. Invasive Species: The presence of multiple invasive species poses a serious threat to Arizona's native flora and fauna. Such non-native species often outcompete native species for resources, leading to declines in native populations. They disrupt ecological processes, such as nutrient cycling and pollination, and alter habitats by changing the physical structure of ecosystems. This results in significant ecological imbalances, reducing biodiversity and weakening the resilience of ecosystems to other stressors such as climate change and disease. Effective management and control of invasive species are crucial to preserving Arizona's unique and diverse ecosystems.
5. Uranium Mining and Related Activities: Uranium mining and related activities, including power supply via nuclear-generating stations, pose a unique set of conservation challenges in Arizona. The extraction process can lead to significant landscape alterations and habitat destruction. Moreover, the potential for radioactive contamination of soil and water presents serious environmental and public health risks. On one hand, uranium mining contributes to economic activity and energy production within the state of Arizona. On the other hand, it necessitates careful management to prevent harm to ecosystems and communities. Laws such as the RMTA and the Antiquities Act play crucial roles in regulating the reported activities. However, enforcement can be challenging, and there are ongoing debates about the balance between economic development, indigenous rights, and environmental protection. The latter points underscore the need for comprehensive and sustainable mining practices, robust regulatory oversight, and continued research into the environmental impacts of uranium mining.

3. Strategies for Improving Conservation

In the previous sections, we understood that Arizona showcases rich biodiversity and multiple natural resources, all of which are facing remarkable conservation challenges. However, such challenges also present opportunities for implementing innovative strategies with the aim of enhancing the already existing conservation efforts by the involved

institutions. Thus, in the next sections, we will focus on four key areas in which immediate actions are required to contribute to facing the identified challenges in the long term:

1. Collaborative governance and community engagement: Engaging local communities and stakeholders in decision-making processes is crucial for conservation efforts. This approach ensures that conservation strategies are not only effective but also sustainable and respectful of local cultures and economies. By fostering new partnerships among government agencies, non-profits, and indigenous groups, it is possible to create more inclusive and comprehensive conservation frameworks [97].
2. Technological innovations in conservation: Technological advancements offer new ways to monitor, protect, and restore Arizona's diverse ecosystems and natural resources. From remote sensing technologies to data analysis tools, technology can help us understand and respond to conservation challenges more effectively and efficiently. Innovations such as drone surveillance, AI-driven wildlife tracking, and environmental DNA (eDNA) sampling are transforming the way it is possible to manage and conserve natural resources [98].
3. Multidisciplinary conservation solutions: Addressing the identified complex and interconnected conservation challenges necessarily requires multidisciplinary solutions. Indeed, by integrating knowledge from different disciplines and thinking outside the box, it is possible to develop innovative solutions that address multiple aspects of several conservation challenges. For instance, it is possible to combine several disciplines, such as ecological science, social science, economics, and public policy to create holistic strategies that consider both environmental, social, and economic factors [99].
4. Law changes: Effective conservation strategies require supportive policies and legislation that prioritize environmental protection. This involves advocating for stronger environmental regulations, securing funding for conservation programs, and ensuring that conservation priorities are reflected in land use planning and development policies. Policy changes can also incentivize sustainable practices among businesses and landowners, promoting an environmentally friendly approach to development and resource use [100].

In the following Sections 3.1–3.4, we will, respectively, explore each of the above-introduced conservation strategies in more detail, hence discussing their potential benefits, challenges, and examples of their potential implementation in the context of the state of Arizona. In particular, each of the above-listed strategies will be discussed with respect to all the identified challenges in the above Section 2.2, i.e., urban expansion, climate change, water resource management, managing of invasive species, and uranium mining and related activities.

3.1. Collaborative Governance and Community Engagement Towards Conservation

Collaborative governance presents a promising approach for addressing current complex conservation challenges like the ones identified in the state of Arizona [97]. Regarding the issue of pressing urban expansion, the government of the state of Arizona could foster collaborative efforts between local governments, developers, environmental organizations, and communities to plan sustainable urban growth. For instance, Portland, in the state of Oregon, has implemented a comprehensive land use planning system that involves extensive public input and collaboration to balance urban growth with environmental conservation [101]. This system is designed to manage development in a way that supports sustainable growth while protecting natural resources and maintaining a high quality of life for residents. The process begins with community engagement, where residents, business owners, and other stakeholders are invited to participate in workshops, public meetings, and surveys to share their vision and priorities for the city's future. These inputs are crucial in shaping the goals and policies of the land use plan. Key components of Portland's land use planning include zoning regulations, urban growth boundaries, and green space preservation. Zoning regulations dictate the types of buildings and activities that can occur

in different parts of the city, ensuring that residential, commercial, and industrial areas are appropriately located and developed. Urban growth boundaries are established to limit sprawl and concentrate development within designated areas, promoting efficient use of infrastructure and reducing the environmental impact of unchecked expansion. Moreover, the plan emphasizes the importance of green spaces, such as parks and natural reserves, which are integrated into urban areas to enhance biodiversity, provide recreational opportunities, and improve air and water quality. The city also implements policies to protect wetlands, forests, and other critical habitats from development pressures. In addition to these measures, Portland's land use planning system incorporates sustainable practices like promoting public transportation, encouraging high-density housing near transit hubs, and implementing green building standards. These efforts help reduce carbon emissions, decrease reliance on automobiles, and create more walkable, livable neighborhoods. Overall, Portland's approach to land use planning demonstrates a commitment to thoughtful, inclusive development that seeks to harmonize economic growth with environmental stewardship. This model of comprehensive land use planning can also be applicable to Arizona, where rapid urbanization and unique environmental challenges require a balanced approach to development. Arizona, with its diverse landscapes ranging from desert to forest, faces significant pressure to accommodate population growth while preserving its natural heritage. Implementing a similar system of public involvement and strategic planning could help Arizona cities like Phoenix and Tucson manage their expansion more sustainably. By establishing urban growth boundaries, Arizona could control sprawl and protect critical habitats such as the Sonoran Desert. Integrating green spaces into urban areas and preserving natural reserves would enhance biodiversity and provide much-needed recreational areas for residents. Moreover, Arizona could benefit from promoting public transportation and high-density housing near transit hubs, reducing traffic congestion and lowering carbon emissions. Encouraging green building practices would further support environmental conservation and energy efficiency. Just like Portland, Arizona can create a framework for urban growth that prioritizes the well-being of its residents and the preservation of its unique natural environments, ensuring both economically and ecologically sustainable development.

Implementing smart growth policies that prioritize compact, mixed-use development represents another way of mitigating the environmental impacts of urban expansion [102,103]. Maryland's Smart Growth program provides a prime example of how these policies can be effectively implemented [104]. The program incentivizes infill development and transit-oriented design, aiming to curb urban sprawl and preserve natural areas. By focusing on these goals, Maryland promotes sustainable growth that not only accommodates population increases but also protects the environment and enhances the quality of life for its residents. Infill development, a key component of Maryland's strategy, involves the redevelopment of underutilized or vacant urban spaces within existing communities. This approach reduces the need to convert open land or rural areas into new developments, thus conserving natural habitats and agricultural lands. Transit-oriented design, another critical element, encourages the creation of high-density, mixed-use neighborhoods near public transportation hubs. This design reduces reliance on automobiles, decreases traffic congestion, and lowers greenhouse gas emissions by making it easier for residents to commute via public transit, walk, or cycle. These principles are not only applicable to Maryland but can also be effectively applied in Arizona to address its unique challenges. Arizona faces rapid urbanization, particularly in metropolitan areas such as Phoenix and Tucson. Implementing smart growth policies in Arizona could significantly alleviate the environmental pressures associated with this growth. By promoting compact, mixed-use developments, Arizona can reduce urban sprawl, preserve its distinctive desert ecosystems, and manage water resources more efficiently. Encouraging infill development in Arizona's cities would make better use of existing infrastructure and land, revitalizing urban areas while protecting the surrounding natural landscapes. Moreover, transit-oriented development could enhance the connectivity and accessibility of public transportation, which is crucial in a state where

long commutes and car dependency are common. This shift would not only reduce vehicle emissions but also foster healthier, more vibrant communities. Overall, adopting smart growth policies similar to Maryland's program would enable Arizona to balance urban expansion with environmental sustainability, ensuring that the state's growth benefits its residents while safeguarding its natural heritage for future generations.

In order to address the issue of climate change, Arizona could rely on a cross-sector collaboration approach by creating task forces or committees involving government agencies, businesses, NGOs, and research institutions [105]. Such involved actors would work together to develop and implement climate adaptation and mitigation strategies. This approach draws inspiration from California's Climate Action Team, which brings together diverse stakeholders to coordinate statewide climate efforts [106]. By creating similar collaborative bodies, Arizona can foster a more integrated and comprehensive response to climate change, leveraging the unique expertise and resources of each sector. In these task forces or committees, government agencies can provide regulatory frameworks and policy support, ensuring that climate actions align with state and federal laws. Businesses can contribute by innovating and investing in sustainable technologies and practices, which can help reduce greenhouse gas emissions and promote energy efficiency. NGOs can play a crucial role in advocacy, public education, and community engagement, helping to raise awareness about climate issues and mobilize public support for necessary measures. Research institutions can offer scientific insights and data, guiding evidence-based decision-making and identifying the most effective strategies for adaptation and mitigation. By working together, these diverse stakeholders can create synergies that enhance the effectiveness of climate initiatives. For instance, government incentives can spur business investment in renewable energy, while academic research can inform policy decisions and public outreach efforts. Collaborative efforts can also facilitate the sharing of best practices and innovations across sectors, enabling Arizona to build a resilient and sustainable future. In the context of Arizona, which faces unique climate challenges such as extreme heat, water scarcity, and increased wildfire risk, such cross-sector collaboration is particularly vital. By pooling resources and expertise, Arizona can develop tailored strategies that address its specific vulnerabilities and leverage its strengths, such as its abundant solar energy potential. This holistic approach not only helps mitigate the impacts of climate change but also promotes economic growth and enhances the quality of life for Arizona's residents. Through sustained and coordinated efforts, Arizona can lead by example in the fight against climate change, demonstrating the power of collective action in building a more sustainable and resilient world.

Another way to tackle the issue of climate change is to focus on climate resilience planning [107]. Such an approach emphasizes the importance of preparing for and adapting to the various impacts of climate change through comprehensive, proactive strategies. Collaborative efforts can concentrate on developing climate resilience plans that integrate input from diverse stakeholders, ensuring that the strategies devised are inclusive, effective, and tailored to the specific needs and challenges of the area. By involving local communities, businesses, scientists, and policymakers, these plans can address a wide range of issues from infrastructure vulnerability to ecosystem protection. Florida's Resilient Coastlines Program exemplifies how such initiatives can be successfully implemented [108]. This program actively engages local communities in developing adaptation strategies to safeguard against the threats posed by sea-level rise and extreme weather events. Through extensive public consultations, educational outreach, and the provision of technical assistance, Florida empowers its coastal communities to create customized solutions that enhance their resilience. Measures such as reinforcing coastal defenses, restoring natural habitats, and updating building codes to withstand extreme conditions are all part of a multifaceted approach to climate resilience. The concept of climate resilience planning is equally applicable to Arizona, albeit with a different set of challenges. Unlike Florida, Arizona's primary climate-related concerns revolve around extreme heat, prolonged droughts, and water scarcity. In response, Arizona can develop climate resilience plans that similarly incorporate

widespread stakeholder engagement to create comprehensive strategies suited to its unique environmental conditions. For example, water management is a critical issue in Arizona, and resilience plans could focus on optimizing water use, investing in advanced irrigation technologies, and promoting water recycling and conservation practices. Additionally, Arizona can benefit from enhancing its urban planning to mitigate the urban heat island effect, which exacerbates temperature extremes in densely populated areas. This could involve increasing urban green spaces, implementing cool roofing technologies, and designing buildings to be more energy-efficient and climate-adaptive. Community education and participation are crucial in these efforts, as residents can play a significant role in adopting and supporting resilience measures. Furthermore, Arizona's climate resilience plans can address the impacts on agriculture, a vital sector in the state's economy. Strategies might include developing drought-resistant crop varieties, improving soil health, and employing precision agriculture techniques to conserve water and increase efficiency. Collaboration with farmers, researchers, and agricultural organizations will ensure that these strategies are practical and effective.

When focusing on water resource management, designing innovative water conservation programs represents a fundamental instrument to preserve water resources. These programs are crucial in areas where water scarcity is a significant concern, providing strategies and tools to reduce water usage and promote sustainability [109]. Collaborative initiatives can promote innovative water conservation practices, such as rainwater harvesting, greywater reuse, and xeriscaping. These practices not only help conserve water but also educate communities about sustainable water management techniques [110]. For instance, in the state of Texas, the Texas Water Development Board partners with local communities to implement water conservation programs and initiatives [111]. This collaboration fosters a sense of shared responsibility and collective action towards water conservation, resulting in more effective and widespread adoption of sustainable practices. By engaging with local stakeholders, the Texas Water Development Board ensures that the programs are tailored to the specific needs and challenges of each community, thereby enhancing their effectiveness and long-term sustainability. Similarly, the applicability of these approaches to water conservation is highly relevant in Arizona, a state that faces significant water scarcity challenges. Arizona can benefit from implementing innovative water conservation programs that have been successful in other regions. The state's unique climate and geography make it an ideal candidate for practices such as rainwater harvesting, which captures and stores rainwater for later use, and greywater reuse, which involves repurposing water from sinks, showers, and laundry for irrigation and other non-potable uses. Additionally, xeriscaping, a landscaping method that uses drought-resistant plants and efficient irrigation systems, can significantly reduce water consumption in urban and suburban areas. In Arizona, collaboration between state agencies, local governments, and communities is essential to develop and implement effective water conservation strategies. By fostering partnerships and encouraging public participation, Arizona can create tailored conservation programs that address its specific water challenges. For example, state agencies could work with municipalities to establish rainwater harvesting systems in public buildings and residential areas, promote greywater reuse in homes and businesses, and support xeriscaping projects through grants and educational campaigns. Moreover, public education and outreach are vital components of successful water conservation programs. Arizona can benefit from initiatives that raise awareness about the importance of water conservation and provide residents with the knowledge and tools to implement sustainable practices in their daily lives. Workshops, community events, and informational campaigns can help the dissemination of a culture of water stewardship.

Regarding the pressing problem of invasive species, a potential approach could be represented by the implementation of early detection and rapid response networks. Indeed, Arizona could establish collaborative networks involving government agencies, conservation organizations, and citizens to detect and respond to invasive species outbreaks swiftly [112]. This approach has proven effective in other regions, such as the Midwest,

where the Midwest Invasive Plant Network coordinates regional efforts to address invasive plant species across multiple states [113]. By establishing similar networks in Arizona, the state can benefit from a proactive strategy that leverages the expertise and resources of various stakeholders. Government agencies could provide the necessary regulatory framework and funding to support these initiatives, while conservation organizations could offer specialized knowledge and operational support. Citizens, often being the first to notice unusual plant or animal sightings in their local areas, could play a crucial role in early detection. In Arizona, where diverse ecosystems range from deserts to forests, the threat of invasive species is particularly acute. Rapidly identifying and addressing these threats can prevent significant ecological and economic damage. For instance, the establishment of such networks could help control invasive plants like buffelgrass, which poses a severe threat to native flora and increases the risk of wildfires. Moreover, the networks could facilitate the sharing of information and best practices among different regions within the state, ensuring a more coordinated and effective response. Regular training sessions and workshops could be organized to educate participants about identifying invasive species and implementing appropriate control measures.

Another way to tackle invasive species is the planning of education and outreach campaigns. Indeed, collaborative efforts can focus on raising public awareness about the impacts of invasive species and promoting responsible behavior to prevent their spread [114]. For example, the Hawaii Invasive Species Council implements education campaigns and outreach programs to engage communities in invasive species management [115]. Such initiatives include workshops, school programs, and informational materials that help residents understand the threats posed by invasive species and the actions they can take to mitigate these threats. By fostering a sense of community responsibility and empowering individuals with knowledge, these campaigns can effectively mobilize local populations to participate in prevention and control efforts. This approach is equally applicable to Arizona, where invasive species such as buffelgrass, quagga mussels, and tamarisk pose significant threats to native ecosystems and biodiversity. In Arizona, similar education and outreach efforts can be instrumental in managing these challenges. Programs could be developed to educate the public about the specific invasive species present in the state, their ecological and economic impacts, and the best practices for preventing their introduction and spread. For instance, buffelgrass is a highly invasive grass that outcompetes native vegetation and increases wildfire risks. An educational campaign in Arizona could focus on identifying buffelgrass, understanding its dangers, and promoting eradication efforts among property owners and land managers. Public workshops and field demonstrations could teach effective removal techniques, while informational materials distributed through community centers, schools, and online platforms could reach a wider audience. Similarly, outreach programs addressing the issue of quagga mussels in Arizona's waterways could highlight the importance of cleaning boats and equipment to prevent the spread of these invasive mussels. Collaborations with boating and fishing communities, as well as local businesses, could amplify these messages and encourage widespread adoption of preventative measures. Last, but not least, Arizona could benefit from initiatives targeting the tamarisk, an invasive shrub that consumes large amounts of water and displaces native plants along rivers and streams. Educational efforts could inform landowners and conservation groups about the ecological impacts of tamarisk and the benefits of native plant restoration. Community-based removal projects and volunteer events could also be organized to engage the public directly in eradication efforts.

As introduced in the previous paragraphs, the process of collaborative governance involves bringing together multiple stakeholders to collectively make decisions and manage resources. In the case of uranium mining and related activities in the state of Arizona, the mentioned stakeholders could include mining companies, nuclear-generating stations, government agencies, environmental organizations, and last but not least, local communities such as the Navajo Nation. Each listed stakeholder brings a unique perspective and a set of knowledge to the discussion table, which can lead to more comprehensive and effective

conservation strategies. Community engagement is a key component of the described model, since it involves actively involving the entire community in decision-making processes, ensuring that all the voices are heard, and their concerns are addressed. In the context of uranium mining and related activities, this process could involve the Navajo community in monitoring programs, decision-making processes, and needed remediation efforts. The latter inclusion of the Navajo population not only empowers the community but also ensures that conservation strategies are culturally appropriate and locally relevant. Towards this aim, the state of Wyoming provides a successful example of a collaborative governance approach [116]. Within the mentioned state, the management of uranium mining offers a positive example of both collaborative governance and multiple-stakeholder engagement. The state of Wyoming is home to some of the largest uranium deposits in the U.S. and mining operations have played a significant role in the local economy. In recent years, Wyoming has embraced a collaborative approach that brings together mining companies, state and federal agencies, environmental groups, and local communities to ensure sustainable and responsible mining practices. Indeed, a notable success story is the Smith Ranch-Highland Uranium Project, where industry leaders like Cameco have worked closely with local stakeholders to implement in situ recovery (ISR) mining techniques. ISR is a more environmentally friendly method that minimizes surface disturbance and water usage [117]. The latter collaboration has resulted in effective management of the environmental impact of mining operations and has fostered trust and cooperation among stakeholders. Moreover, by involving local communities in decision-making and monitoring processes, the state of Wyoming has ensured that the benefits of uranium mining are shared equitably and that the concerns of all parties, including Native American tribes, are addressed. This inclusive approach not only promotes economic development but also helps to preserve the ecological and cultural integrity of the region, making it a model for other states to follow in managing natural resources.

3.2. Technological Innovations Towards Conservation

Urban expansion poses significant threats to natural resources and biodiversity within Arizona. However, technological innovations offer new tools and strategies to address these challenges effectively [118]. By leveraging technology, it is possible to monitor urban growth, predict its impacts, and implement measures to mitigate negative consequences on the environment. A notable example of using technological innovation to manage urban expansion is Maryland's GreenPrint program [119]. Launched in the early 2000s, this initiative employs Geographic Information System (GIS) technology to identify and prioritize lands for conservation. The program integrates data on biodiversity, water quality, and land use to create a comprehensive map of ecological priorities. Using GIS and remote sensing, the program assesses the ecological value of lands across the state, helping to identify critical areas that provide essential ecosystem services. The GreenPrint map highlights areas most in need of protection, guiding state and local conservation efforts. By providing an online map accessible to the public, the program promotes transparency and community engagement in conservation planning. Through targeted efforts guided by GreenPrint, Maryland has successfully preserved thousands of acres of critical habitats. Additionally, the program has influenced land use policies, encouraging sustainable development practices. The principles and techniques used in Maryland's GreenPrint program can be highly applicable to Arizona. With its diverse landscapes, ranging from deserts to forests, Arizona faces unique challenges in balancing development with conservation. By adopting similar GIS-based strategies, Arizona can effectively identify areas that need protection and manage urban expansion more sustainably. This technology can help map out high-priority conservation areas, monitor changes in land use, and assess the potential impacts of development projects. Furthermore, integrating other technologies such as remote sensing, satellite imagery, and data analytics can enhance Arizona's ability to track urban growth in real time. These tools provide valuable insights into patterns of land use change, helping policymakers and planners make informed decisions. For instance, remote

sensing can detect changes in vegetation cover and water bodies, while data analytics can predict future growth trends based on current urbanization patterns. In addition to monitoring and assessment, technology can facilitate public engagement and collaboration, which are crucial for successful land use planning. Interactive platforms and mobile applications can be developed to involve citizens in the planning process, allowing them to contribute their knowledge and preferences. This leads to more transparent and inclusive decision-making, ensuring that the needs and values of local communities are considered. Moreover, adopting green building technologies and promoting sustainable urban design can further mitigate the environmental impacts of urban expansion in Arizona. Techniques such as energy-efficient construction, water-saving landscaping, and renewable energy integration can reduce the ecological footprint of new developments. Finally, encouraging compact, mixed-use developments can also minimize land consumption and promote more efficient use of infrastructure.

Investing in renewable energy sources and energy efficiency measures is an essential step for tackling the pressing issue of climate change. The latter process involves enhancing the use of solar, wind, and other renewable energy sources, as well as implementing policies that promote energy conservation and efficiency across various sectors [120]. Furthermore, improving monitoring and research efforts is also vital to track changes in biodiversity and ecosystem dynamics in response to climate change. For instance, establishing comprehensive data collection systems, employing satellite technology, and engaging in field studies is a proper way to understand how climate change affects different species and habitats [121]. Such efforts enable the development of more targeted and effective conservation strategies. For instance, California has implemented ambitious renewable energy goals and climate adaptation plans to address the impacts of climate change on its ecosystems and communities. One of the cornerstone initiatives is California's Renewables Portfolio Standard, which mandates that 60% of the state's electricity must come from renewable sources by 2030, with a target of 100% clean, carbon-free electricity by 2045 [122]. This has led to significant investments in solar, wind, and geothermal energy, making California a leader in renewable energy production. Additionally, California has developed comprehensive climate adaptation plans, such as the Safeguarding California Plan. This plan outlines specific actions to protect the state's residents, infrastructure, and natural systems from climate impacts. It includes measures to enhance water conservation, manage flood risks, and protect coastal areas from sea-level rise. The plan also emphasizes the importance of preserving biodiversity through habitat restoration and the establishment of wildlife corridors that allow species to migrate in response to changing environmental conditions. Moreover, California has implemented the Climate Action Plan for Transportation Infrastructure, which aims to reduce greenhouse gas emissions from the transportation sector by promoting public transit, electric vehicles, and sustainable urban planning [123]. Such a comprehensive approach not only addresses energy production but also targets significant emission sources, contributing to a more holistic climate strategy. The introduced initiatives serve as a model for other states by demonstrating the importance of proactive and comprehensive approaches to climate change: California's success illustrates that ambitious renewable energy targets, detailed adaptation plans, and integrated policies across various sectors can effectively mitigate and adapt to the impacts of climate change. Indeed, states like Arizona can tailor similar strategies to their unique environmental and socio-economic contexts. The state's diverse ecosystems, ranging from deserts to mountainous regions, are highly sensitive to climate variations. Implementing climate adaptation strategies for Arizona's native species and ecosystems can help preserve the unique biodiversity of the region. Assisted migration programs could be used to relocate species from lower elevations to cooler, higher-altitude areas as temperatures rise. Additionally, Arizona's vast potential for solar energy makes investing in renewable energy sources a logical and impactful step. By harnessing its abundant sunlight, Arizona can significantly reduce its greenhouse gas emissions and lead the way in renewable energy adoption. Moreover, enhancing monitoring and research efforts in Arizona would provide valuable insights into how climate change

affects its specific ecosystems. This could involve collaborations with local universities and research institutions to track changes in plant and animal populations, water resources, and other critical environmental indicators. By learning from states like California, Arizona can develop and implement comprehensive climate adaptation strategies that address its unique environmental challenges and contribute to a more sustainable future.

In Section 2.2, we understood water conservation is a critical issue in the arid region of Arizona. However, technological innovation can play a significant role in enhancing water conservation efforts: for instance, smart water management apps and IoT technologies can provide real-time data monitoring and leak detection [124]. Advanced leak detection systems, powered by artificial intelligence and remote monitoring solutions, can revolutionize the way leaks are identified and prevented, leading to significant water savings [125]. Additionally, sustainable water management innovations such as rainwater harvesting systems and solar-powered purification methods promote eco-friendly initiatives and sustainable water resource management [126]. A successful example of technology involved in water management can be seen in the state of Alabama, where The Nature Conservancy (TNC) nonprofit organization and partners saved nearly 600 additional acres of longleaf pine forest from future development [127]. TNC relied on water-saving irrigation systems to encourage the adoption of water-saving irrigation techniques such as drip, micro, or center pivot irrigation endowed with real-time data monitoring and leak detection. Such technologies help to convert rain-fed farmland to irrigated farmland, leading to more efficient water use. The introduced project demonstrates how conservation efforts can be combined with technological innovation to manage water resources effectively. Applying these innovations to Arizona could have a significant impact. The ADWR already encourages and promotes the wise and efficient use of water through the development and distribution of conservation resources and tools. However, by integrating technological innovations like smart water management apps, advanced leak detection systems, and sustainable water management practices into their existing conservation strategies, Arizona could further enhance its water conservation efforts. This would not only help to preserve the state's precious water resources but also contribute to a more sustainable future for Arizona.

Technological innovation has been instrumental in enhancing invasive species management across the globe [128]. Such innovations offer valid opportunities to advance invasion science knowledge, enhance management actions, and guide policy strategies. The latter include standardizing invasive species occurrence documentation, environmental information, and other data to increase sharing and usability between scientists and stakeholders; integrating semi-autonomous remote environmental sensors to increase opportunities for early detection; developing predictive computer modeling to better understand the likeliest potential pathways of spread; and creating universal language and terminology to increase lines of communication between scientists, decision-makers, and managers. Improving invasive species management in Arizona through technological innovation is crucial for protecting its unique ecosystems. A successful example can be found in Florida's battle against invasive species such as the Burmese python [129]: Florida has employed advanced technologies, including Global Positioning System (GPS) tracking, drones, and thermal imaging, to locate and manage invasive populations. GPS tracking allows researchers to monitor the movement and behavior of these species, while drones and thermal imaging help in surveying large and inaccessible areas efficiently. This multi-faceted technological approach can be effectively applied to Arizona, which faces threats from invasive species like the tamarisk (saltcedar) and quagga mussels. By utilizing similar technologies, Arizona can enhance the detection, monitoring, and control of invasive species. Integrating these tools with GIS and remote sensing can provide real-time data and predictive analytics, enabling proactive and targeted management strategies. This technological synergy can help safeguard Arizona's biodiversity, water resources, and agricultural productivity from the detrimental impacts of invasive species.

To enhance conservation strategies for uranium mining in Arizona, leveraging technological innovations such as ISR and advanced environmental monitoring systems can

be transformative [130,131]. The ISR technology, which involves injecting a solution into underground ore bodies to dissolve uranium and then pumping it to the surface, offers a significant advantage over traditional open-pit or underground mining. Indeed, the latter method drastically reduces surface disruption and habitat destruction, as it avoids large-scale excavation and minimizes the environmental impact. Additionally, ISR can be paired with cutting-edge environmental monitoring systems that utilize drones, satellite imagery, and real-time sensors to continuously track and assess environmental conditions. Such systems can monitor factors such as water quality, radiation levels, and ecosystem health with high precision, allowing for prompt identification and mitigation of potential issues. An exemplary model of successful integration of these technologies can be seen in the state of Wyoming in the context of the Smith Ranch-Highland Uranium Project, already reported in Section 3.1, where the usage of ISR has been complemented by rigorous groundwater monitoring systems. The applied approach includes advanced techniques for detecting and addressing potential contaminations in real time, coupled with strict regulatory oversight to ensure that environmental standards are met. The latter strategy has proven effective in minimizing surface impact and maintaining water quality, demonstrating that similar approaches could be highly beneficial for Arizona. By adopting ISR technology and enhancing monitoring capabilities, Arizona could reduce the environmental impact of uranium mining activities, protect its unique ecosystems, and ensure more sustainable resource management practices. The described integrated approach could serve as a blueprint for balancing industrial activities with conservation efforts, ultimately fostering a more environmentally responsible mining sector.

3.3. Multidisciplinary Solutions Towards Conservation

Improving urban expansion in Arizona with multidisciplinary solutions involves a comprehensive approach that integrates various fields such as urban planning, ecology, social sciences, and technology [132]. These solutions aim to create sustainable, resilient, and inclusive cities. Indeed, a successful example of this approach can be seen in the Urban Biodiversity and Ecosystem Services (URBES) project [133]: The URBES project uses an integrated social–ecological system approach to urban policymaking, planning, management, and governance. It emphasizes the importance of biodiversity and ecosystem services in urban areas and promotes collaboration between different stakeholders to create more resilient and sustainable urban futures. Applying these multidisciplinary solutions to urban expansion in Arizona could yield significant benefits. For instance, integrating ecological considerations into urban planning could help preserve Arizona's unique desert ecosystems while accommodating urban growth. Similarly, fostering collaboration between policymakers, urban planners, ecologists, and local communities could lead to more inclusive and sustainable urban development strategies. Furthermore, leveraging technology could enhance urban planning and management, such as using GIS for better land use planning and decision-making.

Addressing climate change in Arizona through multidisciplinary solutions requires a comprehensive strategy that combines elements from diverse domains such as climate science, technology, social sciences, and policy formulation [134]. These solutions aim to create sustainable, resilient, and inclusive strategies to mitigate and adapt to climate change. A successful example of this approach can be seen in the state of Oregon's Climate Action Plan [135]. The plan represents a multidisciplinary approach to climate change that involves multiple disciplines, including science, engineering, social science, and the humanities. It sets ambitious targets for reducing greenhouse gas emissions, increasing renewable energy production, and improving energy efficiency. Finally, the plan also emphasizes the importance of community involvement and social equity in climate change solutions. Applying these multidisciplinary solutions to climate change management in Arizona could yield significant benefits. For instance, integrating climate science into policymaking could help Arizona develop effective climate policies that are grounded in the latest scientific research. Similarly, fostering collaboration between policymakers, climate

scientists, technologists, and local communities could lead to more inclusive and sustainable climate strategies. Last, but not least, leveraging technology could enhance climate change management, such as using advanced energy storage solutions and renewable energy technologies to reduce greenhouse gas emissions.

Enhancing practices related to water resource management in Arizona with multidisciplinary solutions involves a comprehensive approach that integrates various fields such as hydrology, technology, social sciences, and policy-making [136]. Such solutions aim to create sustainable, resilient, and inclusive strategies to manage water resources effectively. A successful example of this approach can be seen in the American Water Resources Association's (AWRA) multidisciplinary approach [137]. The AWRA brings together scientists, researchers, academics, and stakeholders from the private and public sectors to solve critical water issues in the U.S. and abroad. Scientists make use of modern tools such as high-performance cloud computing, geospatial data visualization, data analytics, and machine learning/artificial intelligence to develop novel decision-making frameworks and web-based applications integral to water resources management. Applying these multidisciplinary solutions to water resource management in Arizona could yield significant benefits. For instance, integrating hydrological science into policy-making could help Arizona develop effective water management policies that are grounded in the latest scientific research. Similarly, fostering collaboration between policymakers, hydrologists, technologists, and local communities could lead to more inclusive and sustainable water management strategies. Finally, leveraging technology could enhance water resource management, such as using advanced data analytics and artificial intelligence to optimize water distribution and consumption.

Enhancing the management of invasive species in Arizona through multidisciplinary solutions requires a comprehensive strategy that amalgamates elements from diverse areas such as ecology, technology, social sciences, and policy-making [138]. A successful example of this approach can be seen in New York State's use of the iMapInvasives tool [139]: iMapInvasives is an online, collaborative, GIS-based database and mapping tool that has served as the official invasive species database for New York State since 2010. The latter tool allows for the collection, sharing, and analysis of data related to invasive species, facilitating better decision-making and more effective management strategies. Applying these multidisciplinary solutions to invasive species management in Arizona could yield significant benefits. For instance, a tool similar to iMapInvasives could be developed or adopted for Arizona, allowing for better data collection and sharing among stakeholders involved in invasive species management. This could lead to more informed and effective strategies for managing invasive species in the state. Furthermore, fostering collaboration between policymakers, ecologists, technologists, and local communities could lead to more inclusive and sustainable invasive species management strategies.

Improving conservation strategies for uranium mining and related activities in the state of Arizona can benefit significantly from a multidisciplinary approach that combines expertise from environmental science, engineering, and community planning. Indeed, integrating the previously mentioned fields can lead to more holistic solutions that address both ecological and socio-economic impacts. For instance, employing advanced bioremediation techniques, which involve using microorganisms to detoxify contaminated soil and water, can complement traditional environmental management practices [140]. The latter approach can be combined with state-of-the-art geospatial technologies to map and monitor environmental changes in real time, ensuring effective oversight and early detection of issues. Successful examples of the described multidisciplinary strategy are found in the U.S. states of New Mexico and Tennessee, where the usage of bioremediation in conjunction with enhanced site remediation and community engagement initiatives has been employed both at uranium mining sites and river basins [141]. In particular, bioremediation of uranium is the usage of biological agents such as bacteria, plants, and fungi to decontaminate sites affected by radionuclides. The latter process involves reducing uranium bioavailability in the environment through microbial processes. The bioremedi-

ation approach not only addresses contamination but also involves local stakeholders in the monitoring and restoration processes, resulting in improved environmental outcomes and community trust. By adopting similar integrated strategies, Arizona could enhance its conservation efforts, reduce the environmental impact of uranium mining, and promote sustainable practices that benefit both the environment and local communities.

3.4. Law Changes Towards Conservation

Improving urban expansion management in Arizona through legislative changes is vital to ensure sustainable growth. An effective example can be found in Boulder, Colorado, which has implemented an innovative approach called "growth management ordinances" [103,142]. Boulder's laws include strict annual limits on the number of building permits issued, thereby controlling the rate of urban expansion. Such a legislative approach has successfully limited sprawl, preserved open spaces, and maintained the city's quality of life. Arizona can adopt similar legal frameworks to manage rapid urban growth in cities like Phoenix and Tucson. Indeed, by instituting permit caps and prioritizing developments that adhere to sustainability principles, Arizona can curb uncontrolled sprawl. Additionally, incorporating legal incentives for developers to focus on infill projects and redeveloping underutilized urban areas can further promote efficient land use and reduce the environmental impact of urbanization. As a final result, such legislative measures can help Arizona achieve balanced and sustainable urban growth, preserving natural landscapes and ensuring long-term livability.

Addressing climate change in Arizona requires robust legal frameworks to reduce greenhouse gas emissions and enhance resilience. California's cap-and-trade program serves as an exemplary model [143]. Such a market-based approach sets a cap on total emissions while allowing industries to buy and sell allowances, incentivizing reduction efforts. Implementing a similar cap-and-trade system in Arizona could significantly lower emissions from key sectors such as energy and transportation. Additionally, laws mandating increased renewable energy adoption and energy efficiency standards can further bolster Arizona's climate change mitigation efforts. Hence, by adopting these legal measures, Arizona can drive economic growth through green technology and job creation, while simultaneously reducing its carbon footprint and preparing for climate impacts.

Effective water resource management in Arizona can be greatly enhanced through legal reforms. An illustrative case is Nevada's water banking system, particularly in the Las Vegas Valley [144]. Water banking allows for the storage of unused water rights for future use, creating a reserve during times of scarcity. Arizona can implement a similar legal framework to manage its over-allocated water resources, particularly from the Colorado River. Establishing water banks and promoting water-saving technologies through legal incentives can ensure a more sustainable water supply. Moreover, laws that encourage the use of recycled and reclaimed water can significantly reduce the demand for freshwater sources. As a final result, the introduced legal strategies can help Arizona balance its water needs between urban, agricultural, and environmental demands.

Enhancing invasive species management in Arizona through legislative changes is critical to protecting its ecosystems. A successful example is the state of Hawaii, which has enacted stringent biosecurity laws to prevent the introduction and spread of invasive species [115,145]. In particular, Hawaii's legislation includes mandatory inspections and quarantines for goods and travelers, as well as strict penalties for non-compliance. Arizona can adopt similar legal measures to strengthen its defense against invasive species such as the quagga mussel and buffelgrass. Indeed, by enacting laws that require rigorous inspections and impose penalties for the introduction of invasive species, Arizona can better control and prevent their spread. Finally, legal provisions that support rapid response teams and continuous monitoring can enhance the state's ability to manage and eradicate invasive species effectively.

Finally, to enhance conservation efforts related to uranium mining in Arizona, the state could implement more strict regulations and protections modeled after the successful

approach of the state of Wyoming, which has effectively balanced resource extraction with environmental conservation [116,146]. Wyoming has implemented a comprehensive set of laws that require mining companies to adhere to rigorous environmental standards, including detailed remediation plans and regular inspections to ensure compliance. Arizona could adopt similar measures by mandating more stringent environmental impact assessments prior to the approval of uranium mining projects. The latter assessments would include detailed analyses of potential impacts on local ecosystems, groundwater, and surrounding communities. Additionally, Arizona could establish a state-managed fund supported by mining revenues to finance long-term environmental monitoring and land restoration projects, ensuring that mined areas are returned to their natural state. As we already mentioned in Section 3.1, the state of Wyoming's approach also includes collaboration with local communities and stakeholders, ensuring that conservation efforts align with regional economic and environmental priorities. By integrating the mentioned strategies, Arizona could enhance its regulatory framework to better protect its unique natural landscapes while still allowing for responsible resource development.

4. Conclusions

In the present study, we evaluated the current state of conservation efforts in Arizona, highlighting the importance of preserving its diverse natural resources, including wildlife, flora, unique ecosystems, and water resources. The assessment of governmental plans and laws reveals that while there have been positive impacts, significant gaps remain. Such gaps highlight critical conservation challenges such as urban expansion, climate change, water resource management, proliferation of invasive species, and environmental impacts due to uranium mining and related activities.

Urban expansion continues to pose a significant threat to Arizona's natural landscapes and ecosystems. The rapid growth of cities leads to habitat fragmentation and loss, affecting wildlife and plant species. Climate change exacerbates these issues by altering temperature and precipitation patterns, which in turn affect water availability and the health of ecosystems. Effective water resource management is increasingly crucial as Arizona faces prolonged droughts and water scarcity. The spread of invasive species disrupts native biodiversity and complicates conservation efforts. Last, but not least, addressing uranium mining and related activities requires concrete efforts to adopt stricter regulations, enhance land remediation practices, and integrate these efforts with broader conservation strategies to protect Arizona's natural heritage from the cumulative impacts of urbanization, climate change, and environmental degradation.

Addressing the above-mentioned challenges requires targeted strategies that enhance conservation outcomes. Collaborative governance is essential, as it involves multiple stakeholders—including government agencies, local communities, non-profit organizations, and private sector entities—in the decision-making process. Such a collaborative approach ensures that conservation policies are comprehensive and inclusive, reflecting the diverse interests and expertise of all involved parties. Innovative conservation technologies also play a critical role. Indeed, advances in remote sensing, GIS mapping, and environmental monitoring provide valuable data that can inform and optimize conservation strategies. These technologies enable more precise tracking of environmental changes and the effectiveness of conservation interventions. Multidisciplinary solutions are necessary to address the complex and interconnected nature of conservation challenges. Integrating knowledge from fields such as ecology, hydrology, urban planning, and social sciences allows for a holistic understanding and more effective management of natural resources. This interdisciplinary approach facilitates the development of sustainable practices that balance ecological health with human needs. Revisions to existing laws and policies are imperative to address the identified gaps and adapt to emerging challenges. Legal frameworks must be flexible and forward-looking, incorporating the latest scientific insights and technological advancements. Policies should promote sustainable land use, protect critical habitats, and ensure equitable water distribution.

The present research discussed in the article highlights significant advancements in urban climate resilience and sustainable resource management, drawing parallels with similar studies such as the framework for urban climate resilience by Tyler et al. [107] and the evaluation of barriers to climate change adaptation in Florida by Milordis et al. [108]. Such studies emphasize the importance of cross-disciplinary collaboration and the integration of local health department planning actions, as seen even in the work by Holmes et al. [106] in California. Additionally, the comparative analysis of nuclear hydrogen production costs by Soja et al. [15] and the examination of unregulated water issues on Navajo lands by Ingram et al. [28] provide a broader context for understanding the complexities of sustainable resource management. The article further explores the unique environmental challenges faced by the U.S. state of Arizona, where water management is critical, and resilience plans focus on optimizing water use, investing in advanced irrigation technologies, and promoting water recycling and conservation practices. The article also discusses the importance of enhancing urban planning to mitigate the urban heat island effect, increasing urban green spaces, implementing cool roofing technologies, and designing energy-efficient buildings. The role of community education and participation is highlighted as crucial in adopting and supporting resilience measures. Furthermore, the article addresses the impacts on agriculture, suggesting strategies like developing drought-resistant crop varieties, improving soil health, and employing precision agriculture techniques. Collaborative governance and community engagement are presented as promising approaches for sustainable urban growth, drawing comparisons with Portland's comprehensive land use planning system. The multidisciplinary solutions to climate change management, as exemplified by Oregon's Climate Action Plan, are also discussed, emphasizing the integration of diverse domains such as climate science, technology, social sciences, and policy formulation to create sustainable, resilient, and inclusive strategies.

As a conclusion, the conservation of Arizona's natural resources is a multifaceted issue that requires a forward-looking and multidisciplinary approach. The strategies proposed in this article, such as collaborative governance, innovative conservation technologies, and law revisions, offer promising pathways for enhancing conservation outcomes. The study contributes to the global discussion on environmental conservation by providing a case study of Arizona, but the lessons learned here have broader implications. The challenges faced by Arizona are not unique, many regions around the world grapple with similar issues. Therefore, the strategies and solutions proposed in this study could potentially be adapted and applied in other contexts, contributing to the global effort to conserve our planet's precious natural resources. This research underscores the urgency of conservation efforts and the need for continuous innovation and collaboration in this field. The final hope is that the present work will inspire further research and action towards the sustainable management of natural resources, not only in Arizona but even globally.

Funding: This research received no external funding.

Conflicts of Interest: The author declares no conflicts of interest.

References

1. Sayre, N.F. A History of Land Use and Natural Resources in the Middle San Pedro River Valley, Arizona. *J. Southwest* **2011**, *53*, 87–137. [CrossRef]
2. Kim, Y. Drought and elevation effects on MODIS vegetation indices in northern Arizona ecosystems. *Int. J. Remote Sens.* **2013**, *34*, 4889–4899. [CrossRef]
3. Moyle, P.B.; Lund, J.R.; Bennett, W.A.; Fleenor, W.E. Habitat Variability and Complexity in the Upper San Francisco Estuary. *San Fr. Estuary Watershed Sci.* **2010**, *8*, 1–24. [CrossRef]
4. Franklin, K.A.; Sommers, P.N.; Aslan, C.E.; López, B.R.; Bronstein, J.L.; Bustamante, E.; Búrquez, A.; Medellín, R.A.; Marazzi, B. Plant Biotic Interactions in the Sonoran Desert: Current Knowledge and Future Research Perspectives. *Int. J. Plant Sci.* **2016**, *177*, 217–234. [CrossRef]
5. Huffman, D.W.; Roccaforte, J.P.; Springer, J.D.; Crouse, J.E. Restoration applications of resource objective wildfires in western US forests: A status of knowledge review. *Fire Ecol.* **2020**, *16*, 18. [CrossRef]

6. Gottfried, G.J.; Neary, D.G. Multi-Resource Watershed Research in the Southwestern USA and the Four Forests Restoration Initiative: A Review. *J. Multidiscip. Res. Rev.* **2020**, *2*, 81–87.
7. Jolley, G.J.; Khalaf, C.; Michaud, G.L.; Belleville, D. The economic contribution of logging, forestry, pulp & paper mills, and paper products: A 50-state analysis. *For. Policy Econ.* **2020**, *115*, 102140. [CrossRef]
8. Schmidt, J.C.; Yackulic, C.B.; Kuhn, E. The Colorado River water crisis: Its origin and the future. *WIREs Water* **2023**, *10*, e1672. [CrossRef]
9. Goble, P.E.; Schumacher, R.S. On the Sources of Water Supply Forecast Error in Western Colorado. *J. Hydrometeorol.* **2023**, *24*, 2321–2332. [CrossRef]
10. Mpanga, I.K.; Neumann, G.; Schuch, U.K.; Schalau, J. Sustainable Agriculture Practices as a Driver for Increased Harvested Cropland among Large-Scale Growers in Arizona: A Paradox for Small-Scale Growers. *Adv. Sustain. Syst.* **2020**, *4*, 1900143. [CrossRef]
11. Bladh, K.W. Arizona Minerals! *Rocks Miner.* **1981**, *56*, 12–17. [CrossRef]
12. Rasmussen, J.C. Geologic History of Arizona. *Rocks Miner.* **2012**, *87*, 56–63. [CrossRef]
13. U.S. Geological Survey. Area reports—Domestic. In *Minerals Yearbook 2019*, 2019th ed.; U.S. Geological Survey: Reston, VA, USA, 2019; Volume 2. [CrossRef]
14. Brugge, D.; Goble, R. The History of Uranium Mining and the Navajo People. *Am. J. Public Health* **2002**, *92*, 1410–1419. [CrossRef] [PubMed]
15. Soja, R.J.; Gusau, M.B.; Ismaila, U.; Garba, N.N. Comparative analysis of associated cost of nuclear hydrogen production using IAEA hydrogen cost estimation program. *Int. J. Hydrogen Energy* **2023**, *48*, 23373–23386. [CrossRef]
16. U.S. Geological Survey. *Mineral Commodity Summaries 2024*; U.S. Geological Survey: Reston, VA, USA, 2024; 212p. [CrossRef]
17. U.S. Geological Survey. Metals and minerals. In *Minerals Yearbook 2020*, 2020th ed.; U.S. Geological Survey: Reston, VA, USA, 2020; Volume 1. [CrossRef]
18. U.S. Geological Survey. Metals and minerals. In *Minerals Yearbook 2021*, 2021st ed.; U.S. Geological Survey: Reston, VA, USA, 2021; Volume 1. [CrossRef]
19. U.S. Geological Survey. Metals and minerals. In *Minerals Yearbook 2022*, 2022nd ed.; U.S. Geological Survey: Reston, VA, USA, 2022; Volume 1. [CrossRef]
20. Georgescu, M.; Moustaoui, M.; Mahalov, A.; Dudhia, J. Summer-time climate impacts of projected megapolitan expansion in Arizona. *Nat. Clim. Chang.* **2012**, *3*, 37–41. [CrossRef]
21. Perkl, R.; Norman, L.M.; Mitchell, D.; Feller, M.; Smith, G.; Wilson, N.R. Urban growth and landscape connectivity threats assessment at Saguaro National Park, Arizona, USA. *J. Land Use Sci.* **2018**, *13*, 102–117. [CrossRef]
22. Georgescu, M.; Broadbent, A.M.; Wang, M.; Krayenhoff, E.S.; Moustaoui, M. Precipitation response to climate change and urban development over the continental United States. *Environ. Res. Lett.* **2021**, *16*, 044001. [CrossRef]
23. Shamir, E.; Megdal, S.B.; Carrillo, C.; Castro, C.L.; Chang, H.-I.; Chief, K.; Corkhill, F.E.; Eden, S.; Georgakakos, K.P.; Nelson, K.M.; et al. Climate change and water resources management in the Upper Santa Cruz River, Arizona. *J. Hydrol.* **2015**, *521*, 18–33. [CrossRef]
24. Dettinger, M.; Udall, B.; Georgakakos, A. Western water and climate change. *Ecol. Appl.* **2015**, *25*, 2069–2093. [CrossRef]
25. Lyons, K.G.; Maldonado-Leal, B.G.; Owen, G. Community and ecosystem effects of buffelgrass (Pennisetum ciliare) and nitrogen deposition in the Sonoran Desert. *Invasive Plant Sci. Manag.* **2013**, *6*, 65–78. [CrossRef]
26. Hedrick, P.W.; McDonald, C.J. Stinknet, A New Invasive, Non-native Plant in the Southwestern United States. *Desert Plants* **2020**, *36*, 5–16. Available online: https://www.sdcwma.org/docs/stinknet_desert_plants.pdf (accessed on 18 June 2024).
27. Raschke, A.B.; Davis, J.; Quiroz, A. The Central Arizona Conservation Alliance Programs: Use of Social Media and App-Supported Community Science for Landscape-Scale Habitat Restoration, Governance Support, and Community Resilience-Building. *Land* **2022**, *11*, 137. [CrossRef]
28. Ingram, J.C.; Jones, L.; Credo, J.; Rock, T. Uranium and arsenic unregulated water issues on Navajo lands. *J. Vac. Sci. Technol. A* **2020**, *38*, 031003. [CrossRef] [PubMed]
29. Bennett, S.; Wheaton, J.; Bouwes, N.; Shahverdian, S.; Macfarlane, W.W.; Portugal, E. Chapter 3—Planning for Low-Tech Process-Based Restoration. In *Low-Tech Process-Based Restoration of Riverscapes: Design Manual—Version 1.0*; Wheaton, J.M., Bennett, S., Shahverdian, S., Maestas, J.D., Eds.; Utah State University Wheaton Ecogeomorphology & Topographic Analysis Lab: Logan, UT, USA, 2019. [CrossRef]
30. Maher, A.T.; Ashwell, N.E.Q.; Tanaka, J.A.; Ritten, J.P.; Maczko, K.A. Financial barriers and opportunities for conservation adoption on US rangelands: A region-wide, ranch-level economic assessment of NRCS-sponsored Greater Sage-grouse habitat conservation programs. *J. Environ. Manag.* **2023**, *329*, 116420. [CrossRef]
31. Briske, D.D.; Bestelmeyer, B.T.; Brown, J.R.; Brunson, M.W.; Thurow, T.L.; Tanaka, J.A. Assessment of USDA-NRCS rangeland conservation programs: Recommendation for an evidence-based conservation platform. *Ecol. Appl.* **2016**, *27*, 94–104. [CrossRef] [PubMed]
32. Schaefer, G.L.; Cosh, M.H.; Jackson, T.J. The USDA Natural Resources Conservation Service Soil Climate Analysis Network (SCAN). *J. Atmos. Ocean. Technol.* **2007**, *24*, 2073–2077. [CrossRef]
33. Liu, P.; Wang, Y.; Zhang, W. The influence of the Environmental Quality Incentives Program on local water quality. *Am. J. Agric. Econ.* **2023**, *105*, 27–51. [CrossRef]

34. Paveglio, T.B.; Edgeley, C.M. Variable support and opposition to fuels treatments for wildfire risk reduction: Melding frameworks for local context and collaborative potential. *J. For.* **2023**, *121*, 354–373. [CrossRef]
35. Sommers, P.; Davis, A.; Chesson, P. Invasive buffel grass (Cenchrus ciliaris) increases water stress and reduces success of native perennial seedlings in southeastern Arizona. *Biol. Invasions* **2022**, *24*, 1809–1826. [CrossRef]
36. Chenarides, L.; Grebitus, C.; Lusk, J.L.; Printezis, I. Who practices urban agriculture? An empirical analysis of participation before and during the COVID-19 pandemic. *Agribusiness* **2021**, *37*, 142–159. [CrossRef]
37. Iwaniec, D.M.; Cook, E.M.; Davidson, M.J.; Berbés-Blázquez, M.; Grimm, N.B. Integrating existing climate adaptation planning into future visions: A strategic scenario for the central Arizona-Phoenix region. *Landsc. Urban Plan.* **2020**, *200*, 103820. [CrossRef]
38. Murphy, L. State of Families Brief Report: Arizona (2023). *Marriage Fam. Rev.* **2024**, *60*, 20–30. [CrossRef]
39. Walker, K. *Analyzing US Census Data: Methods, Maps, and Models in R*, 1st ed.; Chapman and Hall/CRC: New York, NY, USA, 2023; ISBN 9780203711415. [CrossRef]
40. Hauser, P.M. Wartime Population Changes and Postwar Prospects. *J. Mark.* **1944**, *8*, 238–248. [CrossRef]
41. Taeuber, C. Wartime Population Changes in the United States. *Milbank Meml. Fund Q.* **1946**, *24*, 235–250. [CrossRef]
42. Li, X.; Zhou, Y.; Zhu, Z.; Cao, W. A national dataset of 30 m annual urban extent dynamics (1985–2015) in the conterminous United States. *Earth Syst. Sci. Data* **2020**, *12*, 357–371. [CrossRef]
43. Kane, K.; Tuccillo, J.; York, A.M.; Gentile, L.; Ouyang, Y. A spatio-temporal view of historical growth in Phoenix, Arizona, USA. *Landsc. Urban Plan.* **2014**, *121*, 70–80. [CrossRef]
44. Frankson, R.; Kunkel, K.E.; Stevens, L.E.; Easterling, D.R.; Brown, T.; Selover, N.; Saffell, E. Arizona State Climate Summary 2022. In *NOAA Technical Report NESDIS 150*; Kunkel, K.E., Frankson, R., Runkle, J., Champion, S.M., Stevens, L.E., Easterling, D.R., Stewart, B.C., McCarrick, A., Lemery, C.R., Eds.; NOAA/NESDIS: Silver Spring, MD, USA, 2022. Available online: https://statesummaries.ncics.org/downloads/Arizona-StateClimateSummary2022.pdf (accessed on 18 June 2024).
45. Lisonbee, J.; Ossowski, E.; Muth, M.; Deheza, V.; Sheffield, A. Preparing for long-term drought and aridification. *Bull. Am. Meteorol. Soc.* **2022**, *103*, E821–E827. [CrossRef]
46. Camacho, A.E.; McLachlan, J.S. Regulatory fragmentation: An unexamined barrier to species conservation under climate change. *Front. Clim.* **2021**, *3*, 735608. [CrossRef]
47. Oliver, M.D.; Stout, M. Examining natural resource management through a community development theoretical lens. *Community Dev.* **2022**, *53*, 130–149. [CrossRef]
48. Mpanga, I.K.; Idowu, O.J. A decade of irrigation water use trends in southwestern USA: The role of irrigation technology, best management practices, and outreach education programs. *Agric. Water Manag.* **2021**, *243*, 106438. [CrossRef]
49. Boyer, A.L.; Le Lay, Y.F.; Marty, P. Coping with scarcity: The construction of the water conservation imperative in newspapers (1999–2018). *Glob. Environ. Chang.* **2021**, *71*, 102387. [CrossRef]
50. Tillman, F.D.; Flynn, M.E. Arizona Groundwater Explorer: Interactive maps for evaluating the historical and current groundwater conditions in wells in Arizona, USA. *Hydrogeol. J.* **2024**, *32*, 645–661. [CrossRef]
51. Larson, K.L.; Gustafson, A.; Hirt, P. Insatiable thirst and a finite supply: An assessment of municipal water-conservation policy in greater Phoenix, Arizona, 1980–2007. *J. Policy Hist.* **2009**, *21*, 107–137. [CrossRef]
52. Hirt, P.; Snyder, R.; Hester, C.; Larson, K. Water consumption and sustainability in Arizona: A tale of two desert cities. *J. Southwest* **2017**, *59*, 264–301. [CrossRef]
53. Tillman, F.D.; Leake, S.A. Trends in groundwater levels in wells in the active management areas of Arizona, USA. *Hydrogeol. J.* **2010**, *18*, 1515–1524. [CrossRef]
54. Tillman, F.D.; Gangopadhyay, S.; Pruitt, T. Recent and projected precipitation and temperature changes in the Grand Canyon area with implications for groundwater resources. *Sci. Rep.* **2020**, *10*, 19740. [CrossRef] [PubMed]
55. Brassel, K.E.; Reif, D. A procedure to generate Thiessen polygons. *Geogr. Anal.* **1979**, *11*, 289–303. [CrossRef]
56. Hatchett, B.J.; Rhoades, A.M.; McEvoy, D.J. Decline in Seasonal Snow during a Projected 20-Year Dry Spell. *Hydrology* **2022**, *9*, 155. [CrossRef]
57. Bernat, R.F.A.; Megdal, S.B.; Eden, S.; Bakkensen, L.A. Stakeholder Opinions on the Issues of the Central Arizona Groundwater Replenishment District and Policy Alternatives. *Water* **2023**, *15*, 1166. [CrossRef]
58. Holyoke, T.T. *Water Politics: The Fragmentation of Western Water Policy*, 1st ed.; Routledge: London, UK, 2023; ISBN 9781003341628. [CrossRef]
59. Anderies, J.M.; Smith-Heisters, S.; Eakin, H. Modeling interdependent water uses at the regional scale to engage stakeholders and enhance resilience in Central Arizona. *Reg. Environ. Chang.* **2020**, *20*, 100. [CrossRef]
60. Zuniga-Teran, A.A.; Tortajada, C. Water policies and their effects on water usage: The case of Tucson, Arizona. *Water Util. J.* **2021**, *28*, 1–17. Available online: https://www.ewra.net/wuj/pdf/WUJ_2021_28_01.pdf (accessed on 18 June 2024).
61. Childs, D.E. *Cooperative Fish and Wildlife Research Units Program—2021 Year in Review*; U.S. Geological Survey Circular 1491: Reston, VA, USA, 2022; pp. 1–25. [CrossRef]
62. Larson, K.L.; Rosales Chavez, J.-B.; Brown, J.A.; Morales-Guerrero, J.; Avilez, D. Human–Wildlife Interactions and Coexistence in an Urban Desert Environment. *Sustainability* **2023**, *15*, 3307. [CrossRef]
63. Hahn, E.E.; Culver, M. Genetic diversity and structure in Arizona pronghorn following conservation efforts. *Conserv. Sci. Pract.* **2021**, *3*, e498. [CrossRef]

64. O'Shea, T.J.; Cryan, P.M.; Bogan, M.A. United States bat species of concern: A synthesis. In *Proceedings of the California Academy of Sciences*, 4th ed.; California Academy of Sciences: San Francisco, CA, USA, 2018; Volume 65, pp. 1–279.
65. Wallace, J.E.; Steidl, R.J.; Swann, D.E. Habitat characteristics of lowland leopard frogs in mountain canyons of southeastern Arizona. *J. Wildl. Manag.* **2010**, *74*, 808–815. [CrossRef]
66. Thomas, K.A.; Jarchow, C.J.; Arundel, T.R.; Jamwal, P.; Borens, A.; Drost, C.A. Landscape-scale wildlife species richness metrics to inform wind and solar energy facility siting: An Arizona case study. *Energy Policy* **2018**, *116*, 145–152. [CrossRef]
67. Larson, K.L.; Fleeger, M.; Lerman, S.B.; Wheeler, M.M.; Andrade, R.; Brown, J.A.; Hall, S.J.; Narango, D.L. Who is abuzz about bees? Explaining residents' attitudes in Phoenix, Arizona. *Urban Ecosyst.* **2021**, *24*, 35–48. [CrossRef]
68. Lien, A.M.; Baldwin, E.; Franklin, K. Collective action and invasive species governance in southern Arizona. *Rangel. Ecol. Manag.* **2021**, *74*, 151–164. [CrossRef]
69. Carpenter, M.H.; Harpur, B.A. Genetic past, present, and future of the honey bee (*Apis mellifera*) in the United States of America. *Apidologie* **2021**, *52*, 63–79. [CrossRef]
70. Stahlschmidt, Z.R.; Walman, R.M.; Mills, A.M. Red imported fire ants (*Solenopsis invicta*) and seasonality influence community refuge use. *Biol. Invasions* **2018**, *20*, 2849–2859. [CrossRef]
71. Bechert, U.S. Regional Conservation, Research, and Education: Ways Forward. *J. Zool. Bot. Gard.* **2023**, *4*, 288–291. [CrossRef]
72. Dayer, A.A.; Redford, K.H.; Campbell, K.J.; Dickman, C.R.; Epanchin-Niell, R.S.; Grosholz, E.D.; Hallac, D.E.; Leslie, E.F.; Richardson, L.A.; Schwartz, M.W. The unaddressed threat of invasive animals in US National Parks. *Biol. Invasions* **2020**, *22*, 177–188. [CrossRef]
73. Calfee, E.; Agra, M.N.; Palacio, M.A.; Ramírez, S.R.; Coop, G. Selection and hybridization shaped the rapid spread of African honey bee ancestry in the Americas. *PLoS Genet.* **2020**, *16*, e1009038. [CrossRef] [PubMed]
74. Loh, M.M.; Sugeng, A.; Lothrop, N.; Klimecki, W.; Cox, M.; Wilkinson, S.T.; Lu, Z.; Beamer, P.I. Multimedia exposures to arsenic and lead for children near an inactive mine tailings and smelter site. *Environ. Res.* **2016**, *146*, 331–339. [CrossRef] [PubMed]
75. Lewis, J.; Hoover, J.; MacKenzie, D. Mining and Environmental Health Disparities in Native American Communities. *Curr. Environ. Health Rep.* **2017**, *4*, 130–141. [CrossRef]
76. David, M. Clean up Your Act: The US Government's CERCLA Liability for Uranium Mines on the Navajo Nation. *Univ. Chic. Law Rev.* **2023**, *90*, 1771. Available online: https://heinonline.org/HOL/P?h=hein.journals/uclr90&i=1808 (accessed on 18 June 2024).
77. Tillman, F.D.; Beisner, K.R.; Jones, C.J. Arsenic in groundwater in the Grand Canyon region and an evaluation of potential pathways for arsenic contamination of groundwater from breccia pipe uranium mining. *PLoS Water* **2023**, *2*, e0000109. [CrossRef]
78. Pearce, J.M. Limitations of Nuclear Power as a Sustainable Energy Source. *Sustainability* **2012**, *4*, 1173–1187. [CrossRef]
79. Kyne, D.; Bolin, B. Emerging Environmental Justice Issues in Nuclear Power and Radioactive Contamination. *Int. J. Environ. Res. Public Health* **2016**, *13*, 700. [CrossRef] [PubMed]
80. Endangered Species Act (ESA). *Endangered Species Act of 1973*; Public Law 93-205; Endangered Species Act: Washington, DC, USA, 1973.
81. Gifford, T.S.; Zobel, J.M.; Shartell, L.M. Modeling Potential Changes in Rare Species Habitat from Planned Timber Harvest in Minnesota, USA. *Forests* **2022**, *13*, 216. [CrossRef]
82. Weiss, K.C.; Iacona, G.D.; Tuñas Corzón, Á.; Davis, O.N.; Kemppinen, K.; Surrey, K.C.; Gerber, L.R. Aligning actions with objectives in endangered species recovery plans. *Conserv. Sci. Pract.* **2021**, *3*, e473. [CrossRef]
83. Morrison, S.; Carter, D.; Ruhl, J.B.; Skaggs, S.; Snape, W., III; Calhoun, M. The ESA at 50. *Environ. Law Report.* **2024**, *54*, 10101–10113. Available online: https://heinonline.org/HOL/P?h=hein.journals/elrna54&i=107 (accessed on 18 June 2024).
84. Greenwald, N.; Suckling, K.F.; Hartl, B.; Mehrhoff, L.A. Extinction and the US endangered species act. *PeerJ* **2019**, *7*, e6803. [CrossRef] [PubMed]
85. Ciccarillo, S. Till the Rivers All Run Dry: Equal Sovereignty and the Western Water Crisis. *Wash. Lee Law Rev. Online* **2023**, *81*, 195–257. Available online: https://heinonline.org/HOL/P?h=hein.journals/waleelro81&i=195 (accessed on 18 June 2024).
86. Glennon, R. Water Exchanges: Arizona's Most Recent Innovation in Water Law and Policy. *Ariz. J. Environ. Law Policy* **2018**, *8*, 1–21. Available online: https://heinonline.org/HOL/P?h=hein.journals/arijel8&i=172 (accessed on 18 June 2024).
87. Vick, M. A Tale of Water Language in the West. *West. Leg. Hist. J. Ninth Judic. Circuit Hist. Soc.* **2023**, *33*, 205–217. Available online: https://heinonline.org/HOL/P?h=hein.journals/wlehist33&i=213 (accessed on 18 June 2024).
88. Weber, E.; Lee, B. Water Briefs. *Water Rep.* **2021**, *208*, 22–26. Available online: https://www.arlis.org/docs/vol2/TheWaterReport/2021/TWR208_Jun_2021.pdf (accessed on 18 June 2024).
89. Virgil, H. The Taylor Grazing Act. *J. Land Public Util. Econ.* **1935**, *11*, 203–206. Available online: https://heinonline.org/HOL/P?h=hein.journals/jlpue11&i=205 (accessed on 18 June 2024).
90. Blumm, M.C.; Hovden, K.; Allen, G. Federal Grazing Lands and Their Suitability as 'Conservation Lands' in the 30 by 30 Program. *Environ. Law Rep.* **2022**, *52*, 1–38. [CrossRef]
91. Bruegger, R.A.; Varelas, L.A.; Howery, L.D.; Torell, L.A.; Stephenson, M.B.; Bailey, D.W. Targeted grazing in southern Arizona: Using cattle to reduce fine fuel loads. *Rangel. Ecol. Manag.* **2016**, *69*, 43–51. [CrossRef]
92. Kyl, J.L. The 1980 Arizona Groundwater Management Act: From Inception to Current Constitutional Challenge. *Univ. Colo. Law Rev.* **1982**, *53*, 471–504. Available online: https://heinonline.org/HOL/P?h=hein.journals/ucollr53&i=503 (accessed on 18 June 2024).

93. Bernat, R.F.A.; Megdal, S.B.; Eden, S. Long-Term Storage Credits: Analyzing Market-Based Transactions to Achieve Arizona Water Policy Objectives. *Water* **2020**, *12*, 568. [CrossRef]
94. Saito, L.; Christian, B.; Diffley, J.; Richter, H.; Rohde, M.M.; Morrison, S.A. Managing groundwater to ensure ecosystem function. *Groundwater* **2021**, *59*, 322–333. [CrossRef]
95. Rock, T.; Ingram, J.C. Traditional Ecological Knowledge Policy Considerations for Abandoned Uranium Mines on Navajo Nation. *Hum. Biol.* **2020**, *92*, 19–26. [CrossRef]
96. Tenen, L. How Much Land Can Be Included in A National Monument?—Analyzing The "Smallest Area Compatible" Requirement in The Antiquities Act. *Environ. Law* **2023**, *53*, 707–746. Available online: https://www.jstor.org/stable/48761210 (accessed on 18 June 2024).
97. Carr Kelman, C.; Brady, U.; Raschke, B.A.; Schoon, M.L. A Systematic Review of Key Factors of Effective Collaborative Governance of Social-Ecological Systems. *Soc. Nat. Resour.* **2023**, *36*, 1452–1470. [CrossRef]
98. Lahoz-Monfort, J.J.; Magrath, M.J. A comprehensive overview of technologies for species and habitat monitoring and conservation. *BioScience* **2021**, *71*, 1038–1062. [CrossRef] [PubMed]
99. Dick, M.; Rous, A.M.; Nguyen, V.M.; Cooke, S.J. Necessary but challenging: Multiple disciplinary approaches to solving conservation problems. *Facets* **2016**, *1*, 67–82. [CrossRef]
100. Bhola, N.; Klimmek, H.; Kingston, N.; Burgess, N.D.; van Soesbergen, A.; Corrigan, C.; Harrison, J.; Kok, M.T.J. Perspectives on area-based conservation and its meaning for future biodiversity policy. *Conserv. Biol.* **2021**, *35*, 168–178. [CrossRef] [PubMed]
101. Giovannoni, G. Urban Containment Planning: Is It Effective? The Case of Portland, OR. *Sustainability* **2021**, *13*, 12925. [CrossRef]
102. Won, J.; Jung, M.C. Does compact development mitigate urban thermal environments? Influences of smart growth principles on land surface temperatures in Los Angeles and Portland. *Sustain. Cities Soc.* **2023**, *90*, 104385. [CrossRef]
103. Landis, J.D. Fifty years of local growth management in America. *Prog. Plan.* **2021**, *145*, 100435. [CrossRef]
104. Moeckel, R.; Lewis, R. Two decades of smart growth in Maryland (USA): Impact assessment and future directions of a national leader. *Urban Plan. Transp. Res.* **2017**, *5*, 22–37. [CrossRef]
105. Klein, J.T. Sustainability and Collaboration: Crossdisciplinary and Cross-Sector Horizons. *Sustainability* **2020**, *12*, 1515. [CrossRef]
106. Holmes, T.J.; Holt, A.; English, D.Q. Progress of Local Health Department Planning Actions for Climate Change: Perspectives from California, USA. *Int. J. Environ. Res. Public Health* **2022**, *19*, 7984. [CrossRef] [PubMed]
107. Tyler, S.; Moench, M. A framework for urban climate resilience. *Clim. Dev.* **2012**, *4*, 311–326. [CrossRef]
108. Milordis, A.C.; Butler, W.H.; Holmes, T.J. What is slowing progress on climate change adaptation? Evaluating barriers to planning for sea level rise in Florida. *Mitig. Adapt. Strateg. Glob. Chang.* **2023**, *28*, 42. [CrossRef]
109. Weerasooriya, R.R.; Liyanage, L.P.K.; Rathnappriya, R.H.K.; Bandara, W.B.M.A.C.; Perera, T.A.N.T.; Gunarathna, M.H.J.P.; Jayasinghe, G.Y. Industrial water conservation by water footprint and sustainable development goals: A review. *Environ. Dev. Sustain.* **2021**, *23*, 12661–12709. [CrossRef]
110. Ananda, J.; Proctor, W. Collaborative approaches to water management and planning: An institutional perspective. *Ecol. Econ.* **2013**, *86*, 97–106. [CrossRef]
111. Roach, K.A. Texas water wars: How politics and scientific uncertainty influence environmental flow decision-making in the Lone Star state. *Biodivers. Conserv.* **2013**, *22*, 545–565. [CrossRef]
112. Reaser, J.K.; Burgiel, S.W.; Kirkey, J.; Brantley, K.A.; Veatch, S.D.; Burgos-Rodríguez, J. The early detection of and rapid response (EDRR) to invasive species: A conceptual framework and federal capacities assessment. *Biol. Invasions* **2020**, *22*, 1–19. [CrossRef]
113. Reinhardt, J.R.; Russell, M.B.; Senay, S.; Lazarus, W. Assessing the current and potential future distribution of four invasive forest plants in Minnesota, USA, using mixed sources of data. *Sci. Rep.* **2020**, *10*, 12738. [CrossRef] [PubMed]
114. Ardoin, N.M.; Bowers, A.W.; Gaillard, E. Environmental education outcomes for conservation: A systematic review. *Biol. Conserv.* **2020**, *241*, 108224. [CrossRef]
115. Pejchar, L.; A Lepczyk, C.; E Fantle-Lepczyk, J.; Hess, S.C.; Johnson, M.T.; Leopold, C.R.; Marchetti, M.; McClure, K.M.; Shiels, A.B. Hawaii as a microcosm: Advancing the science and practice of managing introduced and invasive species. *BioScience* **2020**, *70*, 184–193. [CrossRef]
116. Ruedig, E.; Johnson, T.E. An evaluation of health risk to the public as a consequence of in situ uranium mining in Wyoming, USA. *J. Environ. Radioact.* **2015**, *150*, 170–178. [CrossRef] [PubMed]
117. Seredkin, M.; Zabolotsky, A.; Jeffress, G. In situ recovery, an alternative to conventional methods of mining: Exploration, resource estimation, environmental issues, project evaluation and economics. *Ore Geol. Rev.* **2016**, *79*, 500–514. [CrossRef]
118. Liu, F.; Zhang, Z.; Zhao, X.; Liu, B.; Wang, X.; Yi, L.; Zuo, L.; Xu, J.; Hu, S.; Sun, F.; et al. Urban expansion of China from the 1970s to 2020 based on remote sensing technology. *Chin. Geogr. Sci.* **2021**, *31*, 765–781. [CrossRef]
119. Spidalieri, K. Where the wetlands are—And where they are going: Legal and policy tools for facilitating coastal ecosystem migration in response to sea-level rise. *Wetlands* **2020**, *40*, 1765–1776. [CrossRef]
120. Olabi, A.G.; Abdelkareem, M.A. Renewable energy and climate change. *Renew. Sustain. Energy Rev.* **2022**, *158*, 112111. [CrossRef]
121. Donatti, C.I.; Harvey, C.A.; Hole, D.; Panfil, S.N.; Schurman, H. Indicators to measure the climate change adaptation outcomes of ecosystem-based adaptation. *Clim. Chang.* **2020**, *158*, 413–433. [CrossRef]
122. Feldman, R.; Levinson, A. Renewable portfolio standards. *Energy J.* **2023**, *44*, 1–20. [CrossRef]
123. Alexander, S.; Tanvir, S.; Lester, T.W. Evaluating Benefits from Transportation Investments Aligned with the Climate Action Plan for Transportation Infrastructure (CAPTI). *Mineta Transp. Inst.* **2023**, *2227*, 1–78. [CrossRef]

124. Olatunde, T.M.; Adelani, F.A.; Sikhakhane, Z.Q. A review of smart water management systems from Africa and the United States. *Eng. Sci. Technol. J.* **2024**, *5*, 1231–1242. [CrossRef]
125. Krishnan, S.R.; Nallakaruppan, M.K.; Chengoden, R.; Koppu, S.; Iyapparaja, M.; Sadhasivam, J.; Sethuraman, S. Smart Water Resource Management Using Artificial Intelligence—A Review. *Sustainability* **2022**, *14*, 13384. [CrossRef]
126. Zewdie, T.M.; Habtu, N.G.; Dutta, A.; Van der Bruggen, B. Solar-assisted membrane technology for water purification: A review. *Water Reuse* **2021**, *11*, 1–32. [CrossRef]
127. Noss, R.; Aplet, G.; Comer, P.; Enquist, C.; Franklin, J.; Riley, J.; Safford, H. A brief history of the natural areas movement. *Nat. Areas J.* **2023**, *43*, 169–174. [CrossRef]
128. Fricke, R.M.; Olden, J.D. Technological innovations enhance invasive species management in the anthropocene. *BioScience* **2023**, *73*, 261–279. [CrossRef]
129. Guzy, J.C.; Falk, B.G.; Smith, B.J.; Willson, J.D.; Reed, R.N.; Aumen, N.G.; Avery, M.L.; Bartoszek, I.A.; Campbell, E.; Cherkiss, M.S.; et al. Burmese pythons in Florida: A synthesis of biology, impacts, and management tools. *NeoBiota* **2023**, *80*, 1–119. [CrossRef]
130. Langanay, J.; Romary, T.; Freulon, X.; Langlais, V.; Petit, G.; Lagneau, V. Uncertainty quantification for uranium production in mining exploitation by In Situ Recovery. *Comput. Geosci.* **2021**, *25*, 831–850. [CrossRef]
131. Banala, U.K.; Das, N.P.I.; Toleti, S.R. Microbial interactions with uranium: Towards an effective bioremediation approach. *Environ. Technol. Innov.* **2021**, *21*, 101254. [CrossRef]
132. Herrington, C.S.; Horndeski, K. Is urban stream restoration really a wicked problem? *Urban Ecosyst.* **2023**, *26*, 479–491. [CrossRef]
133. Schewenius, M.; McPhearson, T.; Elmqvist, T. Opportunities for Increasing Resilience and Sustainability of Urban Social–Ecological Systems: Insights from the URBES and the Cities and Biodiversity Outlook Projects. *AMBIO* **2014**, *43*, 434–444. [CrossRef] [PubMed]
134. Treen, K.M.D.I.; Williams, H.T.; O'Neill, S.J. Online misinformation about climate change. *Wiley Interdiscip. Rev. Clim. Chang.* **2020**, *11*, e665. [CrossRef]
135. Graves, R.A.; Haugo, R.D.; Holz, A.; Nielsen-Pincus, M.; Jones, A.; Kellogg, B.; Macdonald, C.; Popper, K.; Schindel, M. Potential greenhouse gas reductions from Natural Climate Solutions in Oregon, USA. *PLoS ONE* **2020**, *15*, e0230424. [CrossRef] [PubMed]
136. Al-Jawad, J.Y.; Alsaffar, H.M.; Bertram, D.; Kalin, R.M. A comprehensive optimum integrated water resources management approach for multidisciplinary water resources management problems. *J. Environ. Manag.* **2019**, *239*, 211–224. [CrossRef] [PubMed]
137. Mandarano, L.A.; Featherstone, J.P.; Paulsen, K. Institutions for interstate water resources management. *JAWRA J. Am. Water Resour. Assoc.* **2008**, *44*, 136–147. [CrossRef]
138. Piccinno, R.; Tatti, A.; Avosani, S.; Galla, G.; Lazazzara, V.; Pedrazzoli, F.; Zadra, N.; Rodeghiero, M.; Seljak, G.; Özgen, I.; et al. A multidisciplinary approach to tackling invasive species: Barcoding, morphology, and metataxonomy of the leafhopper Arboridia adanae. *Sci. Rep.* **2024**, *14*, 2229. [CrossRef] [PubMed]
139. Jewitt, A.; Antolos, E.; Lutz, C.; Dean, J. Targeted species projects for volunteers to increase early detection capacity: The water chestnut mapping challenge. *Nat. Areas J.* **2021**, *41*, 203–208. [CrossRef]
140. Janot, N.; Dunham-Cheatham, S.M.; Pacheco, J.S.L.; Cerrato, J.M.; Alessi, D.S.; Noël, V.; Lee, E.; Pham, D.Q.; Suvorova, E.; Bernier-Latmani, R.; et al. Reducing Conditions Influence U (IV) Accumulation in Sediments during In Situ Bioremediation. *ACS Earth Space Chem.* **2024**, *8*, 148–158. [CrossRef]
141. Thomson, B. Environmental Contamination from Uranium Mining and Milling in the Western U.S. In *Practical Applications of Medical Geology*; Siegel, M., Selinus, O., Finkelman, R., Eds.; Springer: Cham, Switzerland, 2021. [CrossRef]
142. Ewing, R.; Lyons, T.; Siddiq, F.; Sabouri, S.; Kiani, F.; Hamidi, S.; Choi, D.-A.; Ameli, H. Growth management effectiveness: A literature review. *J. Plan. Lit.* **2022**, *37*, 433–451. [CrossRef]
143. Lessmann, C.; Kramer, N. The effect of cap-and-trade on sectoral emissions: Evidence from California. *Energy Policy* **2024**, *188*, 114066. [CrossRef]
144. Megdal, S.B.; Dillon, P.; Seasholes, K. Water Banks: Using Managed Aquifer Recharge to Meet Water Policy Objectives. *Water* **2014**, *6*, 1500–1514. [CrossRef]
145. Burgos-Rodríguez, J.; Burgiel, S.W. Federal legal authorities for the early detection of and rapid response to invasive species. *Biol. Invasions* **2020**, *22*, 129–146. [CrossRef]
146. Wilson, A.B. *Uranium in the Wyoming Landscape Conservation Initiative Study Area, Southwestern Wyoming*; U.S. Geological Survey Open-File Report 2014–1123; US Geological Survey: Reston, VA, USA, 2015; 33p. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.