neuroimaging

MDPI

Correction

Correction: Manjila et al. Manjila Chiari Protocol 2.0 (MaChiP 2.0) for Artificial Intelligence Incorporating Dynamic and Static Craniospinal Imaging in Evaluating Headaches with Chiari I Malformation—A Call to Action. *Neuroimaging* 2026, *1*, 8

Sunil Manjila [1,2], Nived Jayaraj Ranjini [1], Saima Rathore [3], Khalid Medani [4], Sudhan Mani [5], Panagiotis Sideras [6], Gayatri Kaimal [1,7], Avinash Siravuru [8] and Karthik Rayasam [7,*]

1 Department of Neurosurgery, Garden City Hospital, Garden City, MI 48135, USA; sunil.manjila@gmail.com (S.M.)
2 Department of Radiology, School of Medicine and Public Health, University of Wisconsin, Madison, WI 53726, USA
3 Department of Biomedical Informatics, Emory University School of Medicine, Atlanta, GA 30322, USA
4 Department of Occupational Medicine, Kaiser Permanente, Downey, CA 90242, USA
5 Independent Researcher, Chennai 600116, India
6 Department of Radiology, Vagelos College of Physicians and Surgeons, Columbia University, New York, NY 10032, USA
7 Department of Radiology and Imaging Sciences, College of Medicine, The University of Arizona, Tucson, AZ 85721, USA
8 Independent Researcher, San Jose, CA 95129, USA
* Correspondence: karthikrayasam@arizona.edu; Tel.: +1-520-246-9230

Article Type


In the original publication [1], the article type was listed as "Article". This has now been corrected to "Perspective" to ensure accurate classification.

Terminology Correction

All occurrences of "Protocol/Perspective" in the main text of the paper have been updated to "Perspective".

Replacement of Figures 3, 5 and 6

Figures 3, 5 and 6 in the original publication have been replaced with updated versions.



(**a**) (**b**) (**c**)

Figure 3. Types of spinal CSF leak etiologies: (**a**) meningeal diverticulum; (**b**) dural tear with associated CSF leak; and (**c**) CSF–venous fistula. Illustration by Lydia Gregg © 2019 JHU AMM, originally published by Kranz PG et al. [15].

Received: 8 September 2026
Accepted: 8 September 2026
Published: 16 September 2026

Copyright: © 2026 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license.




Figure 5. (**a**) Sagittal STIR image of a patient with suspicion of CSF leak, which does not demonstrate any obvious epidural fluid collection. (**b**) Heavily sagittal T2 fat-saturated image in which the finding of an epidural fluid collection is more apparent and is corroborated in image (**c**), which is the reformatted axial image of the sagittal T2 fat-saturated image. The finding was finally confirmed with dynamic CT myelogram (CTM) (**d**), and the underlying mechanism was a spur localized at the T11-T12 interspace (not included in the axial CTM image).




Figure 6. A coronal reformatted T2 fat-saturated image in an asymptomatic patient who was undergoing ACDF (anterior cervical discectomy and fusion) and who was found to have an incidental spinal long epidural fluid collection (SLEC) suspicious for CSF leak. The referring services opted to have the leak localized prior to the proposed surgery as the epidural collection would interfere with ACDF. In (**a**), a coronal reformatted T2 fat-saturated image, there is a lateral (red arrows) and dorsal epidural fluid collection (seen on (**b**), which is the axial reformatted image of the heavily T2-fat-saturated image). Subsequently, the patient was subjected to a dynamic CT myelogram revealing a meningeal diverticulum in the left T11-12, annotated with an asterisk on (**a**) and a blue arrow on (**b**), with fluid leaking in the axilla of the diverticulum, noted as a white streak on (**c**).

The authors state that these changes do not affect the scientific conclusions. This correction was approved by the Academic Editor. The original publication has also been updated.

Reference

1. Manjila, S.; Jayaraj Ranjini, N.; Rathore, S.; Medani, K.; Mani, S.; Sideras, P.; Kaimal, G.; Siravuru, A.; Rayasam, K. Manjila Chiari Protocol 2.0 (MaChiP 2.0) for Artificial Intelligence Incorporating Dynamic and Static Craniospinal Imaging in Evaluating Headaches with Chiari I Malformation—A Call to Action. *Neuroimaging* **2026**, *1*, 8. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.