**Supplementary Table S2**. Proteins up- and down-regulated ($p < 0.01$) in the exosomes from the FCGS patients.

| | Number | Accession | Description | Peptides | Coverage [%] | Abundance Ratio: Sick / Healthy | Abundance Ratio P-Value: Sick / Healthy |
|---|---|---|---|---|---|---|---|
| UP-REGULATED PROTEINS | 1 | XP_003987246.1 | Sorbitol dehydrogenase | 3 | 11 | **7,653** | 0,0004 |
| | 2 | XP_003990076.1 | Uroporphyrinogen decarboxylase isoform X1 | 4 | 9 | **5,480** | 0,0000 |
| | 3 | XP_003980682.1 | Alpha-1,3-mannosyl-glycoprotein 2-beta-N-acetylglucosaminyltransferase | 2 | 6 | **4,976** | 0,0093 |
| | 4 | XP_003994094.1 | Oncoprotein-induced transcript 3 protein isoform X1 | 3 | 6 | **4,375** | 0,0038 |
| | 5 | XP_006933529.1 | Complement C1s subcomponent | 3 | 5 | **4,108** | 0,0019 |
| | 6 | XP_019673334.1 | Puromycin-sensitive aminopeptidase isoform X1 | 9 | 11 | **3,090** | 0,0009 |
| | 7 | XP_003993564.1 | Neutral alpha-glucosidase AB isoform X1 | 9 | 13 | **3,018** | 0,0092 |
| | 8 | XP_011283071.1 | Tyrosine-protein kinase receptor Tie-1 | 6 | 7 | **2,917** | 0,0080 |
| | 9 | XP_011279577.1 | EMILIN-1 | 16 | 25 | **2,797** | 0,0013 |
| | 10 | XP_006938908.1 | Microtubule-associated protein RP/EB family member 2 isoform X3 | 8 | 28 | **2,746** | 0,0087 |
| | 11 | XP_003981521.1 | Threonine-tRNA ligase, cytoplasmic | 6 | 10 | **2,652** | 0,0083 |
| | 12 | XP_019685502.1 | General vesicular transport factor p115 | 8 | 10 | **2,537** | 0,0042 |
| | 13 | XP_006934862.1 | Phosphoglucomutase-1 isoform X3 | 14 | 28 | **2,450** | 0,0029 |
| | 14 | XP_003991578.2 | Heat shock 70 kDa protein 13 | 5 | 12 | **2,433** | 0,0019 |
| | 15 | XP_011285333.1 | Dipeptidyl peptidase 3 isoform X1 | 2 | 3 | **2,345** | 0,0046 |
| | 16 | XP_019676206.1 | Transforming growth factor beta-1-induced transcript 1 protein isoform X1 | 2 | 4 | **2,276** | 0,0034 |
| | 17 | XP_019690750.1 | Cullin-associated NEDD8-dissociated protein 1 isoform X2 | 10 | 10 | **2,023** | 0,0095 |
| DOWN-REGULATED PROTEINS | 1 | XP_019690559.1 | Poly(rC)-binding protein 2 isoform X1 | 2 | 5 | **0,452** | 0,0037 |
| | 2 | XP_003985479.1 | UDP-glucose 6-dehydrogenase | 12 | 35 | **0,320** | 0,0006 |
| | 3 | XP_003990084.1 | Peroxiredoxin-1 | 9 | 42 | **0,269** | 0,0034 |
| | 4 | XP_003997497.1 | Myeloid-associated differentiation marker | 2 | 10 | **0,258** | 0,0084 |
| | 5 | NP_001009855.1 | CD63 antigen | 2 | 8 | **0,257** | 0,0028 |
| | 6 | XP_011289977.1 | Guanine nucleotide-binding protein G(i) subunit alpha-2 | 9 | 33 | **0,229** | 0,0061 |
| | 7 | XP_006941240.1 | Urokinase plasminogen activator surface receptor isoform X1 | 3 | 10 | **0,156** | 0,0048 |
| | 8 | BAX25505.1 | NADH-cytochrome b5 reductase 3 | 2 | 10 | **0,125** | 0,0003 |
| | 9 | XP_003990690.2 | Protein S100-A11 | 4 | 42 | **0,124** | 0,0068 |
| | 10 | XP_003981575.2 | Cadherin-6 isoform X1 | 2 | 3 | **0,112** | 0,0069 |
| | 11 | XP_003994143.1 | Annexin A11 | 5 | 10 | **0,098** | 0,0017 |
| | 12 | XP_019667990.1 | Catenin delta-1 isoform X1 | 2 | 3 | **0,094** | 0,0034 |
| | 13 | XP_019693915.1 | Integrin alpha-V | 2 | 2 | **0,066** | 0,0033 |