

Table S1. NCL259 in combination with PAβN against *K. pneumoniae* 13GNB-429.

NCL259 (μg/mL)	Replicate 1						Replicate 2						NCL259 (μg/mL)
128													128
64													64
32													32
16				1						2			16
8													8
4													4
2													2
1													1
	0	2	4	8	16	32	0	2	4	8	16	32	
PAβN (μg/mL)													

¹ The synergistic interaction of NCL259 at 16 μg/mL and PAβN at 8 μg/mL; ² the synergistic interaction of NCL259 at 16 μg/mL and PAβN at 8 μg/mL in replicate. Blue and pink indicate the absence or presence of living colonies, respectively.

Table S2. NCL259 in combination with PAβN against *K. pneumoniae* 13GNB-550.

NCL259 (μg/mL)	Replicate 1						Replicate 2						NCL259 (μg/mL)
128													128
64													64
32													32
16					1					2			16
8													8
4													4
2													2
1													1
	0	2	4	8	16	32	0	2	4	8	16	32	
PAβN (μg/mL)													

¹ The additive interaction of NCL259 at 16 μg/mL and PAβN at 16 μg/mL; ² the synergistic interaction of NCL259 at 16 μg/mL and PAβN at 8 μg/mL in replicate. Blue and pink indicate the absence or presence of living colonies, respectively.

Table S3. NCL259 in combination with PAβN against *K. oxytoca* 13GNB-582.

NCL259 (μg/mL)	Replicate 1						Replicate 2						NCL259 (μg/mL)
128													128
64													64
32													32
16													16
8				1						2			8
4													4
2													2
1													1
	1	2	4	8	16	32	1	2	4	8	16	32	
	PAβN (μg/mL)						PAβN (μg/mL)						


¹ The synergistic interaction of NCL259 at 8 μg/mL and PAβN at 8 μg/mL; ² the synergistic interaction of NCL259 at 8 μg/mL and PAβN at 8 μg/mL in replicate. Blue and pink indicate the absence or presence of living colonies, respectively.

Table S4. NCL265 in combination with PAβN against *K. pneumoniae* 13GNB-429.

NCL265 (μg/mL)	Replicate 1						Replicate 2						NCL265 (μg/mL)
128													128
64													64
32													32
16													16
8				1					2				8
4													4
2													2
1													1
	0	2	4	8	16	32	0	2	4	8	16	32	
	PAβN (μg/mL)						PAβN (μg/mL)						


¹ The synergistic interaction of NCL265 at 8 μg/mL and PAβN at 8 μg/mL; ² the synergistic interaction of NCL265 at 8 μg/mL and PAβN at 4 μg/mL in replicate. Blue and pink indicate the absence or presence of living colonies, respectively.

Table S5. NCL265 in combination with PAβN against *K. pneumoniae* 13GNB-550.



¹ The synergistic interaction of NCL265 at 8 μg/mL and PAβN at 8 μg/mL; ² the synergistic interaction of NCL265 at 8 μg/mL and PAβN at 8 μg/mL in replicate. Blue and pink indicate the absence or presence of living colonies, respectively.

Table S6. NCL265 in combination with PAβN against *K. oxytoca* 13GNB-582.



¹ The synergistic interaction of NCL265 at 4 μg/mL and PAβN at 8 μg/mL; ² the synergistic interaction of NCL265 at 8 μg/mL and PAβN at 8 μg/mL in replicate. Blue and pink indicate the absence or presence of living colonies, respectively.