

Supporting Information

Super-Antioxidant Vitamin A Derivatives with Improved Stability and Efficacy Using Skin-Permeable Chitosan Nanocapsules

Hyeryeon Oh ^{1,2,†}, Jin Sil Lee ^{1,2,†}, Sunghyun Kim ¹, Jeung-Hoon Lee ³, Yong Chul Shin ^{3,4} and Won Il Choi ^{1,*}

¹ Center for Bio-Healthcare Materials, Bio-Convergence Materials R&D Division, Korea Institute of Ceramic Engineering and Technology, 202, Osongsaengmyeong 1-ro, Cheongju 28160, Republic of Korea; hyeryeon.oh@kicet.re.kr (H.O.); jslee92@kicet.re.kr (J.S.L.); shkim0519@kicet.re.kr (S.K.)

² School of Materials Science and Engineering, Gwangju Institute of Science and Technology, 123, Cheomdan-gwagiro, Gwangju 61005, Republic of Korea

³ SKINMED Co., Ltd., Daejeon 34028, Republic of Korea; jhoon@cnu.ac.kr (J.-H.L.); ycshin@amicogen.com (Y.C.S.)

⁴ Amicogen Inc., 64 Dongburo, 1259, Jinju 52621, Republic of Korea

* Correspondence: choi830509@kicet.re.kr; Tel.: +82-43-913-1513

† These authors contributed equally to this work.




Figure S1. Characterization of PluNC, RP@PluNC, and RP@ChiNC. (A) Hydrodynamic diameters and (B) polydispersity indices (PDI) of PluNC, RP@PluNC, and RP@ChiNC.




Figure S2. DPPH radical scavenging activities of 12 types of chitosan with different percentages of deacetylation and molecular weights.