

Table S1: Oligonucleotide primers used in qRT-PCR studies.

Gene	Forward (5'-3')	Reverse (5'-3')	Accession number	References
<i>act-1</i>	CCAGGAATTGCTGATCGTATG	GGAGAGGGAAGCGAGGATAG	NM_073418.9	[29]
<i>vha-5</i>	CTTCATGGAAACGCGACTGT	CGGTAACGAACACCATGTGC	NM_068998.10	[30]
<i>cpr-5</i>	CTCCGACGCTATTCCAGACC	GCGTAGGCGGTAGATCCAAA	NM_070982.7	[30]
<i>epg-8</i>	GCGGTAAACGCTACACAAAGA	CCATCCGCTGAGATTCCTGG	NM_170914.6	[30]
<i>ced-7</i>	GAAGTGGCAGATTCCGAAAGA	TCAAGGGAGGACTGAGCTAATA	NM_001026054.4	Designed by the research team
ZC239.12	CCAGAAGAATCCCCATACGA	TCCTCCTCCAACTTTTCCAAA	NM_062072.3	[31]
<i>hsp-16.2</i>	CTGCAGAATCTCTCCATCTGAGTC	AGATTCTGAAGCAACTGCACC	NM_071106.8	[32]
<i>hsp-70</i>	CAAGACTTTGGAGCCGGTTG	GGAGCAGTTGAGGTCCTTCCC	NM_060084.6	[30]