Crystallization kinetics of an equimolar liquid crystalline mixture and its components

Aleksandra Deptuch[1,*], Anna Paliga[2], Anna Drzewicz[1], Marcin Piwowarczyk[1], Magdalena Urbańska[3], Ewa Juszyńska-Gałązka[1,4]

[1] Institute of Nuclear Physics Polish Academy of Sciences, Radzikowskiego 152, PL-31342 Kraków, Poland

[2] Faculty of Physics and Applied Computer Science, AGH University of Kraków, Reymonta 19, PL-30059 Kraków, Poland

[3] Institute of Chemistry, Military University of Technology, Kaliskiego 2, PL-00908 Warsaw, Poland

[4] Research Center for Thermal and Entropic Science, Graduate School of Science, Osaka University, 560-0043 Osaka, Japan

*corresponding author, aleksandra.deptuch@ifj.edu.pl

Supplementary Materials



Figure S1. Selected POM textures of MHPOBC and average luminance of all textures collected during cooling (a) and heating (b) at 5 K/min. Each texture covers an area of 1243 × 933 μm^2.



Figure S2. Selected POM textures of 3F2HPhF6 and average luminance of all textures collected during cooling (a) and heating (b) at 5 K/min. Each texture covers an area of 1243 × 933 μm^2.



Figure S3. Selected POM textures of MIX2HF6 and average luminance of all textures collected during cooling (a) and heating (b) at 5 K/min. Each texture covers an area of 1243 × 933 μm^2.



Figure S4. Selected POM textures of MIX2HF6 and average luminance of all textures collected during cooling (a) and heating (b) at 30 K/min. Each texture covers an area of 1243 × 933 μm^2. The lines indicating the crystallization and glass transition temperatures are based on DSC results for 30 K/min.