# Assessment of Antioxidant, Antiproliferative and Proapoptotic Potential of Aqueous Extracts of *Chroococcus* sp. R-10

**Inna Sulikovska[1*], Tanya Toshova-Yotova[2], Elina Tsvetanova[3], Vera Djeliova[4], Anelia Vasileva[5], Ivaylo Ivanov[5], Reneta Toshkova[1], Ani Georgieva[1*]**

[1]Institute of Experimental Morphology, Pathology and Anthropology with Museum, Bulgarian Academy of Sciences, Acad. G. Bonchev Str., 25, 1113 Sofia, Bulgaria; inna_sulikovska@ukr.net (I.S.), georgieva_any@abv.bg (A.G.), reneta.toshkova@gmail.com (R.T.);
[2]Institute of Plant Physiology and Genetics, Bulgarian Academy of Sciences, Acad. G. Bonchev Str., 21, 1113 Sofia, Bulgaria; e-mails: t_toshkova_yotova@abv.bg (T.T-Y.);
[3]Institute of Neurobiology, Bulgarian Academy of Sciences, Acad. G. Bonchev Str., 23, 1113 Sofia, Bulgaria; e-mail; elina_nesta@abv.bg (E.T.);
[4]Institute of Molecular Biology "Acad. R. Tsanev", Bulgarian Academy of Sciences, Acad. G. Bonchev Str., 21, 1113 Sofia, Bulgaria; e-mail: vera@bio21.bas.bg (V.D.);
[5]Medical University of Sofia, Zdrave Str., 2, 1431 Sofia, Bulgaria; e-mails: avasileva@medfac.mu-sofia.bg (A.V.); iivanov@medfac.mu-sofia.bg (I.I.);
* Correspondence: e-mails: georgieva_any@abv.bg, inna_sulikovska@ukr.net





**Figure S1.** UPLC-DAD chromatograms at 214 nm of the aqueous extract (low-temperature extraction) from *Chroococcus* sp. R-10 (green) and glycogen standard (red).





**Figure S2.** UV-spectra of glycogen and the compound with RT = 8.64 min.





**Figure S3.** UV-spectrum of the compound with RT = 7.15 min.





**Figure S4.** UV-spectrum of the compound with RT = 10.75 min.





**Figure S5.** UPLC-DAD chromatograms at 280 nm (purple) and at 340 nm (light brown) of the aqueous extract (low-temperature extraction) from *Chroococcus* sp. R-10.