Table S1. Odor thresholds of analyzed compounds.

Compound	Odor Threshold (μg/L)
Methanethiol	1.8 [40]
Carbon disulfide	38 [41]
DMS	10 [42]
DES	18 [43]
DMDS	29 [44]
1-Butanol	150,000 [45]
1-Pentanol	64,000 [46]
Isoamyl alcohol	30,000 [42]
Methionol	1000 [42]
Phenylethyl Alcohol	14,000 [42]
Benzyl Alcohol	200,000 [47]
1-Hexanol	8000 [42]
cis-3-Hexen-1-ol	400 [42]
trans-3-Hexen-1-ol	1000 [48]
cis-2-hexen-1-ol	400 [49]
Isoamyl acetate	30 [42]
n-Hexyl acetate	1500 [45]
2-Phenethyl acetate	250 [42]
Ethyl butanoate	20 [42]
Ethyl hexanoate	14 [42]
Ethyl octanoate	5 [42]
Ethyl decanoate	200 [42]
Ethyl-2-methylbutanoate	18 [50]
Ethyl 3-methylbutanoate	3 [42]
Ethyl 3-hydroxybutyrate	63,000 [51]
Ethyl di-2-hydroxyhexanoate	NA
3-Methylbutanoic acid	33 [42]
Hexanoic acid	420 [42]
Octanoic acid	500 [42]
α-Phellandrene	NA
α-Terpinene	NA
γ-Terpinene	NA
β-Pinene	NA
3-Carene	NA
β-Myrcene	NA
Limonene	200 [52]
1,4-Cineole	0.54 [53]
1,8-Cineole	1.1 [53]
p-Cymene	NA
Terpinolene	NA
Linalool	15 [45]
Terpinen-4-ol	100 [54]
α-Terpineol	250 [50]
β-Citronellol	40 [45]
Nerol	400 [49]

Geraniol	30 [42]
Linalyl acetate	NA
Geranyl acetate	NA
Geranyl acetone	NA
β-Damascenone	0.05 [42]
α-Ionol	NA
4-Oxoisophorone	NA
Vitispirane 1	NA
Vitispirane 2	NA
TPB	0.04 [55]
TDN	2 [56]
3-hydroxy-β-damascone	NA
Farnesol 1	NA
Nerolidol 1	NA
Bisabolol	NA
Methyl salicylate	50 [57]
Benzaldehyde	2000 [47]
2,6-Dimethoxyphenol	570 [58]
Vanillin	60 [45]
Eugenol	6 [50]
Ethyl cinnamate	NA

NA= not available