

Genome-wide RNA sequencing of human trabecular meshwork cells treated with TGF- $\beta$ 1 : relevance to pseudoexfoliation glaucoma : supplemental Table S1

**Table S1.** RT-qPCR primer sequences

gene symbol	sequences
TSPAN2	<b>F</b> 5' - CCAGAGTATTTCTATGTGGGGCTG - 3' <b>R</b> 5' - AGCAAATATCACCAGGAGGCAG - 3'
THBS1	<b>F</b> 5' - GACTCCGCATCGCAAAGGG - 3' <b>R</b> 5' - GAGGACACTGGTAGAGCTGGAG - 3'
ADAM12	<b>F</b> 5' - ATCAGTGTCTTCGGCGTTCA - 3' <b>R</b> 5' - GGCAATTCTTCCTGTTGTTACATACC - 3'
IER3	<b>F</b> 5' - CTCGAGTGGTCCGGCG - 3' <b>R</b> 5' - ACGATGGTGAGCAGCAGAAA - 3'
LOXL1	<b>F</b> 5' - ACAGCACCTGTGACTTCGGCAA - 3' <b>R</b> 5' - CGGTTATGTCGATCCACTGGCA - 3'
ADAM19	<b>F</b> 5' - CGGGCCACCTCGAA - 3' <b>R</b> 5' - CCGTTTCATTCTGCGAGGTT - 3'
NOX4	<b>F</b> 5' - CACAGACTTGGCTTTGGATTTC - 3' <b>R</b> 5' - GGATGACTTATGACCGAAATGATG - 3'
CCN2	<b>F</b> 5' - GCTTACCGACTGGAAGACACG - 3' <b>R</b> 5' - CGGATGCACTTTTTGCCCTT - 3'
GAPDH	<b>F</b> 5' - GGAGCGAGATCCCTCCAAAAT - 3' <b>R</b> 5' - GGCTGTTGTCATACTTCTCATGG - 3'