cancers

MDPI

*Supplementary Materials*

# Sarcopenia Predicts Cancer Mortality in Male but Not in Female Patients Undergoing Surgery for Cholangiocellular Carcinoma

**Markus Sebastian Jördens, Lisa Heinrichs, Sven H. Loosen, Linda Wittig, Verena Keitel, David Schöler, Maximilian Schulze-Hagen, Christina Loberg, Gerald Antoch, Wolfram Trudo Knoefel, Tom Luedde, Georg Fluegen and Christoph Roderburg**

**Figure S1.** Kaplan–Meier analysis of overall survival in our cohort.

**Figure S2.** Kaplan–Meier analysis of overall survival regarding sex differences.

**Figure S3.** Representation of Figure 2 in mm²/cm.

**Figure S4.** Representation of Figure 3 in mm²/cm.

**Figure S5.** Representation of Figure 4 in mm²/cm.

**Figure S6.** Representation of Figure 5 in mm²/cm.

**Figure S7.** Representation of Figure 6 in mm²/cm.

**Table S1.** ROC-Analysis of L3SMI, L3PMI, UICC stage and age.

| | AUC (survival) | | | |
|---|---|---|---|---|
| | **3-month** | **6-month** | **12-month** | **Overall** |
| **UICC-stage** | 0.72 | 0.75 | 0.71 | 0.62 |
| **Age** | 0.68 | 0.72 | 0.68 | 0.62 |
| **L3SMI (cm²/m²)** | 0.62 | 0.65 | 0.61 | 0.64 |
| **L3PMI (cm²/m²)** | 0.73 | 0.73 | 0.65 | 0.62 |