

Article title: Association Between Processed Dietary Pattern and Tumor Staging in Patients Newly Diagnosed with Head and Neck Squamous Cell Carcinoma

Journal name: Cancers

Author names: Ana Carolina da Silva Lima ^{1,†}, Tathiany Jéssica Ferreira ^{2,†}, Adriana Divina Silva Campos ², Larissa Morinaga Matida ¹, Maria Beatriz Trindade Castro ², Ana Amélia Freitas-Vilela ³ and Maria Aderuza Horst ^{1,*}

Affiliation:

¹ Faculty of Nutrition, Federal University of Goiás, 74605-080, Goiânia, Brazil; anacarolinalima@discente.ufg.br (A.C.S.L.); larissamorinaga@discente.ufg.br (L.M.M.); aderuza@ufg.br (M.A.H.)

² Josué de Castro Nutrition Institute, Federal University of Rio de Janeiro, 21941-901, Rio de Janeiro, Brazil; tathianyferreira@ufrj.br (T.J.F.); acampos@ufrj.br (A.D.S.C.); mbtcastro@nutricao.ufrj.br (M.B.T.C.)

³ Special Academic Unit of Health Sciences, Federal University of Goiás, 75801-615, Jataí, Brazil; anaameliafv@ufg.br

* Correspondence: aderuza@ufg.br (M.A.H.); Tel.: +55 62 98250-9000

† These authors contributed equally to this work




Figure S1. KMO test.

Table S1. Factorial loadings and communalities (h²) of the three patterns identified in patients with HNSCC.

Food	Factorial loadings and communalities			
	Healthy	Processed	Mixed	h ²
Fruit	0.469	-0.081	-0.155	0.483
Tuber	0.462	0.063	0.114	0.441
Dairy products	0.398	0.156	-0.027	0.522
Fish	0.316	-0.160	0.052	0.767
Grains	0.308	-0.0612	0.057	0.788
Vegetables and legumes	0.232	0.176	0.065	0.753
Fast Food	0.016	0.418	-0.186	0.565
Fats	0.046	0.407	-0.095	0.608
Breads	0.092	0.348	-0.071	0.679
Sugar-sweetened beverages	-0.192	0.330	0.063	0.734
Cakes and cookies	0.053	0.316	0.051	0.747
Not tender meat	-0.109	0.302	0.106	0.778
Tender meat	0.144	0.202	0.092	0.808
Beer and wine	-0.003	-0.145	0.495	0.484
Distilled beverages	-0.034	-0.074	0.485	0.524
Pasta and flour	0.194	0.042	0.367	0.618
Bean	-0.100	0.199	0.367	0.623
Rice	0.067	0.060	0.277	0.816
Coffee	-0.147	0.176	0.226	0.801
Number of the groups	6	6	6	

Eigenvalues	2.79	1.99	1.67
% explained variance	11.93	11.50	10.57
% cumulative variance	11.93	23.43	34.00