



Forest plots of severe (grade 3 or higher) clinical adverse events according to Common Terminology Criteria for Adverse Events (CTCAE):


Severe (grade 3 or higher) abdominal infection:




Severe (grade 3 or higher) abdominal pain:




Severe (grade 3 or higher) allergic reaction:




Severe (grade 3 or higher) ascites:




Severe (grade 3 or higher) back pain:




Severe (grade 3 or higher) constipation:




Severe (grade 3 or higher) dizziness:




Severe (grade 3 or higher) dyspnea:




Severe (grade 3 or higher) fatigue:




Severe (grade 3 or higher) fever:




Severe (grade 3 or higher) gastrointestinal bleeding:




Severe (grade 3 or higher) joint pain:




Severe (grade 3 or higher) nausea:




Severe (grade 3 or higher) oedema:



Severe (grade 3 or higher) radioembolization induced liver disease:




Severe (grade 3 or higher) vomiting:




Forest plots of severe (grade 3 or higher) laboratory adverse events according to Common Terminology Criteria for Adverse Events (CTCAE):


Severe (grade 3 or higher) albumin decrease:




Severe (grade 3 or higher) ALKP increase:




Severe (grade 3 or higher) ALT increase:




Severe (grade 3 or higher) anaemia:




Severe (grade 3 or higher) AST increase:




Severe (grade 3 or higher) creatinine increase:




Severe (grade 3 or higher) GGT increase:




Severe (grade 3 or higher) LDH increase:




Severe (grade 3 or higher) leucopenia:



Severe (grade 3 or higher) lymphocytopenia:



Severe (grade 3 or higher) thrombocytopenia:



Severe (grade 3 or higher) total bilirubin increase:

