Supplementary Information

Revolutionizing Hydrogen Production: Unveiling the Role of Liquid Metals in Methane Pyrolysis over Iron Catalysts Supported on Titanium Dioxide and Alumina.

Hamid Ahmed[1], Amal BaQais[2], Fekri Abdulraqeb Ahmed Ali[3], Ahmed I. Osman*[4], Anis H. Fakeeha[1], Ahmed E. Abasaeed[1], Ahmed A. Ibrahim*[1], Syed Farooq Adil[5], Tahani Saad Algarni[5], and Ahmed S. Al-Fatesh*[1].

[1]Chemical Engineering Department, College of Engineering, King Saud University P.O. Box 800, Riyadh 11421, Saudi Arabia

hamidahmed700@gmail.com (H.A); anishf@ksu.edu.sa (A.H.F); abasaeed@ksu.edu.sa (A.E.A).

[2]Department of chemistry, College of science, Princess Nourah bint Abdulrahman University, P.O. Box 84428, Riyadh 11671, Saudi Arabia Aabaqeis@pnu.edu.sa (A.B)

[3]Chemical Engineering Department, College of Engineering, Imam Mohammad Ibn Saud Islamic University (IMSIU), Riyadh 11432, Saudi Arabia feaali@imamu.edu.sa (F.A.A.A)

[4]School of Engineering, Technology, and Design, Canterbury Christ Church University, Canterbury, Canterbury CT1 1QU, UK. ahmed.osman@canterbury.ac.uk (A.I.O)

[5]Department of Chemistry, College of Science, King Saud University, 11451 Riyadh, Saudi Arabia sfadil@ksu.edu.sa (S.F.A), Tahanis@ksu.edu.sa (T.S.A).

*Correspondence: aidid@ksu.edu.sa (A.A.I).




Figure S1. SEM images of the fresh Fe/Ti-Al (A) & Ga-Fe/Ti-Al (C) catalyst at different magnifications with EDX analysis (B) & (D) respectively.