

Supplementary Information

Proteomic Landscape of Human Spermatozoa: Optimized Extraction Method and Application

Mengqi Luo ^{1,†}, Tao Su ^{1,†}, Shisheng Wang ¹, Jianhai Chen ¹, Tianhai Lin ², Qingyuan Cheng ³, Younan Chen ^{1,4,5}, Meng Gong ^{1,4,5}, Hao Yang ^{1,4,5}, Fuping Li ^{3,*} and Yong Zhang ^{1,4,5*}

¹ Laboratory of Clinical Proteomics and Metabolomics, Institutes for Systems Genetics, Frontiers Science Center for Disease-Related Molecular Network, West China Hospital, Sichuan University, Chengdu 610017, China; mqiluo@126.com (M.L.); s.t.15908@foxmail.com (T.S.); shishengwang@wchscu.cn (S.W.); jianhaichen@scu.edu.cn (J.C.); chenyounan@scu.edu.cn (Y.C.); gongmeng@scu.edu.cn (M.G.); yanghao@scu.edu.cn (H.Y.)

² Department of Urology, West China Hospital, Sichuan University, Chengdu 610017, China; tlin@scu.edu.cn (T.L.)

³ Human Sperm Bank, Key Laboratory of Birth Defects and Related Diseases of Women and Children of Ministry of Education, West China Second University Hospital of Sichuan University, Chengdu 610017, China; cqy791430418@outlook.com (Q.C.)

⁴ Organ Transplant Center and NHC Key Lab of Transplant Engineering and Immunology, West China Hospital, Sichuan University, Chengdu 610017, China

⁵ Sichuan Provincial Engineering Laboratory of Pathology in Clinical Application, West China Hospital, Sichuan University, Chengdu 610017, China

* Correspondence: lfpsnake@scu.edu.cn (F.L.); nankai1989@foxmail.com (Y.Z.); Tel.: +86-28-85164031; Fax: +86-28-85164031.

† These authors contributed equally to this work.




Figure S1. Heatmap analysis of different proteins between UA_Ultrasonication and SDS_Ultrasonication methods.




Figure S2. GO analysis of different proteins between UA_Ultrasonication and SDS_Ultrasonication methods.




Figure S3. Statistical analysis of gray value based on western blot.




Figure S4. Overall experimental design and flow chart.