

Supporting Information for

The electro-optical properties and adhesion strength of epoxy-polymercaptan-based polymer dispersed liquid crystal films

Gang Chen ^{1,†}, Wei Hu ^{2,†}, Le Zhou ², Huimin Zhang ³, Ling Wang ⁴, Cuihong Zhang ³, Jian Sun ², Lanying Zhang ^{2,*}, Xiaotao Yuan ^{5,*} and Siqian Zhu ^{1,6,*}

¹ School of Materials Science and Engineering, University of Science and Technology Beijing, Beijing 100083, China; chengang6833@163.com

² Department of Materials Science and Engineering, College of Engineering, Peking University, Beijing 100871, China; work.huwei@pku.edu.cn (W.H.); zhoule@pku.edu.cn (L.Z.); sun6jian10@pku.edu.cn (J.S.)

³ Key Laboratory of Organic Polymer Photoelectric Materials, School of Science, Xijing University, Xi'an 710123, China; zhanghuimin850214@126.com (H.Z.); cuicui1008@126.com (C.Z.)

⁴ School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China; lwang17@tju.edu.cn

⁵ Department of Chemistry and Chemical Engineering, School of Chemistry and Biological Engineering, University of Science and Technology Beijing, Beijing 100083, China

⁶ Department of Ophthalmology, Beijing Anzhen Hospital of Capital Medical University, Beijing 100020, China

* Correspondence: zhanglanying@pku.edu.cn (L.Z.); yuanxt@ustb.edu.cn (X.Y.); siquanzhu@sina.com (S.Z.)

† These authors contributed equally to this work.




Figure S1. The measurement of the adhesion strength of the PDLC films: (a) The principle illustration of the measurement of the adhesion strength; (b) the digital photograph of the adhesion strength testing process.