

Figure S1. ^1H NMR spectrum of compound 1 (DMSO-d_6 , 600 MHz).




Figure S2. MALDI TOF spectrum of compound 1 (matrix: *p*-nitroaniline).




Figure S3. IR spectrum of compound 1 (KBr tablet).




Figure S4. DSC curves of crystal 1




Figure S5. HRMS spectrum of compound 1




Figure S6. ^1H NMR spectrum of compound 2 (DMSO-d_6 , 600 MHz).




Figure S7. ¹³C NMR spectrum of compound 2 (DMSO-d₆, 600 MHz).




Figure S8. MALDI TOF spectrum of compound 2 (matrix: *p*-nitroaniline).




Figure S9. IR spectrum of compound 2 (KBr tablet).




Figure S10. DSC curves of crystal 2




Figure S11. HRMS spectrum of compound 2




Figure S12. ¹H NMR spectrum of compound 3 (DMSO-d₆, 600 MHz).




Figure S13. ¹³C NMR spectrum of compound 3 (DMSO-d₆, 600 MHz).




Figure S14. MALDI TOF spectrum of compound 3 (matrix: *p*-nitroaniline).




Figure S15. IR spectrum of compound 3 (KBr tablet).




Figure S16. DSC curves of crystal 3a




Figure S17. HRMS spectrum of compound 3