

## checkCIF (basic structural check) running

---

Checking for embedded fcf data in CIF ...

Found embedded fcf data in CIF. Extracting fcf data from uploaded CIF, please wait . . .

## checkCIF/PLATON (basic structural check)

---

Structure factors have been supplied for datablock(s) pyr\_dpa\_pdv24

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. [CIF dictionary](#)

Please wait while processing .... [Interpreting this report](#)

[Structure factor report](#)

## Datablock: pyr\_dpa\_pdv24

---

Bond precision: C-C = 0.0027 Å Wavelength=0.71073

Cell: a=16.4311(10) b=8.0300(3) c=11.2057(7)

alpha=90 beta=104.651(2) gamma=90

Temperature: 296 K

	Calculated	Reported
Volume	1430.43(14)	1430.42(14)
Space group	P 21/c	P 1 21/c 1
Hall group	-P 2ybc	-P 2ybc
Moiety formula	C26 H18, C16 H10	C26 H18, C16 H10
Sum formula	C42 H28	C42 H28
Mr	532.64	532.64
Dx, g cm <sup>-3</sup>	1.237	1.237
Z	2	2
Mu (mm <sup>-1</sup> )	0.070	0.070
F000	560.0	560.0
F000'	560.21	
h, k, lmax	21, 10, 14	21, 10, 14
Nref	3162	3143
Tmin, Tmax	0.943, 0.998	0.767, 0.862
Tmin'	0.943	

Correction method= # Reported T Limits: Tmin=0.767 Tmax=0.862 AbsCorr = MULTI-SCAN

Data completeness= 0.994 Theta(max)= 27.103

R(reflections)= 0.0506( 2160) wR2(reflections)= 0.1434( 3143)

S = 1.025 Npar= 190

---

The following ALERTS were generated. Each ALERT has the format

**test-name\_ALERT\_alert-type\_alert-level.**

Click on the hyperlinks for more details of the test.

---

### ● Alert level C

[PLAT911\\_ALERT\\_3\\_C](#) Missing FCF Refl Between Thmin & STh/L= 0.600 4 Report

---

### ● Alert level G

[PLAT063\\_ALERT\\_4\\_G](#) Crystal Size Possibly too Large for Beam Size .. 0.85 mm  
[PLAT883\\_ALERT\\_1\\_G](#) No Info/Value for \_atom\_sites\_solution\_primary . Please Do !  
[PLAT910\\_ALERT\\_3\\_G](#) Missing # of FCF Reflection(s) Below Theta(Min). 3 Note  
[PLAT912\\_ALERT\\_4\\_G](#) Missing # of FCF Reflections Above STh/L= 0.600 12 Note  
[PLAT933\\_ALERT\\_2\\_G](#) Number of HKL-OMIT Records in Embedded .res File 1 Note  
[PLAT941\\_ALERT\\_3\\_G](#) Average HKL Measurement Multiplicity ..... 4.5 Low  
[PLAT978\\_ALERT\\_2\\_G](#) Number C-C Bonds with Positive Residual Density. 8 Info

---

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
- 0 **ALERT level B** = A potentially serious problem, consider carefully
- 1 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
- 7 **ALERT level G** = General information/check it is not something unexpected

- 1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
  - 2 ALERT type 2 Indicator that the structure model may be wrong or deficient
  - 3 ALERT type 3 Indicator that the structure quality may be low
  - 2 ALERT type 4 Improvement, methodology, query or suggestion
  - 0 ALERT type 5 Informative message, check
- 

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

#### **Publication of your CIF in IUCr journals**

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that **full publication checks** are run on the final version of your CIF prior to submission.


#### **Publication of your CIF in other journals**

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

---

**PLATON version of 28/11/2022; check.def file version of 28/11/2022**

## **Datablock pyr\_dpa\_pdv24 - ellipsoid plot**



[Download CIF editor \(pubCIF\) from the IUCr](#)  
[Download CIF editor \(enCIFer\) from the CCDC](#)  
[Test a new CIF entry](#)