

20µm

Electron Image 1

Sample: Sample 401

Type: Default

ID:

Spectrum processing :

No peaks omitted

Processing option : All elements analyzed (Normalised)

Number of iterations = 3

Standard :

C CaCO<sub>3</sub> 1-июн-1999 12:00 AMO SiO<sub>2</sub> 1-июн-1999 12:00 AM

Mg MgO 1-июн-1999 12:00 AM


Si SiO2 1-июн-1999 12:00 AM

P GaP 1-июн-1999 12:00 AM

S FeS2 1-июн-1999 12:00 AM

Ag Ag 1-июн-1999 12:00 AM

Element	Weight%	Atomic%
C K	35.13	55.45
O K	26.26	31.12
Mg K	0.78	0.61
Si K	11.16	7.54
P K	0.84	0.52
S K	0.56	0.33
Ag L	25.26	4.44
Totals	100.00	



Sample: Sample 401

Type: Default

Project: Project 1

Owner: INCA Operator


Site: Site of Interest 1

Comment:

Processing option : All elements analysed (Normalised)

Spectrum	In stats.	C	O	Mg	Al	Si	P	S	Ag
Spectrum 1	Yes	55.45	31.12	0.61		7.54	0.52	0.33	4.44
Spectrum 2	Yes	39.67	38.56	0.43	0.53	14.43			6.38
Spectrum 3	Yes	70.56	21.87	0.48			0.44		6.64
Max.		70.56	38.56	0.61	0.53	14.43	0.52	0.33	6.64
Min.		39.67	21.87	0.43	0.53	7.54	0.44	0.33	4.44





Sample: Sample 401

Type: Default

Project: Project 1

Owner: INCA Operator

Site: Site of Interest 2

Comment:

Processing option : All elements analysed (Normalised)

Spectrum	In stats.	O	Mg	Al	Si	P	S	Cu	Ag
Spectrum 1	Yes	61.83	0.90		24.04				13.23
Spectrum 2	Yes	68.03	1.80	1.17	14.93	0.83	1.02		12.22
Spectrum 3	Yes	68.02	2.57			2.03	1.29	0.00	26.09
Max.		68.03	2.57	1.17	24.04	2.03	1.29	0.00	26.09
Min.		61.83	0.90	1.17	14.93	0.83	1.02	0.00	12.22

