

Terzi et al. Syntaxonomic diversity of rocky dry grasslands of the *Chrysopogono grylli-Koelerion splendidis* along the East Adriatic. Diversity

Supplement Tab. S8: Synoptic table: Abbreviations: BS = *Brachypodio retusi-Salvietum officinalis* , SO = *Stipo-Salvietum officinalis* , KFb = *Festuca dalmatica - Brachypodium retusum* plant community, CC = *Centaureo cristatae-Chrysopogonetum grylli* , SE = *Salvio officinalis-Euphorbietum fragiferae* , LB = *Lactuco vimineae-Ischaemetum* , HA = *Armerio dalmaticae-Helichrysetum italici* , SS = *Salvio offici-nalis-Seslerietum juncifoliae* , BF = *Bromopsido erectae-Festucetum lapidosae* , KB = *Brachypodio retusi-Koelerietum macranthae* , HE = *Helichrysetum italici* , FI = *Festucetum valesiaco-illyricae* , BC = *Bromopsido erectae-Chrysopogonetum grylli* , BCs = *Sideritido purpureae-Asphodeletum ramosi* , NA = *Narcisso tazettae-Asphodeletum ramosi*

	associations n° relevés	BS 23	SO 114	KFb 490	CC 165	SE 11	LB 73	HA 44	SS 4	BF 10	KB 12	HE 9	FI 14	BC 104	BCs 23	NA 21
<i>Brachypodium retusum</i>	V	I	V	.	.	.	.	.	V	I	V	.	.	I	.	IV
<i>Salvia officinalis</i>	V	V	IV	I	V	I	II	V	III	III	II	II	I	.	.	.
<i>Micromeria juliana</i>	I	II	II	.	.	I	.	.	.	.	.	.	I	.	.	.
<i>Campanula lingulata</i>	.	II	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Asperula scutellaris</i>	.	I	.	.	.	.	.	.	.	.	.	I	.	.	.	.
<i>Clinopodium suaveolens</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Festuca dalmatica</i>	.	.	V	.	.	.	.	.	I	.	.	.	.	.	.	.
<i>Carex humilis</i>	.	I	.	V	.	I	.	.	.	.	I	.	.	I	.	.
<i>Dorycnium pentaphyllum</i> subsp. <i>germanicum</i>	.	I	.	V	I	I	II	.	.	.	.	.	I	I	.	.
<i>Centaurea cristata</i>	.	.	.	IV	.	I	.	I	II	II	.	.	.	.	.	I
<i>Asperula purpurea</i>	.	.	.	III	I	II	.	.	.	.	.	.	.	I	.	.
<i>Globularia bisnagarica</i>	.	.	.	III	.	I	.	.	.	.	.	II	I	.	.	.
<i>Leontodon saxatilis</i>	.	.	.	II	.	.	.	.	.	.	.	.	.	.	.	.
<i>Veronica barrelieri</i>	.	.	.	II	.	.	.	.	.	.	.	.	.	I	.	.
<i>Allium carinatum</i> subsp. <i>pulchellum</i>	.	.	.	I	.	.	.	.	.	.	.	.	.	.	.	.
<i>Jacobaea vulgaris</i>	.	.	.	I	.	.	.	.	.	.	.	.	.	.	.	.
<i>Teucrium flavum</i>	.	.	.	I	V	I	.	.	.	.	.	.	.	.	.	.
<i>Euphorbia fragifera</i>	I	I	I	II	V	I	.	.	.	.	.	.	.	I	.	.
<i>Alyssum austrodalmaticum</i>	.	I	.	I	IV	I	II	.	I	II	.	.	.	I	.	.
<i>Seseli kochii</i>	.	.	.	II	III	I	.	.	.	.	.	.	.	.	.	.
<i>Campanula sibirica</i>	.	.	.	.	II	I	.	.	.	.	.	.	.	.	.	.
<i>Cleistogenes serotina</i>	.	I	.	I	I	IV	.	.	.	.	.	.	.	I	.	.
<i>Armeria canescens</i> subsp. <i>dalmatica</i>	.	.	.	.	.	.	.	V	.	I	.	.	.	I	.	.
<i>Dianthus ciliatus</i> subsp. <i>ciliatus</i>	.	I	.	.	.	.	I	IV	.	.	.	.	.	I	.	.
<i>Peucedanum cervaria</i>	.	.	.	.	.	.	.	IV	.	.	.	.	.	.	.	.
<i>Sesleria juncifolia</i>	.	.	.	.	.	.	.	.	V	.	.	.	.	I	.	.
<i>Muscari botryoides</i>	.	.	.	.	.	.	.	.	V	I	.	.	I	I	.	.
<i>Tulipa sylvestris</i>	.	.	.	.	.	.	.	.	IV	.	I	.	.	.	.	.
<i>Bunium alpinum</i> subsp. <i>montanum</i>	I	I	.	.	.	.	.	.	IV	.	.	.	.	I	II	.
<i>Crepis dioscoridis</i>	.	.	.	.	.	.	.	.	II	.	.	.	.	.	.	.
<i>Festuca lapidosa</i>	.	.	.	.	.	.	.	.	I	V	.	.	.	.	.	.
<i>Centaurea rupestris</i>	.	.	.	II	.	.	.	.	.	IV	.	.	.	I	.	.
<i>Helianthemum italicum</i>	.	.	.	.	.	.	.	.	I	IV	V	.	.	.	.	.
<i>Bunium ferulaceum</i>	.	.	.	.	.	.	.	.	.	IV	III	.	.	.	.	.
<i>Koeleria macrantha</i>	.	.	IV	II	.	.	.	.	I	.	V	.	.	.	.	.
<i>Hyacinthella dalmatica</i>	.	.	.	.	.	.	.	.	II	I	IV	.	.	I	I	.
<i>Iberis umbellata</i>	.	.	.	.	.	.	.	.	.	.	III	.	.	.	.	.
<i>Sideritis romana</i> subsp. <i>romana</i>	I	I	.	.	.	.	.	.	.	.	.	V	.	I	.	I
<i>Sonchus bulbosus</i> subsp. <i>bulbosus</i>	I	I	.	.	.	.	.	.	.	.	.	III	.	.	.	.
<i>Orobanche minor</i>	.	I	.	.	.	.	.	.	.	.	.	III	.	I	.	.
<i>Achillea nobilis</i>	.	.	.	.	.	.	.	.	.	.	.	.	IV	I	.	.
<i>Centaurea jacea</i> subsp. <i>weldeniana</i>	I	I	.	I	II	I	.	.	.	.	.	.	III	I	.	.
<i>Potentilla tommasiniana</i>	.	.	.	I	.	I	.	.	.	.	.	.	III	.	.	.
<i>Trifolium repens</i>	.	.	.	.	.	.	.	.	.	.	.	.	II	I	.	.

<i>Filipendula vulgaris</i>	.	I	.	I	.	.	.	.	.	.	.	II	I	.	.
<i>Cytisus spinescens</i>	II	I	.	.	.	.	.	.	.	.	.		I	.	.
<i>Sideritis romana</i> subsp. <i>purpurea</i>	.	I	.	.	.	.	.	.	I	.	.			V	.
<i>Daucus guttatus</i>	.	.	.	.	.	.	.	.	.	.	.	.		IV	.
<i>Centaurea deusta</i>	.	I	.	I	.	.	.	.	.	.	.	.		IV	.
<i>Allium guttatum</i> subsp. <i>sardoum</i>	.	I	.	.	.	.	.	.	.	.	.	.		IV	.
<i>Narcissus tazetta</i>	.	.	.	.	.	.	.	.	.	.	.	.			V

Chrysopogono grylli-Koelerion splendidis

<i>Koeleria splendens</i>	I	IV	V	III	I	IV	III	.	IV	II	V	II	V	IV	III
<i>Bupleurum veronense</i>	I	III	V	II	.	III	V	.	III	III	III	III	III	III	II
<i>Genista sylvestris</i>	I	I	.	IV	.	I	II	IV	V	V	I	.	II	.	.
<i>Onosma echioides</i> subsp. <i>dalmatica</i>	I	I	.	II	II	I	III	.	II	II	.	.	I	I	.
<i>Carduus nutans</i> subsp. <i>micropterus</i>	I	II	IV	I	.	.	.	.	III	.	II	II	II	II	.
<i>Satureja montana</i>	I	II	.	V	V	V	.	I	.	.	.	I	II	.	.
<i>Tanacetum cinerariifolium</i>	I	II	I	.	.	I	.	IV	.	IV	.	I	I	.	.
<i>Astragalus muelleri</i>	.	I	II	.	.	I	.	I	I	II	.	.	I	.	.
<i>Centaurea spinosociata</i>	.	I	.	.	.	I	.	.	I	.	.	.	I	.	I
<i>Centaurea tommasinii</i>	.	I	.	.	.	I	.	.	.	.	II	.	II	.	.

Scorzoneretalia villosae

<i>Eryngium amethystinum</i>	II	III	I	V	I	IV	V	I	V	IV	I	V	IV	V	II
<i>Anthyllis vulneraria</i>	II	II	I	I	.	II	.	II	III	V	I	I	II	III	.
<i>Teucrium montanum</i>	II	II	.	V	II	II	.	I	I	III	II	I	I	.	.
<i>Stipa eriocalis</i>	I	II	.	II	I	I	V	III	I	II	.	I	I	.	.
<i>Festuca valesiaca</i>	.	III	.	I	.	I	.	II	V	II	III	V	IV	.	I
<i>Plantago holosteam</i>	.	I	.	III	.	I	III	.	V	.	II	IV	III	II	II
<i>Chrysopogon gryllus</i>	I	II	.	V	I	III	.	.	.	.	I	.	IV	V	II
<i>Potentilla heptaphylla</i> subsp. <i>australis</i>	.	I	II	III	.	I	.	I	I	III	.	II	II	.	.
<i>Medicago prostrata</i>	.	I	.	III	.	I	.	.	III	I	II	II	II	II	.
<i>Festuca stricta</i> subsp. <i>sulcata</i>	.	III	III	I	.	II	.	.	.	III	.	V	III	II	.
<i>Salvia pratensis</i>	.	I	.	IV	I	II	.	.	.	.	III	III	II	.	II
<i>Dianthus sylvestris</i> (mainly subsp. <i>tergestinus</i>)	.	II	I	III	.	II	.	I	.	II	.	I	II	.	.
<i>Gelasia villosa</i> subsp. <i>villosa</i>	I	I	III	II	.	I	.	.	.	.	.	II	I	II	.
<i>Noccaea praecox</i>	I	I	.	I	.	I	.	I	I	II	.	.	I	.	.
<i>Ornithogalum orthophyllum</i> subsp. <i>kochii</i>	.	I	.	I	.	.	.	III	III	I	.	II	I	.	.
<i>Stachys recta</i> s.l. (mainly subsp. <i>subcrenata</i>)	I	I	.	II	IV	I	.	.	.	.	.	I	I	.	.
<i>Stachys officinalis</i>	.	I	.	I	.	I	.	.	.	.	I	I	I	.	I
<i>Scabiosa triandra</i>	.	.	.	II	II	III	.	.	.	.	.	I	I	.	I
<i>Edraianthus tenuifolius</i>	.	I	.	I	.	I	.	.	III	II	.	.	I	.	.
<i>Dorycnium pentaphyllum</i> subsp. <i>herbaceum</i>	I	I	.	.	.	II	.	.	.	.	I	.	I	.	.
<i>Prunella laciniata</i>	.	.	.	I	.	I	.	.	.	.	.	II	I	.	I
<i>Seseli montanum</i> subsp. <i>tommasinii</i>	.	.	.	.	.	.	.	.	.	II	.	III	I	III	.
<i>Takhtajaniantha austriaca</i>	.	I	.	I	.	I	II	.	.	.	.	.	.	.	.
<i>Astragalus monspessulanus</i> subsp. <i>illyricus</i>	.	I	.	.	.	I	.	.	.	.	.	.	I	I	.
<i>Genista sericea</i>	.	I	.	II	.	.	.	.	.	III	.	.	.	.	.
<i>Plantago media</i>	.	.	.	I	.	.	.	.	.	.	.	II	I	.	.
<i>Ferulago campestris</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	II
<i>Ononis spinosa</i>	I	.	.	.	.	.	.	.	.	.	.	I	I	.	.
<i>Iris pallida</i> subsp. <i>illyrica</i>	.	.	I	I	.	.	.	.	.	.	.	.	I	.	.
<i>Globularia cordifolia</i>	.	.	.	I	.	.	.	.	.	.	.	I	I	.	.
<i>Asyneuma limonifolium</i> subsp. <i>limonifolium</i>	.	I	.	.	.	.	.	.	.	I	.	.	.	.	.
<i>Knautia illyrica</i>	.	.	.	.	.	.	.	.	.	.	.	I	I	.	.
<i>Euphorbia nicaeensis</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	.
<i>Satureja subspicata</i>	.	.	.	.	.	.	.	.	.	.	.	.	.	II	.

Festuco-Brometea

<i>Bromopsis erecta</i> (incl. <i>Bromopsis condensata</i>)	III	V	.	V	III	III	IV	V	V	V	V	V	V	.	IV
<i>Sanguisorba minor</i>	I	II	.	III	II	IV	IV	.	V	II	III	V	III	V	II
<i>Linum tenuifolium</i>	I	II	I	II	I	II	III	.	.	III	IV	II	II	III	II
<i>Thymus longicaulis</i> subsp. <i>longicaulis</i>	.	II	.	V	II	III	.	I	III	III	II	V	III	.	III
<i>Convolvulus cantabrica</i>	I	II	III	IV	III	III	.	.	.	II	II	.	I	III	I
<i>Teucrium chamaedrys</i>	I	I	.	III	.	II	.	I	II	II	I	III	I	I	.
<i>Galium corrudifolium</i>	II	I	II	.	.	.	II	III	V	III	I	II	II	.	.

<i>Melica ciliata</i>	I	III	II	II	II	II	.	.	I	I	III	.	II	.	.
<i>Hippocrepis comosa</i>	.	I	.	III	I	II	.	.	II	II	II	II	I	.	I
<i>Carex halleriana</i>	I	I	.	I	.	I	.	.	III	II	I	III	I	.	I
<i>Bothriochloa ischaemum</i>	I	I	.	IV	III	V	II	.	.	.	.	.	I	II	IV
<i>Hypericum perforatum</i>	I	II	IV	I	.	II	II	.	.	.	.	.	I	V	I
<i>Fumana procumbens</i>	.	I	.	II	I	II	.	I	III	III	.	I	II	.	.
<i>Helianthemum nummularium</i> subsp. <i>obscurum</i>	.	II	.	II	I	II	II	.	III	II	.	II	I	.	.
<i>Allium sphaerocephalon</i>	I	I	III	II	I	II	III	.	.	.	.	.	II	.	I
<i>Euphorbia spinosa</i>	.	I	II	.	.	.	.	III	III	V	.	I	II	.	I
<i>Asperula aristata</i>	I	II	.	I	.	II	III	.	.	I	.	.	II	.	I
<i>Carex caryophyllea</i>	.	I	.	I	.	.	.	III	II	II	.	.	I	III	I
<i>Centaureum erythraea</i>	I	I	I	.	.	I	II	.	.	II	I	.	I	.	.
<i>Euphorbia cyparissias</i>	.	I	.	IV	I	II	.	.	.	.	IV	.	I	.	I
<i>Polygala nicaeensis</i>	I	I	.	I	.	.	.	II	IV	II	.	.	I	.	.
<i>Brachypodium pinnatum</i> + <i>B. rupestre</i>	.	I	.	II	III	I	.	.	.	.	.	I	I	.	I
<i>Ruta graveolens</i>	.	I	.	I	I	I	III	.	.	.	.	.	I	.	II
<i>Clinopodium nepeta</i>	I	I	.	.	.	I	.	.	I	.	.	I	I	.	I
<i>Paronychia kapela</i>	.	.	.	.	.	I	II	.	III	II	.	I	I	.	.
<i>Echinops ritro</i>	.	I	.	.	.	I	IV	.	I	.	.	.	I	.	I
<i>Argyrolobium zanonii</i>	I	.	.	I	.	I	.	.	I	II	.	.	I	.	.
<i>Pilosella piloselloides</i>	.	I	.	.	.	I	.	.	I	.	I	II	I	.	.
<i>Medicago lupulina</i>	I	I	.	.	.	I	.	.	.	.	.	II	I	.	I
<i>Artemisia alba</i>	.	I	.	II	.	III	V	.	.	.	.	.	I	.	.
<i>Bellis sylvestris</i>	I	.	.	.	.	I	.	.	.	II	.	.	I	.	IV
<i>Leopoldia comosa</i>	I	I	II	.	.	.	.	.	.	.	.	.	I	.	II
<i>Thymus striatus</i>	I	.	.	.	.	.	.	I	II	.	.	I	.	I	.
<i>Tragopogon porrifolius</i>	.	I	I	.	.	.	.	.	.	.	.	.	I	I	I
<i>Carex flacca</i>	I	I	.	I	.	I	.	.	.	.	.	.	I	.	.
<i>Pilosella bauhini</i>	I	I	.	.	.	.	.	.	I	.	.	.	I	.	I
<i>Arabis hirsuta</i>	.	I	.	I	.	I	.	.	.	.	.	I	I	.	.
<i>Ononis pusilla</i>	I	I	.	I	.	I	.	.	.	.	.	.	I	.	.
<i>Minuartia verna</i>	.	I	.	.	.	.	II	.	II	.	.	.	I	.	.
<i>Achnatherum bromoides</i>	I	II	.	.	.	I	.	.	.	.	I	.	.	.	.
<i>Muscari neglectum</i>	I	.	.	I	.	.	.	.	.	II	.	.	I	.	.
<i>Allium lusitanicum</i>	.	.	.	I	.	I	.	.	.	I	.	.	I	.	.
<i>Asperula cynanchica</i>	.	.	.	IV	.	II	.	.	.	.	.	IV	.	.	.
<i>Odontites luteus</i>	.	.	.	I	.	II	III	.	.	.	.	.	.	.	.
<i>Cotinus coggygria</i>	.	I	.	II	I	.	.	.	.	.	.	.	.	.	.
<i>Ranunculus illyricus</i>	.	.	.	.	.	.	.	I	I	II	.	.	.	.	.
<i>Lactuca perennis</i>	.	.	.	I	.	I	.	I	.	.	.	.	.	.	.
<i>Lactuca viminea</i>	.	I	.	.	.	II	.	.	.	.	.	.	.	I	.
<i>Leontodon hispidus</i>	.	I	.	.	.	I	.	.	.	.	.	.	I	.	.
<i>Silene otites</i>	.	I	.	.	.	.	.	.	I	.	.	.	I	.	.
<i>Cirsium acaulon</i>	.	.	.	I	.	.	.	.	.	.	.	I	I	.	.
<i>Orobanche gracilis</i>	.	I	.	.	.	.	IV	.	.	.	.	.	.	.	.
<i>Crupina vulgaris</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	IV	.
<i>Ranunculus millefoliatus</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	III	.
<i>Allium flavum</i>	.	.	II	.	.	.	.	.	.	.	.	.	I	.	.
<i>Verbascum chaixii</i>	.	.	.	.	I	I	.	.	.	.	.	.	.	.	.
<i>Scorzonera laciniata</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	II	.
<i>Anacamptis morio</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	II	.
<i>Ophrys sphegodes</i>	.	.	.	.	.	.	.	I	.	.	.	.	.	I	.
<i>Carlina acaulis</i>	.	.	.	.	.	.	.	.	.	.	.	II	I	.	.
<i>Stipa pulcherrima</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	I	.
<i>Cuscuta epithymum</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	I	.
<i>Onobrychis arenaria</i> subsp. <i>tommasinii</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	.
<i>Achillea virescens</i>	.	.	.	.	.	I	.	.	.	.	.	.	.	.	I
<i>Galatella linosyris</i>	I	.	.	.	.	I	.	.	.	.	.	.	.	.	.
<i>Anthericum ramosum</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	.
<i>Achillea collina</i>	.	.	.	.	.	.	.	.	.	.	.	I	I	.	.
<i>Pimpinella saxifraga</i>	.	.	.	.	.	I	.	.	.	.	.	I	.	.	.
<i>Medicago falcata</i>	.	.	.	.	.	I	.	.	.	.	.	I	.	.	.
<i>Galium verum</i>	.	.	.	I	.	.	.	.	.	.	.	I	.	.	.

<i>Euphrasia illyrica</i>	.	.	.	.	.	.	.	.	.	.	.	I	I	.	.
<i>Dianthus carthusianorum</i>	.	I	.	.	.	.	.	.	.	.	.	I	.	.	.
<i>Herniaria incana</i>	I	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Inula hirta</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Polygala comosa</i>	.	.	.	.	.	I	.	.	.	.	.	.	I	.	.
<i>Genista januensis</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	.
<i>Allium saxatile</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	.
<i>Anacamptis pyramidalis</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	I
<i>Asphodeline lutea</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Tragopogon pratensis</i>	.	I	.	I	.	.	.	.	.	.	.	.	.	.	.
<i>Leucanthemum platylepis</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Ajuga genevensis</i>	.	.	.	.	.	I	.	.	.	.	.	.	I	.	.
<i>Dianthus ciliatus</i> subsp. <i>dalmaticus</i>	I	I	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Gladiolus illyricus</i>	.	.	.	.	.	.	.	.	.	.	.	.	.	.	II
<i>Polygala vulgaris</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Potentilla incana</i>	.	.	.	I	.	.	.	.	.	.	.	.	.	.	.
<i>Eryngium campestre</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Ophrys bertolonii</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Anacamptis coriophora</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	.

Stipo-Trachynietea distachyae

<i>Catapodium rigidum</i>	II	II	.	I	I	I	III	.	II	III	V	.	II	I	IV
<i>Trifolium scabrum</i>	I	I	.	I	.	I	II	.	I	II	IV	I	II	I	II
<i>Filago germanica</i>	I	I	I	I	.	.	.	.	III	III	II	I	I	II	II
<i>Trifolium campestre</i>	I	II	I	.	.	I	.	.	III	.	V	I	II	II	II
<i>Medicago minima</i>	I	II	.	I	.	I	.	.	II	.	IV	II	I	.	II
<i>Sherardia arvensis</i>	I	I	.	.	.	I	.	.	I	.	III	I	I	III	I
<i>Trachynia distachya</i>	.	II	.	I	.	I	.	.	IV	II	V	.	II	I	.
<i>Valantia muralis</i>	II	I	.	.	.	.	II	.	II	II	IV	.	I	II	.
<i>Asterolinon linum-stellatum</i>	I	I	.	.	.	.	II	.	I	II	II	.	I	IV	.
<i>Euphorbia exigua</i>	II	I	.	.	.	.	.	.	.	II	V	.	I	IV	I
<i>Briza maxima</i>	I	II	IV	.	.	I	.	I	.	.	.	.	I	.	II
<i>Arenaria leptoclados</i>	.	I	.	I	.	.	.	.	I	I	.	I	I	III	.
<i>Trifolium angustifolium</i>	I	I	I	.	.	I	.	.	.	.	.	.	I	I	III
<i>Ononis reclinata</i>	I	I	.	.	.	I	.	.	.	I	II	.	I	II	.
<i>Trifolium stellatum</i>	.	I	I	.	.	I	.	.	.	.	.	I	I	I	I
<i>Cynosurus echinatus</i>	.	I	I	.	.	I	.	.	.	.	I	.	II	.	IV
<i>Crepis neglecta</i> subsp. <i>neglecta</i>	.	II	.	.	.	I	.	.	I	.	I	.	I	.	I
<i>Arenaria serpyllifolia</i>	I	I	.	I	.	I	.	.	.	.	.	I	I	.	.
<i>Tordylium apulum</i>	.	I	II	.	.	.	.	.	I	.	.	.	I	II	.
<i>Coronilla scorpioides</i>	.	I	I	.	.	I	.	.	.	I	.	.	I	.	.
<i>Gastridium ventricosum</i>	I	I	.	.	.	.	.	.	.	.	V	.	I	.	.
<i>Euphorbia falcata</i>	.	I	.	.	.	.	.	.	II	II	.	.	I	.	.
<i>Alyssum alyssoides</i>	.	I	.	.	.	.	.	.	I	.	.	.	I	I	.
<i>Crepis sancta</i> subsp. <i>sancta</i>	I	.	.	.	.	I	.	.	.	.	.	.	.	V	.
<i>Ornithogalum collinum</i>	.	.	.	.	.	.	.	.	.	.	II	.	I	III	.
<i>Linum strictum</i>	I	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Hedypnois rhagadioloides</i>	.	.	.	.	.	.	.	.	.	.	I	.	I	.	I
<i>Vulpia ciliata</i>	.	I	.	.	.	.	.	.	.	.	I	.	I	.	.
<i>Hippocrepis ciliata</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	IV	.
<i>Valerianella eriocarpa</i>	.	I	.	.	.	.	.	.	.	.	II	.	.	.	.
<i>Galium murale</i>	I	.	.	.	.	.	.	.	.	.	II	.	.	.	.
<i>Neatostema apulum</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	I	.
<i>Prospero elisae</i>	.	.	.	I	.	I	.	.	.	.	.	.	.	.	.
<i>Linaria simplex</i>	.	.	.	.	.	.	.	.	.	I	.	.	I	.	.
<i>Cerastium brachypetalum</i> subsp. <i>tenoreanum</i>	.	I	.	.	.	.	.	.	.	.	.	I	.	.	.
<i>Bromus intermedius</i>	.	.	.	.	.	I	.	.	.	.	.	.	I	.	.
<i>Campanula erinus</i>	I	I	.	.	.	.	.	.	.	.	.	.	.	.	.

Lygeo sparti-Stipetea tenacissimae

<i>Dactylis glomerata</i> subsp. <i>hispanica</i>	I	II	IV	.	.	II	III	.	.	I	V	.	II	.	IV
<i>Convolvulus althaeoides</i> subsp. <i>tenuissimus</i>	II	I	.	.	.	.	.	I	.	II	I	.	I	.	.
<i>Prospero autumnale</i>	I	I	.	.	.	I	.	.	.	.	.	.	I	I	I
<i>Anemone hortensis</i>	.	.	.	.	.	.	.	.	.	I	.	.	I	IV	III

<i>Anacamptis papilionacea</i>	.	.	.	.	.	.	.	.	.	.	.	.	.	V	II
<i>Pallenis spinosa</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	.	II
<i>Hyparrhenia hirta</i>	.	I	I	.	.	.	.	.	.	.	.	.	.	.	.

Sedo-Scleranthetea

<i>Petrorhagia saxifraga</i>	I	II	I	I	III	III	.	.	II	II	II	III	III	III	II
<i>Aethionema saxatile</i>	III	III	II	I	I	I	III	I	III	II	II	I	I	.	.
<i>Poa bulbosa</i>	.	I	.	I	.	I	.	I	III	II	II	II	I	V	I
<i>Sedum sexangulare</i>	.	I	.	II	III	III	.	.	.	I	.	IV	III	.	II
<i>Clinopodium acinos</i>	.	II	.	I	.	I	.	.	III	I	.	III	I	III	.
<i>Pilosella officinarum</i>	.	I	.	I	.	I	.	I	.	.	I	III	II	.	I
<i>Cerastium pumilum</i> subsp. <i>glutinosum</i>	.	I	.	I	.	.	II	.	.	.	II	.	I	IV	I
<i>Trifolium arvense</i>	I	I	.	.	.	I	.	.	I	.	.	.	I	.	I
<i>Valeriana tuberosa</i>	.	.	.	.	.	.	.	III	II	II	.	I	I	.	.
<i>Sedum acre</i>	.	I	.	.	.	.	.	.	.	.	II	.	I	.	.
<i>Veronica arvensis</i>	I	.	.	.	.	.	.	.	.	.	.	.	I	I	.
<i>Erodium cicutarium</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	III	.
<i>Reseda phyteuma</i>	I	.	.	.	.	.	.	.	.	.	.	.	.	I	.
<i>Sedum sediforme</i>	I	I	.	.	.	.	.	.	.	.	.	.	.	.	.

Tuberarietea guttatae

<i>Linum trigynum</i>	I	I	.	I	.	I	.	.	I	II	V	.	I	.	I
<i>Aira elegantissima</i>	.	I	.	.	.	.	.	I	.	.	II	.	I	II	.
<i>Helianthemum salicifolium</i>	.	I	.	.	.	.	.	.	I	.	.	.	I	V	.
<i>Trifolium cherleri</i>	.	I	.	.	.	I	.	.	I	.	.	.	.	I	.
<i>Galium divaricatum</i>	.	I	.	.	.	.	.	.	.	.	II	.	.	III	.
<i>Plantago bellardii</i>	.	I	.	.	.	.	.	.	.	.	II	.	.	III	.
<i>Crupina crupinastrum</i>	.	.	III	.	.	.	.	.	.	.	.	.	I	.	.
<i>Vulpia myuros</i>	.	I	.	.	.	.	.	.	I	.	.	.	.	I	.

Chenopodietea

<i>Reichardia picroides</i>	I	I	.	.	I	I	III	I	.	III	IV	.	III	.	IV
<i>Anagallis arvensis</i>	I	I	.	.	.	I	.	.	.	II	V	I	I	III	II
<i>Avena barbata</i>	.	I	.	.	.	I	II	I	.	I	.	.	I	IV	I
<i>Geranium purpureum</i>	I	I	.	.	.	.	.	I	.	II	III	.	I	I	I
<i>Orlaya grandiflora</i>	.	I	.	.	I	I	.	.	.	.	.	I	I	I	.
<i>Crepis zacintha</i>	I	I	.	.	.	I	.	.	.	.	I	.	I	.	I
<i>Vicia sativa</i>	I	I	.	.	.	I	.	.	.	.	.	I	.	I	I
<i>Aegilops geniculata</i>	.	I	.	.	.	I	.	.	III	.	.	.	I	.	I
<i>Sonchus asper</i>	I	I	.	.	.	.	.	.	.	.	I	.	.	I	II
<i>Scorpiurus muricatus</i>	I	I	.	.	.	.	.	.	.	.	II	.	I	.	I
<i>Nigella damascena</i>	I	I	I	.	.	I	.	.	.	.	.	.	I	.	.
<i>Urospermum picroides</i>	I	I	.	.	.	.	.	I	.	.	I	.	I	.	.
<i>Alyssum simplex</i>	.	I	.	I	.	.	.	.	.	.	.	I	.	I	.
<i>Geranium molle</i>	.	.	.	.	.	.	.	.	.	.	I	.	.	I	II
<i>Bromus hordeaceus</i>	.	.	.	.	.	.	.	.	.	.	.	II	I	I	.
<i>Echium italicum</i>	.	.	.	.	.	I	.	.	.	.	.	.	I	.	I
<i>Urospermum dalechampii</i>	I	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Avena fatua</i>	.	.	IV	.	.	.	.	.	.	.	.	.	I	.	.
<i>Parietaria judaica</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	.	III
<i>Hordeum murinum</i> subsp. <i>leporinum</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	.	III
<i>Scandix pecten-veneris</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	I	.
<i>Aegilops neglecta</i>	.	.	.	.	.	.	.	.	.	I	.	.	.	I	.
<i>Anisantha madritensis</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	I	.
<i>Erodium malacoides</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	I
<i>Securigera cretica</i>	.	.	I	.	.	I	.	.	.	.	.	.	.	.	.
<i>Anagallis foemina</i>	I	.	.	.	.	I	.	.	.	.	.	.	.	.	.
<i>Crepis vesicaria</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Avena sterilis</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	I
<i>Lathyrus aphaca</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Rostraria cristata</i>	.	I	.	.	.	I	.	.	.	.	.	.	.	.	.

Artemisietea vulgaris

<i>Plantago lanceolata</i>	.	I	III	I	.	I	.	.	I	II	III	II	II	III	IV
----------------------------	---	---	-----	---	---	---	---	---	---	----	-----	----	----	-----	----

<i>Quercus trojana</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Viola suavis</i> subsp. <i>adriatica</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Quercetea ilicis</i>															
<i>Asparagus acutifolius</i>	II	I	IV	I	.	I	.	.	I	.	II	.	I	I	III
<i>Juniperus phoenicea</i>	I	I	.	.	.	I	III	.	.	.	.	.	I	.	.
<i>Clematis flammula</i>	I	I	.	.	.	II	.	.	.	.	.	.	I	.	I
<i>Smilax aspera</i>	III	I	.	.	.	I	.	.	.	.	.	.	I	.	I
<i>Helictotrichon convolutum</i>	II	.	.	.	.	.	.	I	.	.	.	.	I	.	.
<i>Quercus ilex</i>	I	I	.	.	.	I	.	.	I	.	I	.	.	.	I
<i>Pistacia lentiscus</i>	I	I	.	.	.	I	.	.	.	.	.	.	.	.	I
<i>Cyclamen repandum</i>	.	I	.	.	.	.	.	I	.	.	.	.	.	.	.
<i>Phillyrea latifolia</i>	I	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Myrtus communis</i>	I	I	.	.	.	.	.	.	.	.	.	.	.	.	I
<i>Osyris alba</i>	.	.	.	I	.	I	.	.	.	.	.	.	I	.	.
<i>Lonicera implexa</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	.	I
<i>Olea europaea</i>	.	I	.	.	.	I	.	.	.	.	.	.	I	.	I
<i>Erica arborea</i>	I	I	.	.	.	.	.	.	.	.	.	.	.	.	.
<i>Other species (in more than 2 associations)</i>															
<i>Leontodon crispus</i>	I	II	.	II	I	II	IV	.	III	III	I	I	I	IV	.
<i>Lotus corniculatus</i>	.	I	.	II	I	II	.	.	III	II	II	IV	II	.	I
<i>Geranium columbinum</i>	I	II	I	I	.	I	.	.	II	I	.	I	.	V	I
<i>Galium lucidum</i>	I	I	.	III	III	III	.	II	.	.	.	II	I	.	II
<i>Dactylis glomerata</i> subsp. <i>glomerata</i>	I	I	.	I	IV	I	.	.	.	.	.	I	I	.	I
<i>Rubus ulmifolius</i>	I	I	.	I	.	I	.	.	I	.	I	.	I	.	.
<i>Cerastium ligusticum</i>	.	I	.	.	.	.	.	I	III	IV	.	.	I	III	.
<i>Sedum ochroleucum</i>	I	I	.	.	.	I	.	III	III	II	.	.	.	.	.
<i>Veronica austriaca</i> subsp. <i>jacquinii</i>	.	I	.	.	.	.	.	I	III	III	.	I	I	.	.
<i>Romulea bulbocodium</i>	.	I	.	.	.	.	.	.	I	I	.	.	I	I	III
<i>Vincetoxicum hirundinaria</i> (mainly subsp. <i>adriaticum</i>)	I	I	.	.	I	.	II	.	.	.	.	.	I	.	I
<i>Potentilla pedata</i>	.	I	.	.	.	I	.	I	I	I	.	.	I	.	.
<i>Cynodon dactylon</i>	.	I	.	.	.	I	.	.	.	.	.	.	I	V	I
<i>Blackstonia perfoliata</i>	I	I	.	.	.	I	.	.	.	II	.	.	I	.	.
<i>Clematis vitalba</i>	.	I	.	I	.	I	.	.	.	.	I	I	.	.	.
<i>Anthoxanthum odoratum</i>	I	I	.	.	.	.	.	.	.	.	.	.	I	IV	.
<i>Leontodon tuberosus</i>	.	.	.	.	.	I	.	.	.	II	I	.	.	II	.
<i>Herniaria glabra</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	II	I
<i>Euphorbia peplus</i>	I	I	.	.	.	.	.	.	I	.	I	.	.	.	.
<i>Phleum pratense</i>	.	.	.	I	.	I	.	.	.	.	.	.	I	.	I
<i>Sesleria autumnalis</i>	.	I	.	I	I	I	.	.	.	.	.	.	.	.	.
<i>Euphorbia myrsinites</i>	.	I	.	.	.	.	.	.	III	.	.	.	I	.	.
<i>Cota segetalis</i>	.	I	.	.	.	.	III	.	.	.	.	.	I	.	.
<i>Allium guttatum</i> subsp. <i>dalmaticum</i>	.	II	.	.	.	I	.	.	.	II	.	.	.	.	.
<i>Bromus squarrosus</i>	.	.	.	.	.	I	.	.	.	.	.	.	I	II	.
<i>Helleborus multifidus</i>	.	I	.	.	.	.	.	.	.	.	.	II	I	.	.
<i>Spartium junceum</i>	.	.	I	.	.	.	.	.	.	.	.	.	I	.	II
<i>Campanula rapunculus</i>	.	I	.	.	.	.	.	.	.	.	.	.	I	.	I
<i>Galium mollugo</i>	.	I	.	.	.	I	.	I	.	.	.	.	.	.	.
<i>Setaria viridis</i>	.	.	.	I	.	I	.	.	.	.	.	.	I	.	.
<i>Vicia cracca</i>	I	I	.	.	.	.	.	.	.	.	.	.	I	.	.
<i>Euphorbia segetalis</i> var. <i>pinea</i>	I	.	.	.	.	.	.	.	.	.	.	.	.	.	III
<i>Centaurea glaberrima</i>	.	I	.	.	.	.	.	.	.	II	.	.	.	.	.
<i>Sonchus oleraceus</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	III	.
<i>Serapias vomeracea</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	II	.
<i>Euphorbia helioscopia</i>	.	.	.	.	.	.	.	.	.	.	.	.	.	II	I
<i>Elytrigia atherica</i>	.	.	.	.	I	.	.	.	.	.	.	.	.	.	I
<i>Chaerophyllum coloratum</i>	.	I	II	.	.	.	.	.	.	.	.	.	.	.	.
<i>Hypochaeris radicata</i>	.	.	.	.	.	.	.	.	.	.	.	.	I	II	.
<i>Euphorbia taurinensis</i>	.	I	.	.	.	.	.	.	.	.	.	.	.	I	.
<i>Scorzonoides autumnalis</i>	.	.	.	.	.	.	.	.	.	.	I	II	.	.	.
<i>Linum bienne</i>	.	.	.	.	.	.	.	.	.	.	.	I	.	I	.
<i>Trifolium pratense</i>	.	.	.	.	.	.	.	.	.	.	.	II	I	.	.

[illegible]