

Paleobiogeography of Crown Deer

Roman Croitor

Table S2. Bibliographic sources that provided the data on fossil deer biostratigraphic and zoogeographic distribution and predicted body mass (see Table S1).

Abbazzi, L. 2001. Cervidea and Moschidae (Mammalia, Artiodactyla) from the Baccinello V-3 assemblage (Late Miocene, Late Turolian, Grosseto, Italy). *Rivista Italiana di Paleontologia e Stratigrafia*, **107** (1): 107-123.

Abdrakhmanova, L.T. 1974. Fossil ruminants of Karabastuz. *Contributions to history of fauna and flora of Kazakhstan*, **5**: 83-89.

Alcaraz, M.A., 2010. Sistemática y evolución de los cérvidos (Mammalia, Artiodactyla) del Pleistoceno de las áreas extraan-dinas de Argentina. Doctoral dissertation, Universidad Nacional de La Plata, La Plata.

Alcaraz, A., Ferrero, B.S., Noriega, J.I. 2005. Primer registro de *Antifer ultra* Ameghino 1889 (Artiodactyla: Cervidae) en el Pleistoceno de Entre Ríos. *INSUGEO Miscelánea*, **14**: 65-70.

Anderson, A.E., Wallmo, O.C. 1984. *Odocoileus hemionus*. *Mammalian species*, **219**: 1-9.

Aubekerova, P.A. 1974. Pliocene artiodactyls from southeastern Kazakhstan. *Paleontological Journal*, **1974** (4): 92-100.

Aung, T.H., Marwick, B., Conrad, C. 2015. Palaeolithic zooarchaeology in Myanmar: a review and future prospects. *Journal of Indo-Pacific Archaeology*, **39**: 50-56.

Azanza, B. 2000. Los Cervidae (Artiodactyla, Mammalia) del Mioceno de las Cuencas del Duero, Tajo, Calatayud-Teruel y Levante. *Memorias del Museo Paleontológico de la Universidad de Zaragoza*, **8**: 1-376.

Azanza, B., Montoya, P. 1995. A new deer from the lower Turolian of Spain. *Journal of Paleontology*, **69** (6): 1163-1175.

Azzaroli A., Mazza P. 1992. The cervid genus *Eucladoceros* in the early Pleistocene of Tuscany. *Palaeontographia Italica*, **79**: 43-100.

Azzaroli, A. 1992. The cervid genus *Pseudodama* n. g. in the Villafranchian of Tuscany. *Palaeontographia Italica*, **79**: 1-41.

Biswas, S., Sonakia, A. 2001. Some fossils of deer from the Quaternary deposits of Madhya Pradesh, India. *Journal of the Palaeontological Society of India*, **46**: 43-49.

Boeskorov, G. G. 2001. *The systematics and origin of the modern moose*. Novosibirsk: Nauka Publishing House, 120 p. (in Russian).

Bondarev A.A., Tesakov A.S. Simakova A.N., Dorogov A.L. 2017. Reindeer (*Rangifer*) from Early Pleistocene of the South of Western Siberia. In: Bogdanov et al. (Eds.): *Integrative Palaeontology: Development*

Prospects for Geological Objectives, Material of the LXIII Session of the Palaeontological Society (April, 3-7, 1917, Sankt-Peterburg): 173-175 (in Russian).

Cabrera, A. 1929. Sobre los ciervos fósiles sudamericanos llamados *Paraceros* y *Morenelaphus*. *Memorias de la Real Sociedad Española de Historia Natural*, **15**: 53-64.

Chimento, N.R., Zuccari, J.I., Marchetto, J.M., Berbach, L. 2019. Nuevos restos de ciervos (Cervidae, Mammalia) para el Pleistoceno de la Región Pampeana (Argentina): consideraciones paleobiogeográficas y paleoecológicas. *Revista Brasileira de Paleontologia*, **22 (1)**: 67-85.

Cisneros, J.C. 2005. New pleistocene vertebrate fauna from El Salvador. *Revista Brasileira de Paleontologia*, **8 (3)**: 239-255.

Croitor, R. 2016. Systematical position and paleoecology of the endemic deer *Megaceroides algericus* Lydekker, 1890 (Cervidae, Mammalia) from the late Pleistocene-early Holocene of North Africa. *Geobios*, **49 (4)**: 265-283.

Croitor, R. 2017. Description of a new deer species (Cervidae, Mammalia) from the Early Pliocene of Eastern Europe, with a review of early dispersals and palaeobiogeography of the subfamily Cervinae. *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, **283 (1)**: 85-108.

Croitor, R. 2018. *Plio-Pleistocene deer of western Palearctic: taxonomy, systematics, phylogeny*. Chișinău: Institute of Zoology of the Academy of Sciences of Moldova, 140 p.

Croitor, R. 2021. Early evolutionary radiation and diversity of the Old World telemetacarpal deer (Capreolinae, Cervidae, Mammalia). *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, **300 (1)**: 33-67.

Croitor, R., Abbas, S.G., Babar, M.A., Khan, M.A., 2021. A new deer species (Cervidae, Mammalia) from the upper Siwaliks (Pakistan). *Quaternary International*, **595**: 1-11.

Croitor, R., Khan, M.A., Abbas, S.G., Babar, M.A., Asim, M., Akhtar, M. 2022. Description of new Pliocene to Early Pleistocene deer (Cervidae, Mammalia) remains from the Siwalik Hills in Pakistan with a discussion on paleobiogeography of cervids from the Indian subcontinent. *Geobios*. <https://doi.org/10.1016/j.geobios.2022.08.001>

Croitor, R., Robinson, C. 2020. A revision of “*Cervus*” *punjabiensis* Brown, 1926 (Cervidae, Mammalia) from the Upper Siwaliks of Chandigarh, India. *Quaternary International*, **550**: 147-158.

Croitor, R., Zakharov, D., Mararescul, V. 2020. Deer from the Early Pliocene Priozirnoe, Kuchurgan River Valley (Moldova, Eastern Europe). *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, **297 (3)**: 325-367.

Di Stefano, G. 1996. The Mesopotamian fallow deer (*Dama*, Artiodactyla) in the Middle East Pleistocene. *Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen*, **199 (3)**: 295-322.

Dong, W. 1993. The fossil record of deer in China. In: Ōtaishi, N., Sheng, H., Eds. *Deer of China: biology and management*, Elsevier: Amsterdam, The Netherlands, pp. 95-102.

Dong, W. 2007. New material of Muntiacinae (Artiodactyla, Mammalia) from the Late Miocene of the northeastern Qinghai-Tibetan Plateau, China. *Comptes Rendus Palevol*, **6 (5)**: 335-343.

- Dong, W., Bai, W.P., Pan, Y., Liu, W.H., 2020. New material of Cervidae (Artiodactyla, Mammalia) from Xinyaozi Ravine in Shanxi, North China. *Vertebrata PalAsiatica*, **58**: 221-248.
- Dong, W., Hu, Ch. 1994. The Late Miocene Cervidae from Hounao, Yushe Basin, Shanxi. *Vertebrata PalAsiatica*, **32(3)**: 209-227.
- Dong, W., Ji, X.-P., Jablonski, N.G., Su, D.F., Li, W.-Q. 2014. New materials of the Late Miocene *Muntiacus* from Zhaotong hominoid site in southern China. *Vertebrata PalAsiatica*, **52 (3)**: 316-327.
- Dong, W., Jiang, P. 1993. The Late Pleistocene Cervoidea (Artiodactyla) from Xianren Cave, Ji'an, Jilin. *Gujizhui dongwu xuebao*, **31 (2)**: 117-131.
- Dong, W., Li, Zh.-Y. 2008. Late Pleistocene Artiodactyla (Mammalia) from the Lingjing Site, Xuchang, Henan Province (China). *Vertebrata PalAsiatica*, **46 (1)**: 31-50.
- Dong, W., Liu, W., Li-Min, Zhang, L., Cai, B. 2018. New materials of Cervidae (Artiodactyla, Mammalia) from Tuchengzi of Huade, Nei Mongol, North China. *Vertebrata PalAsiatica*, **56 (2)**: 157-175.
- Dong, W., Liu, J., Pan, Y., 2003. A new *Euprox* from the Late Miocene of Yuanmou, Yunnan Province, China, with interpretation of its paleoenvironment. *Chinese Science Bulletin*, **48 (5)**: 485-491.
- Dong, W., Pan, Y., Liu, J. 2004. The earliest *Muntiacus* (Artiodactyla, Mammalia) from the Late Miocene of Yuanmou, southwestern China. *CR Palevol*, **3 (5)**: 379-386.
- Dong, W., Wei, Q., Bai, W., Zhang, L., Liu, W., Chen, Z., Bai, Y. and Wu, Y., 2019. New material of the Early Pleistocene *Elaphurus* (Artiodactyla, Mammalia) from North China and discussion on taxonomy of *Elaphurus*. *Quaternary International*, **519**: 113-121.
- Dong, W., Ye, J. 1996. Two new cervid species from the Late Neogene of Yushe basin, Shanxi Province, China. *Vertebrata PalAsiatica*, **34 (2)**: 135-144.
- Gaudry, A. 1872. Sur des ossements d'animaux quaternaires que M. l'abbé David a recueillis en Chine. *Bulletin de la Société géologique de France*, Ser. 2, **29**: 177-179.
- Gonzalez, E., Labarca, R., Chavez-Hoffmeister, M., Pino, M., 2014. First fossil record of the smallest deer cf. *Pudu Molina*, 1782 (Artiodactyla, Cervidae), in the Late Pleistocene of South America. *Journal of Vertebrate Paleontology*, **34 (2)**: 483-488.
- Gunnell, G.F., Foral, A., 1994. New species of *Bretzia* (Cervidae; Artiodactyla) from the latest Pleistocene or earliest Holocene of Nebraska and South Dakota. *Journal of Mammalogy*, **75 (2)**: 378-381.
- Gustafson, E.P. 2015. An Early Pliocene North American deer: *Bretzia pseudalces*, its osteology, biology, and place in cervid history. *Bulletin of the Museum of Natural History, University of Oregon* 25: 1-75.
- Heintz, E. 1970. Les cervidés villafranchiens de France et d'Espagne. *Mémoires du Muséum national d'histoire naturelle. Série C, Sciences de la terre*, **22** (1): 1-303 + *Figures et tableaux* (2): 1-206.
- Hooijer, D.A., Granger, W. 1951. Two new deer from the Pleistocene of Wanhsien, Szechwan, China. *American Museum novitates*, **1495**: 1-18.
- Hu, C.K. 1962. A new species of *Metacervulus* of Yushe, Shansi, with notes on Pliocene munjaks of China. *Vertebrata PalAsiatica*, **6 (3)**: 251-261.

- Johnson, R. 1874. Notice of a New Species of Deer from the Norfolk Forest-Bed. *The Annals and Magazine of Natural History, ser. 4, 13 (73)*: 1-4.
- Kahlke, H.-D. 1969. Die Cerviden-Reste aus den Kiesen von Süßenborn bei Weimar. *Palaeontologische Abhandlungen. Abteilung A, Palaeozoologie, 3 (3/4)*: 367-788.
- Kahlke, H.-D. 2001. Neufunde von Cerviden-resten aus dem Unterpleistozän von Untermassfeld. Das Pleistozän von Untermassfeld bei Meningen (Thüringen), Teil 2. *Monographien des Römisch-Germanischen Zentralmuseums Mainz, 40 (2)*: 461-482.
- Korotkevich, E.L. 1971. New form of deer from the Neogenic deposits of the South Ukraine. *Vestnik Zoologii, 1971 (1)*: 59-63 (in Russian).
- Korotkevich, E.L. 1974. New representative of the genus *Procapreolus* from the territory of the North Black Sea Area. *Vestnik zoologii, 6*: 68-77 (in Russian).
- Korotkevich, E.L. 1970. *Late Neogene Deer of the North Black Sea Area*. Kyiv: Naukova Dumka, 175 p. (in Russian).
- Leslie Jr, D.M., Lee, D.N., Dolman, R.W. 2013. *Elaphodus cephalophorus* (Artiodactyla: Cervidae). *Mammalian Species, 45 (904)*: 80-91.
- Lopatin, A.V., Maschenko, E.N., Vislobokova, I.A., Serdyuk, N.V., Dac, L.X. 2021. Pleistocene mammals from the Lang Trang Cave (Vietnam): new data. *Doklady Biological Sciences, 496 (1)*: 1-4.
- Louys, J., Curnoe, D., Tong, H., 2007. Characteristics of Pleistocene megafauna extinctions in Southeast Asia. *Palaeogeography, Palaeoclimatology, Palaeoecology, 243 (1-2)*: 152-173.
- Lungu, A., Rzebik-Kowalska, B. 2011. *Faunal assemblages, stratigraphy and taphonomy of the Late Miocene localities in the Republic of Moldova*. Krakow: Polish Academy of Sciences, 62 p.
- Ma, S., Wang, Y., Xu, L. 1986. Taxonomic and phylogenetic studies on the genus *Muntiacus*. *Acta Theriologica Sinica, 6 (3)*: 191-209.
- Macarovici, N. 1962. Contribution à la connaissance de *Alces palmatus* Ham. Smith dans le Quaternaire de la Roumanie. *Eiszeitalter und Gegenwart, 12*: 66-72.
- Meiri, M., Lister, A.M., Collins, M.J., Tuross, N., Goebel, T., Blockley, S., Zazula, G.D., van Doorn, N., Dale Guthrie, R., Boeskorov, G.G., Baryshnikov, G.F. 2014. Faunal record identifies Bering isthmus conditions as constraint to end-Pleistocene migration to the New World. *Proceedings of the Royal Society B: Biological Sciences, 281 (1776)*: p.20132167
- Pidoplichko, I.G., Flerov, K.K. 1952. New form of deer from the Pliocene of South Ukraine. *Reports of the Academy of Sciences of USSR, 84*: 1239-1242 (in Russian).
- Rădulescu, C., Samson, P. 1967. Sur un nouveau cerf mégacérin du pléistocène moyen de la dépression de Brasov (Roumanie). *Geologica Romana, 6*: 317-344.
- Roberts, P., Delson, E., Miracle, P., Ditchfield, P., Roberts, R.G., Jacobs, Z., Blinkhorn, J., Ciochon, R.L., Fleagle, J.G., Frost, S.R., Gilbert, C.C. 2014. Continuity of mammalian fauna over the last 200,000 y in the Indian subcontinent. *Proceedings of the National Academy of Sciences, 111 (16)*: 5848-5853.

- Rotti, A.; Vezzosi, R.I.; Mothé, D.; dos Santos Avilla, L. 2021. Rising from the ashes: The biggest South American deers (Cetartiodactyla: Cervidae) once roamed Northeast Brazil. *Journal of South American Earth Sciences*, **108**: 103-154.
- Rusconi, C. 1934. Tercera noticia sobre los vertebrados fosiles de Las Arenas Puelchenses de Villa Ballester. *Anales de la Sociedad Científica Argentina*, **117-118**: 28-30.
- Schlosser, M. 1924. Tertiary vertebrates from Mongolia. *Geological Survey of China, Series C*, **1 (1)**: 1-119.
- Smith, W.P. 1991. *Odocoileus virginianus*. *Mammalian species*, **388**: 1-13.
- Stimpson, C.M., Utting, B., O'Donnell, S., Huong, N.M., Kahlert, T., Manh, B.V., Khanh, P.S. and Rabett, R.J. 2019. An 11 000-year-old giant muntjac subfossil from Northern Vietnam: implications for past and present populations. *Royal Society open science*, **6 (3)**: 181461.
- Suraprasit, K., Jaeger, J.J., Chaimanee, Y., Chavasseau, O., Yamee, C., Tian, P., Panha, S. 2016. The middle Pleistocene vertebrate fauna from Khok Sung (Nakhon Ratchasima, Thailand): biochronological and paleobiogeographical implications. *ZooKeys*, **613**: 1-157.
- Teilhard de Chardin, P., Piveteau, J. 1930. Les mammifères fossiles de Nihowan (Chine). *Annales de Paléontologie*, **19**: 3-132.
- Teilhard de Chardin, P., Trassaert, M. 1937. The Pliocene Camelidae, Giraffidae, and Cervidae of South Eastern Shansi. *Palaeontologia Sinica, N. Ser. C*, **1**: 1-69.
- Titov, V.V., Shvyreva, A.K. 2016. Deer of the Genus *Megaloceros* (Mammalia, Cervidae) from the Lower Pleistocene of Ciscaucasia. *Paleontological Journal*, **2016 (1)**: 82-90.
- Tomati, C., Abbazzi, L. 2002. Deer fauna from Pleistocene and Holocene localities of Ecuador (South America). *Geobios*, **35 (5)**: 631-645.
- Van der Made, J. 2019. The dwarfed “giant deer” *Megaloceros matritensis* n. sp. from the Middle Pleistocene of Madrid—a descendant of *M. savini* and contemporary to *M. giganteus*. *Quaternary International*, **520**: 110-139.
- Villavicencio Figueroa, N.A. 2016. *Late Quaternary Megafaunal Extinctions in South America: Chronology, environmental changes and human impacts at regional scales*. Doctoral dissertation, University of California, Berkeley.
- Vislobokova I., Dmitrieva E., Kalmykov N. 1995. Artiodactyls from the Late Pliocene of Udunga, Western Trans-Baikal, Russia. *Journal of Vertebrate Paleontology*, **15 (1)**: 146-159.
- Vislobokova, I.A. 1990. The fossil deer of Eurasia. *Transactions of Paleontological Institute*, **240**: 1-208 (in Russian).
- Vislobokova, I.A., 1983. The fossil deer of Mongolia. *Transactions of Joint Soviet-Mongolian Paleontological Expedition*, **23**: 5-77.
- Vislobokova, I.A. 2009. A new species of Megacerini (Cervidae, Artiodactyla) from the late Miocene Taralyk-Cher, Tuva (Russia), and remarks on the relationships of the group. *Geobios*, **42**: 397-410.

Croitor, R. – Paleobiogeography of Crown Deer – Bibliographic Sources

- Vislobokova, I.A. 2012. Giant Deer: Origin, Evolution, Role in the Biosphere. *Paleontological Journal*, **46** (7): 643-775.
- Wang, L.H., Zhang, Z.-Q. 2014. Late Miocene *Cervavitus novorossiae* (Cervidae, Artiodactyla) from Lantian, Shaanxi Province. *Vertebrata PalAsiatica*, **52** (3): 303-315.
- Webb, S.D. 2000. Evolutionary History of New World Cervidae. In: E.S. Vrba and G.B. Schaller (eds.), *Antelopes, Deer, and Relatives*, 38-64. Yale University Press, New Heaven – London.
- Wei, Q. 1983. A new *Megaloceros* from Nihowan Beds. *Vertebrata PalAsiatica*, **21** (1): 87-95.
- Zaim, Y., de Vos, J., Huffman, O.F., Aziz, F., Kappelman, J., Rizal, Y., 2003. A new antler specimen from the 1936 Perning hominid site, East Java, Indonesia, attributable to *Axis lydekkeri* (MARTIN, 1886). *Journal of Mineral Technology*, **10** (2): 45-52.
- Zdansky, O. 1925. Fossile Hirsche Chinas. *Palaeontologica Sinica, Series C*, **2** (3): 1-94.
- Zhang, B., Chen, X., Tong, H.W. 2018. Tooth remains of Late Pleistocene moschid and cervid (Artiodactyla, Mammalia) from Yangjiawan and Fuyan Caves of southern China. *Quaternary International*, **490**: 21-32.