Spatio-temporal assessment of a Live Fuel Moisture Content monitoring model from an operational perspective

María A. Arcos [1], Ángel Balaguer-Beser [1,*], Luis Á. Ruiz [1] and José L. Soriano-Sancho [2]

[1] Geo-Environmental Cartography and Remote Sensing Group (CGAT-UPV), Universitat Politècnica de València, Camí de Vera s/n, 46022 València, Spain; maar12m@doctor.upv.es, abalague@mat.upv.es, laruiz@cgf.upv.es

[2] Technical Unit for Analysis and Prevention of Forest Fires, (VAERSA), Direcció General de Prevenció d'Incendis Forestals, Generalitat Valenciana, Calle de la Democracia, 77 Torre I, 46018 València, Spain; jlsoriano@vaersa.org

* Author to whom correspondence should be addressed. E-mail: abalague@mat.upv.es

SUPPLEMENTARY MATERIAL

FIGURES

1) Results are compared for **Ares del Maestrat (Castellón)**




Figure S1. Comparison of the evaluated scenarios at a representative plot in Castellón Province. Temporal evolution of observed values (blue line) and predicted values (red line) of weighted average LFMC

2) Results are compared for Yátova **(Valencia)**




Figure S2. Comparison of the evaluated scenarios at a representative plot in Valencia Province. Temporal evolution of observed values (blue line) and predicted values (red line) of weighted average LFMC

3) Results are compared for Albaida **(Alicante)**




Figure S3. Comparison of the evaluated scenarios at a representative plot in Alicante Province. Temporal evolution of observed values (blue line) and predicted values (red line) of weighted average LFMC




Figure S4. Comparison of the mean temperature and accumulated precipitation distribution in the Valencian Region – Period: 2017 – 2021

*Average annual accumulated precipitation 1981-2010




Figure S5. Comparison of the mean temperature and accumulated precipitation distribution in the Valencian Region – Period: 2022 – 2025

*Average annual accumulated precipitation 1981-2010